

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8402.90.0010	Product Specific	Heat exchangers, the foregoing comprising parts of goods of heading 8402 and each fitted for heat recovery generator (described in statistical reporting number 8402.90.0010)	9/20/2019	9/19/2020	9903.88.14
8402.90.0010	Product Specific	Heat exchangers, the foregoing comprising parts of goods of heading 8402 and each fitted for heat recovery steam generator (described in statistical reporting number 8402.90.0010)	7/9/2019	7/8/2020	9903.88.11
8402.90.0090	Product Specific	Drums, exhaust stacks, and inlet duct panel assemblies of heat recovery steam generators (described in statistical reporting number 8402.90.0090)	7/9/2019	7/8/2020	9903.88.11
8402.90.0090	Product Specific	Water tanks for steam or other vapor generating boilers (described in statistical reporting number 8402.90.0090)	7/9/2019	7/8/2020	9903.88.11
8407.21.0040	Entire Subheading	Spark-ignition Reciprocating Or Rotary Internal Combustion Piston Engines For Marine Propulsion, Outboard Motors Less Than 22.38 Kw	5/14/2019	5/13/2020	9903.88.08
8407.21.0080	Product Specific	Spark-ignition engines for marine propulsion, outboard, each rated at not less than 29.83 kW but not more than 44.74 kW (described in statistical reporting number 8407.21.0080)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8408.90.9010	Product Specific	Compression-ignition engines with maximum power exceeding 50 kW but not exceeding 120 kW, each valued over \$6,000 but not over \$9,500 per unit (described in statistical reporting number 8408.90.9010)	7/9/2019	7/8/2020	9903.88.11
8408.90.9020	Product Specific	Compression-ignition engines, exceeding 149.2 kW but not exceeding 373 kW and valued over \$9,800 but not over \$12,000 (described in statistical reporting number 8408.90.9020)	7/9/2019	7/8/2020	9903.88.11
8411.99.9085	Product Specific	Parts of nonaircraft gas turbines, other than rotors, spindles, rotor assemblies, spindle assemblies or steel forgings (described in statistical reporting number 8411.99.9085)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8411.99.9090	Product Specific	Aircraft gas turbine compressor cases of steel and Inconel alloy, each valued over \$3,000 but not over \$4,000 (described in statistical reporting number 8411.99.9090)	7/9/2019	7/8/2020	9903.88.11
8411.99.9090	Product Specific	Engine stationary seal air supports of Inconel alloy, each measuring over 35 cm but not over 35.5 cm in outer diameter and over 3.5 cm but not over 4 cm in width (described in statistical reporting number 8411.99.9090)	7/9/2019	7/8/2020	9903.88.11
8412.21.0030	Product Specific	Welded hydraulic linear acting (cylinders) engines and motors, each with piston bore of 12.7 mm or more but not over 254 mm, with stroke not over 11.43 m, overall length not over 15.24 m and rod diameter not over 1.219 (described in statistical reporting number 8412.21.0030)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8412.21.0045	Entire Subheading	Linear acting hydraulic motors with telescoping type cylinders	3/25/2019	<u>Extended to:</u> <u>3/24/21</u> <u>(Original:</u> <u>3/24/20) 85 FR</u> <u>15015</u>	9903.88.06
8412.21.0075	Entire Subheading	Linear acting hydraulic motors (cylinder), others	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8412.29.8015	Product Specific	Unlimited rotary acting hydraulic motors, gear type, valued at \$70 or more but not exceeding \$75 each (described in statistical reporting number 8412.29.8015)	10/2/2019	10/1/2020	9903.88.19
8412.29.8045	Product Specific	Hydraulic powered swing, winch and travel drives, axial piston type, with attached gearboxes, each valued over \$2,000 but not over \$7,000 (described in statistical reporting number 8412.29.8045)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8412.39.0080	Product Specific	Direct acting and spring return pneumatic actuators, each rated at a maximum pressure of 10 bar and valued over \$68 but not over \$72 per unit (described in statistical reporting number 8412.39.0080)	7/9/2019	7/8/2020	9903.88.11
8412.80.1000	Product Specific	Spring-operated motors, each valued over \$3,000 but not over \$3,600 (described in statistical reporting number 8412.80.1000)	7/9/2019	7/8/2020	9903.88.11
8413.19.0000	Product Specific	Lubricating oil transfer pumps, fitted or designed to be fitted with a measuring device, each with a 1.5 kW motor (described in statistical reporting number 8413.19.0000)	9/20/2019	9/19/2020	9903.88.14
8413.19.0000	Product Specific	Pumps designed for countertop appliances for serving beer, the foregoing that control the level of carbonation by means of sonic waves (described in statistical reporting number 8413.19.0000)	4/18/2019	4/17/2020	9903.88.07
8413.50.0010	Product Specific	Oil well and oil field reciprocating positive displacement plunger pumps (described in statistical reporting number 8413.50.0010)	9/20/2019	9/19/2020	9903.88.14
8413.50.0010	Product Specific	Oil well and oil field crank-balanced, long-stroke and beam pumps (described in statistical reporting number 8413.50.0010)	6/4/2019	6/3/2020	9903.88.10
8413.50.0070	Product Specific	Radial piston hydraulic fluid pumps weighing not over 500 grams (described in statistical reporting number 8413.50.0070)	6/4/2019	6/3/2020	9903.88.10
8413.50.0090	Product Specific	Positive displacement piston liquid pumps designed for use with gas or electric powered pressure washers, rated for an output of 7 liters or more but not exceeding 16 liters per minute at a pressure of 17 MPa or more but not exceeding 28 MPa (described in statistical reporting number 8413.50.0090)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.60.0030	Product Specific	Gear-type hydraulic fluid power pumps, handheld, battery powered, the foregoing not over 5 cm in width and valued not over \$6 per unit (described in statistical reporting number 8413.60.0030)	7/9/2019	7/8/2020	9903.88.11
8413.60.0090	Product Specific	Non-hydraulic rotary positive displacement pumps, not configured as roller pumps, each weighing less than 5.5 kg and valued not over \$25 (described in statistical reporting number 8413.60.0090)	9/20/2019	9/19/2020	9903.88.14
8413.70.2004	Product Specific	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard), not fitted or designed to be fitted with a measuring device; each of the foregoing incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)	9/20/2019	9/19/2020	9903.88.14
8413.70.2004	Product Specific	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing for table-top decorative use incorporating a cascading water feature (described in statistical reporting number 8413.70.2004)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.70.2004	Product Specific	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines; other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard), not fitted or designed to be fitted with a measuring device, the foregoing capable of operating at 3,700 liters or more but not exceeding 41,000 liters per hour (described in statistical reporting number 8413.70.2004)	9/20/2019	9/19/2020	9903.88.14
8413.70.2004	Product Specific	Submersible centrifugal pumps, not fitted or designed to be fitted with a measuring device; other than fuel, lubricating or cooling medium pumps for internal combustion piston engines; other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard; the foregoing rated not over 1.5 kW (described in statistical reporting number 8413.70.2004)	9/20/2019	9/19/2020	9903.88.14
8413.70.2004	Product Specific	Tabletop water fountains designed for indoor use, the essential character of which is imparted by submersible centrifugal pumps (described in statistical reporting number 8413.70.2004)	9/20/2019	9/19/2020	9903.88.14
8413.70.2004	Product Specific	Centrifugal pumps, submersible, designed for use in apparatus for supplying water to pets (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Centrifugal pumps, submersible, other than for use with machines for making cellulosic pulp, paper or paperboard; the foregoing pumps rated not over 1.5 kW (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Submersible dual port pump designed for use in swimming pools (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.70.2004	Product Specific	Submersible pump designed for use in aquariums, not over 325 mm tall (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Submersible pump incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Submersible pumps, rated not over 1 horsepower, designed for use in pumping raw sewage (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Sump pumps, submersible, rated not over 1 horsepower, activated by float switch (described in statistical reporting number 8413.70.2004)	6/4/2019	6/3/2020	9903.88.10
8413.70.2004	Product Specific	Submersible centrifugal pumps, each powered by 36 V motor (described in statistical reporting number 8413.70.2004)	3/25/2019	3/24/2020	9903.88.06
8413.70.2005	Product Specific	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled, with a discharge outlet under 5.08 cm in diameter, valued over \$4 but not over \$6.50 each (described in statistical reporting number 8413.70.2005)	9/20/2019	9/19/2020	9903.88.14
8413.70.2005	Product Specific	Centrifugal pumps, not for use with machines for making cellulosic pulp, paper or paperboard, not submersible, the foregoing single-stage, singlesuction, close-coupled and with discharge outlet under 5.1 cm in diameter (described in statistical reporting number 8413.70.2005)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.70.2015	Product Specific	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled centrifugal motor pumps with a discharge outlet 5.08 cm or over in diameter, rated at 37 W or more but not exceeding 80 W and with a flow rate of 17 liters per minute or more (described in statistical reporting number 8413.70.2015)	9/20/2019	9/19/2020	9903.88.14
8413.70.2015	Product Specific	Original Language:Centrifugal water pumps incorporating thermal cut-offs, each with discharge outlet 5.08 cm or more in diameter, valued over \$66 but not over \$72 per unit (described in statistical reporting number 8413.70.2015) <i>CORRECTED (12/17/2019) and revised language: Centrifugal water pumps incorporating thermal cut-offs, each with discharge outlet 5.08 cm or more in diameter, valued over \$66 but not over \$96 per unit (described in statistical reporting number 8413.70.2015)</i>	7/9/2019	7/8/2020	9903.88.11
8413.70.2022	Product Specific	Modules containing three single-stage, single-suction, frame-mounted centrifugal pumps for liquids, with mechanical seals, with discharge outlets under 4 cm in diameter (described in statistical reporting number 8413.70.2022)	10/2/2019	10/1/2020	9903.88.19
8413.70.2022	Product Specific	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing operating at a voltage of 120 V and a frequency of 60 Hz, valued over \$4 but not over \$9 each (described in statistical reporting number 8413.70.2022)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.70.2025	Product Specific	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled, with discharge outlet under 5.08 cm in diameter each valued over \$150,000 (described in statistical reporting number 8413.70.2025)	9/20/2019	9/19/2020	9903.88.14
8413.70.2090	Product Specific	Centrifugal pumps designed for eliminating condensate, the foregoing not elsewhere specified or included (described in statistical reporting number 8413.70.2090)	6/4/2019	6/3/2020	9903.88.10
8413.81.0040	Product Specific	Pet water drinking fountains, not incorporating centrifugal pumps (described in statistical reporting number 8413.81.0040)	9/20/2019	9/19/2020	9903.88.14
8413.81.0040	Product Specific	Pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines, other than centrifugal pumps), not fitted or designed to be fitted with a measuring device, the foregoing rated at 37 W or more but not exceeding 80 W, with a flow rate of 17 liters or more per minute (described in statistical reporting number 8413.81.0040)	9/20/2019	9/19/2020	9903.88.14
8413.81.0040	Product Specific	Breast pumps, whether or not with accessories or batteries (described in statistical reporting number 8413.81.0040)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8413.91.1000	Product Specific	Load limiters for water pumps inserted into start/stop internal combustion engines (described in statistical reporting number 8413.91.1000)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.1000	Product Specific	Stainless steel bushings, having a twelve sided outer surface, designed to fit onto a fuel vapor impeller of a kind used for automotive fuel injectors (described in statistical reporting number 8413.91.1000)	10/2/2019	10/1/2020	9903.88.19
8413.91.9010	Product Specific	Tubes of copper alloy for use in solenoid fuel pumps, each valued not over \$1 (described in statistical reporting number 8413.91.9010)	9/20/2019	9/19/2020	9903.88.14
8413.91.9010	Product Specific	Motor vehicle oil pump housings (described in statistical reporting number 8413.91.9010)	7/9/2019	7/8/2020	9903.88.11
8413.91.9010	Product Specific	Housings for water pumps of subheading 8413.30.90 (as described in subheading 8413.91.9010)	6/4/2019	6/3/2020	9903.88.10
8413.91.9010	Product Specific	Impellers for water pumps of subheading 8413.30.90 (described in statistical reporting number 8413.91.9010)	6/4/2019	6/3/2020	9903.88.10
8413.91.9060	Product Specific	Hydraulic pump positioning piston assemblies (described in statistical reporting number 8413.91.9060)	6/4/2019	6/3/2020	9903.88.10
8413.91.9060	Product Specific	<i>CORRECTED (2/11/2020) and revised language: Hydraulic pump positioning piston assemblies (described in statistical reporting number 8413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019)</i>	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9060	Product Specific	Plastic reservoirs for motor vehicle brake master cylinders (described in statistical reporting number 8413.91.9060) <i>CORRECTED (2/11/2020) and revised language: Plastic reservoirs for motor vehicle brake master cylinders (described in statistical reporting number 8413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019)</i>	6/4/2019	6/3/2020	9903.88.10
8413.91.9095	Product Specific	Parts of pumps, other than fuel-injection pumps for compression-ignition engines or stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard, the foregoing of plastics (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Parts of pumps, other than fuel-injection pumps for compression-ignition engines or stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard, the foregoing of plastics (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	Rods and couplings designed for use with oil and gas field pumps, the foregoing of American Petroleum Institute grade (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Rods and couplings designed for use with oil and gas field pumps, the foregoing of American Petroleum Institute grade (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting numbers 8413.91.9065, 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	9/20/2019	9/19/2020	9903.88.14
8413.91.9095	Product Specific	Volutes of a kind designed for use with centrifugal sump pumps (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Volutes of a kind designed for use with centrifugal sump pumps (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9096 effective January 1, 2020)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	Impellers (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Impellers (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	Parts of oil and gas extraction beam pumps, other than hydraulic power pumps (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Parts of oil and gas extraction beam pumps, other than hydraulic power pumps (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting numbers 8413.91.9065, 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	<p>Pedestals of pump assemblies (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pedestals of pump assemblies (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Pump bases, of plastic, designed to protect the pump impellers from obstructions (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump bases, of plastic, designed to protect the pump impellers from obstructions (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	<p>Pump casings and bodies (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump casings and bodies (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Pump covers (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump covers (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Pump expellers (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump expellers (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	Pump grease cups and grease cup adapters (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020): Pump grease cups and grease cup adapters (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	Pump liners (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Pump liners (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	Pump manifolds (described in statistical reporting number 8413.91.9095) <i>CORRECTED (2/11/2020) and revised language: Pump manifolds (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	<p>Pump parts, of plastics, each valued not over \$3 (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised: Pump parts, of plastics, each valued not over \$3 (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Pump shaft castings, of steel (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump shaft castings, of steel (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Pump throatbushes (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump throatbushes (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	<p>Pump volutes (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Pump volutes (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11
8413.91.9095	Product Specific	<p>Structural pump bases, of stainless steel (described in statistical reporting number 8413.91.9095)</p> <p><i>CORRECTED (2/11/2020) and revised language: Structural pump bases, of stainless steel (described in statistical reporting number 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8413.91.9095	Product Specific	<p>Impeller housings of cast iron (whether described in statistical reporting number 8413.91.9080 (parts of pumps for liquids, other), prior to January 1, 2019 or described in statistical reporting number 8413.91.9095, post January 1, 2019)</p> <p><i>CORRECTED (2/11/2020) and revised language: Impeller housings of cast iron (whether described in statistical reporting number 8413.91.9080 (parts of pumps for liquids, other), prior to January 1, 2019 or described in statistical reporting number 8413.91.9095, January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020</i></p>	3/25/2019	3/24/2020	9903.88.06
8413.91.9095	Product Specific	<p>Impellers of plastic designed for centrifugal pumps, each of the foregoing with outside diameter of 73 mm or more but not more than 74 mm (whether described in statistical reporting number 8413.91.9080 (parts of pumps for liquids, other) prior to January 1, 2019 or described in statistical reporting number 8413.91.9095, post January 1, 2019)</p> <p><i>CORRECTED (2/11/2020) and revised language: Impellers of plastic designed for centrifugal pumps, each of the foregoing with outside diameter of 73 mm or more but not more than 74 mm (whether described in statistical reporting number 8413.91.9080 (parts of pumps for liquids, other) prior to January 1, 2019 or described in statistical reporting number 8413.91.9095, January 1, 2019, through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)</i></p>	3/25/2019	3/24/2020	9903.88.06

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8414.30.4000	Product Specific	Air conditioner compressors of a kind used in motor vehicles (described in statistical reporting number 8414.30.4000)	9/20/2019	9/19/2020	9903.88.14
8414.30.4000	Product Specific	Compressors designed for use in household refrigerators, not exceeding 187 W (1/4 horsepower), each valued not over \$30 (described in statistical reporting number 8414.30.4000)	9/20/2019	9/19/2020	9903.88.14
8414.30.4000	Product Specific	Single phase, rotating piston type rotary compressors with split capacitor motors and refrigerant pumps, valued not over \$70 (described in statistical reporting number 8414.30.4000)	9/20/2019	9/19/2020	9903.88.14
8414.30.8030	Product Specific	Compressors, other than screw type, used in air conditioning equipment in motor vehicles, each valued over \$88 but not over \$92 per unit (described in statistical reporting number 8414.30.8030)	7/9/2019	7/8/2020	9903.88.11
8414.30.8050	Product Specific	Compressors, other than screw type, of a kind used in household refrigerators, air conditioners and heat pumps, rated at more than 1/4 horsepower but not more than 1 horsepower, each valued not over \$150 (described in statistical reporting number 8414.30.8050)	7/9/2019	7/8/2020	9903.88.11
8414.30.8060	Product Specific	Original Language: Rotary compressors, each exceeding 746 W (1 horsepower) but not exceeding 2,984 W (4 horsepower), with a cooling capacity ranging from 2,300 W (7,960 BTU) to 5,500 W (18,766 BTU) (described in statistical reporting number 8414.30.8060) <i>CORRECTED (12/17/2019) and revised language: Rotary compressors, each exceeding 746 W but not exceeding 2,238 W, with a cooling capacity ranging from 2.3 kW to 5.5 kW (described in statistical reporting number 8414.30.8060)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8414.30.8060	Product Specific	Original Language: Rotary compressors, each exceeding 746 W (1 horsepower) but not exceeding 2,984 W (4 horsepower), with a cooling capacity ranging from 750 to 1400 W (described in statistical reporting number 8414.30.8060) <i>CORRECTED (12/17/2019) and revised language: Rotary compressors, each exceeding 746 W but not exceeding 2,238 W, with a cooling capacity of 750 W or more but not exceeding 1.4 kW (described in statistical reporting number 8414.30.8060)</i>	9/20/2019	9/19/2020	9903.88.14
8414.30.8070	Product Specific	Original Language: Scroll compressors, each exceeding 2,238 W (3 horsepower) but not exceeding 7,460 W (10 horsepower), valued over \$250 but not over \$500 each (described in statistical reporting number 8414.30.8070) <i>CORRECTED (12/17/2019) and revised language: Scroll compressors, each exceeding 2,238 W (3 horsepower) but not exceeding 7,460 W (10 horsepower), valued over \$250 but not over \$1500 each (described in statistical reporting number 8414.30.8070)</i>	9/20/2019	9/19/2020	9903.88.14
8414.30.8080	Product Specific	Original Language: Scroll-type compressors, each exceeding 7,460 W (10 horsepower), valued over \$500 but not over \$900 (described in statistical reporting number 8414.30.8080) <i>CORRECTED (12/17/2019) and revised language: Scroll-type compressors, each exceeding 7,460 W (10 horsepower), valued over \$200 but not over \$1500 (described in statistical reporting number 8414.30.8080)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8414.90.4140	Product Specific	Steel rings with an external diameter not greater than 18 mm designed for use in air conditioning compressors (described in statistical reporting number 8414.90.4140)	10/2/2019	10/1/2020	9903.88.19
8414.90.4165	Product Specific	Compressor housings designed for turbochargers (described in statistical reporting number 8414.90.4165)	9/20/2019	9/19/2020	9903.88.14
8414.90.4165	Product Specific	Compressor housings designed for turbochargers (described in statistical reporting number 8414.90.4165)	3/25/2019	3/24/2020	9903.88.06
8414.90.4190	Product Specific	Airend assemblies, inlet guide vanes, air-ends, compressor baseplates and backplates (described in statistical reporting number 8414.90.4190) <i>CORRECTED (2/11/2020) and revised language: Airend assemblies, inlet guide vanes, air-ends, compressor baseplates and backplates (described in statistical reporting number 8414.90.4175 prior to July 1, 2018; described in statistical reporting number 8414.90.4190 effective July 1, 2018)</i>	6/4/2019	6/3/2020	9903.88.10
8417.80.0000	Product Specific	Mineral slab production equipment including exhaust gas treatment apparatus therefor (described in statistical reporting number 8417.80.0000)	9/20/2019	9/19/2020	9903.88.14
8417.80.0000	Product Specific	Twin reactor pyrolysis waste processing equipment consisting of two twin primary and one secondary processing units (described in statistical reporting number 8417.80.0000)	9/20/2019	9/19/2020	9903.88.14
8417.90.0000	Product Specific	Quench casings for furnace burners (described in statistical reporting number 8417.90.0000)	10/2/2019	10/1/2020	9903.88.19
8417.90.0000	Product Specific	Parts of dry hearth melting furnaces (described in statistical reporting number 8417.90.0000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8418.69.0110	Product Specific	Portable domestic ice cube makers of stainless steel, valued not over \$70 each (described in statistical reporting number 8418.69.0110)	9/20/2019	9/19/2020	9903.88.14
8418.69.0110	Product Specific	Stand-alone icemaking machines, each having a rated capacity not exceeding 160 kg per day, capable of producing ice in pieces not larger than 40 cubic cm in any dimension (described in statistical reporting number 8418.69.0110)	6/4/2019	6/3/2020	9903.88.10
8418.69.0120	Entire Subheading	Drinking water coolers, refrigerated, self contained	12/28/2018	Extended to: 12/27/20 (Original: 12/27/19) FR 2019-27611	9903.88.05
8418.69.0160	Product Specific	Absorption liquid chilling units valued over \$130,000 each (described in statistical reporting number 8418.69.0160)	9/20/2019	9/19/2020	9903.88.14
8418.69.0180	Product Specific	Chest-type coolers, compression type, with an interior volume exceeding 440 liters but not exceeding 600 liters (described in statistical reporting number 8418.69.0180)	9/20/2019	9/19/2020	9903.88.14
8418.69.0180	Product Specific	Upright freezers, compression type, with an interior volume exceeding 1,300 liters but not exceeding 2,100 liters (described in statistical reporting number 8418.69.0180)	9/20/2019	9/19/2020	9903.88.14
8418.69.0180	Product Specific	Assemblies of thermo-electric modules, whether or not presented with attached heat exchangers, fans, shrouds, temperature sensors or controllers (described in statistical reporting number 8418.69.0180)	6/4/2019	6/3/2020	9903.88.10
8418.69.0180	Product Specific	Coolers, non-compressor, powered by 12 V DC, each with an interior volume not exceeding 17 liters (described in statistical reporting number 8418.69.0180)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8419.19.0040	Product Specific	Solar water heaters incorporating glass tube heat collectors and including glass tubes and stands with tanks (described in statistical reporting number 8419.19.0040)	6/4/2019	6/3/2020	9903.88.10
8419.40.0080	Product Specific	Distillation and rectifying equipment designed for use in the production of methylene diphenyl diisocyanate (described in statistical reporting number 8419.40.0080)	6/4/2019	6/3/2020	9903.88.10
8419.50.1000	Product Specific	Brazed aluminum plate-fin heat exchangers, each valued not over \$250 (described in statistical reporting number 8419.50.1000)	9/20/2019	9/19/2020	9903.88.14
8419.50.5000	Product Specific	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 27 metric tons but not more than 32 metric tons and incorporating shell-and-tube type heat exchangers (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14
8419.50.5000	Product Specific	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 40 but not more than 44 metric tons and designed to incorporate an ethylene dichloride vent eductor liquid cooler (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14
8419.50.5000	Product Specific	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 63.5 metric tons and not designed to operate with chilled MCB Coolers using propylene refrigerant (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8419.50.5000	Product Specific	Heat exchanger units, designed for use individually or as part of a system weighing more than 63.5 metric tons and not designed to operate with chilled MCB coolers using propylene refrigerant (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14
8419.50.5000	Product Specific	Heat exchangers, each valued not over \$17,000 (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14
8419.50.5000	Product Specific	Industrial tubular heat exchange units (described in statistical reporting number 8419.50.5000)	9/20/2019	9/19/2020	9903.88.14
8419.90.2000	Product Specific	Formed sheet metal guards suitable for attachment to drying rollers in papermaking machinery (described in statistical reporting number 8419.90.2000)	10/2/2019	10/1/2020	9903.88.19
8419.90.2000	Product Specific	Stretchers of stainless steel, designed to move rollers to adjust tension of paper fabric to be dried, each with a pivoting arm with an actuator, linear rail movement with an actuator, and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8419.90.2000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8419.90.3000	Product Specific	Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000)	9/20/2019	9/19/2020	9903.88.14
8419.90.3000	Product Specific	Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000)	6/4/2019	6/3/2020	9903.88.10
8420.10.9040	Product Specific	Calendering machines other than for metals or glass, such machines each weighing more than 12,000 kg (described in statistical reporting number 8420.10.9040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8420.10.9040	Product Specific	Thermal roll laminators, each valued not over \$450 (described in statistical reporting number 8420.10.9040)	9/20/2019	9/19/2020	9903.88.14
8420.10.9080	Product Specific	Roller machines designed for cutting, etching or embossing paper, foil or fabric, manually powered (described in statistical reporting number 8420.10.9080)	4/18/2019	4/17/2020	9903.88.07
8420.10.9080	Product Specific	Roller machines with dies for embossing paper, manually powered (described in statistical reporting number 8420.10.9080)	12/28/2018	Extended to: 12/27/20 (Original: 12/27/19) FR 2019-27611	9903.88.05
8420.99.9000	Product Specific	Chemically etched dies of steel, steel-rule cutting dies, movable magnetic dies, embossing folders and plastic embossing diffusers, of a kind used in manually-powered roller machines for etching or stenciling a single sheet of cardstock, paper, leather, flexible magnet, plastics, metallic foil, vellum, felt or fabric, such sheets measuring not more than 50.8 cm in width or length (described in statistical reporting number 8420.99.9000)	10/2/2019	10/1/2020	9903.88.19
8420.99.9000	Product Specific	Cutting pads, platforms, base plates, pads, shims, trays, which function as guides for hand-operated table-top calendering machines of a width not exceeding 51 cm (described in statistical reporting number 8420.99.9000)	9/20/2019	9/19/2020	9903.88.14
8421.19.0000	Product Specific	Salad spinners, of plastics, not electrically powered (described in statistical reporting number 8421.19.0000)	3/25/2019	3/24/2020	9903.88.06
8421.19.0000	Product Specific	Salad spinners of plastics, with capacity of at least 2.4 liters but not more than 3.8 liters (described in statistical reporting number 8421.19.0000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.21.0000	Product Specific	Water filtering apparatus, each valued not over \$1.50 (described in statistical reporting number 8421.21.0000)	10/2/2019	10/1/2020	9903.88.19
8421.21.0000	Product Specific	Glass water filtration pitchers and filters (described in statistical reporting number 8421.21.0000)	9/20/2019	9/19/2020	9903.88.14
8421.21.0000	Product Specific	Household alkaline water ionizer and filtration apparatus (described in statistical reporting number 8421.21.0000)	9/20/2019	9/19/2020	9903.88.14
8421.21.0000	Product Specific	Household water filter cartridges (described in statistical reporting number 8421.21.0000)	9/20/2019	9/19/2020	9903.88.14
8421.21.0000	Product Specific	Ionization filters valued over \$35 but not over \$45 each (described in statistical reporting number 8421.21.0000)	9/20/2019	9/19/2020	9903.88.14
8421.21.0000	Product Specific	Water filters for pet water fountains (described in statistical reporting number 8421.21.0000)	9/20/2019	9/19/2020	9903.88.14
8421.21.0000	Product Specific	Apparatus, including pitchers, bottles, and units designed for incorporation into refrigerators, appliances or sink faucets, the foregoing fitted with filters for filtering or purifying water (described in statistical reporting number 8421.21.0000)	5/14/2019	5/13/2020	9903.88.08
8421.21.0000	Product Specific	Filtering apparatus, fitted with pumps, designed for use in pools, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	5/14/2019	5/13/2020	9903.88.08
8421.21.0000	Product Specific	Filtering or purifying machinery or apparatus of a kind used for waste water treatment (described in statistical reporting number 8421.21.0000)	5/14/2019	5/13/2020	9903.88.08
8421.21.0000	Product Specific	Submersible machinery for filtering water, designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	5/14/2019	5/13/2020	9903.88.08
8421.21.0000	Product Specific	Water distillation machinery and apparatus not covered by heading 8419 (described in statistical reporting number 8421.21.0000)	5/14/2019	5/13/2020	9903.88.08

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.21.0000	Product Specific	Water oxidizers and chlorinators (described in statistical reporting number 8421.21.0000)	4/18/2019	4/17/2020	9903.88.07
8421.21.0000	Product Specific	Machinery for filtering water, submersible, powered by batteries, manually operated, such machinery designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8421.21.0000	Product Specific	Machinery designed for removing waste from water in saltwater aquariums by injecting air bubbles then filtering such bubbles (described in statistical reporting number 8421.21.0000)	3/25/2019	3/24/2020	9903.88.06
8421.21.0000	Product Specific	Electronic water oxidizers designed for purifying water for household washing machines (described in statistical reporting number 8421.21.0000)	3/25/2019	3/24/2020	9903.88.06
8421.21.0000	Product Specific	Hand-held ultraviolet water purifiers, powered by batteries (described in statistical reporting number 8421.21.0000)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8421.21.0000	Product Specific	Nonelectric water filtration apparatus consisting of three cylinder-shaped filter cartridges, each measuring 6.35 cm by 26.67 cm, having water storage tank and plastic tubing measuring 0.63 cm or more but not over 0.95 cm, presented with installation kit (described in statistical reporting number 8421.21.0000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.22.0000	Product Specific	Filters designed to remove sulfites from wine (described in statistical reporting number 8421.22.0000)	3/25/2019	<u>Extended to:</u> <u>3/24/21</u> <u>(Original:</u> <u>3/24/20) 85 FR</u> <u>15015</u>	9903.88.06
8421.29.0065	Product Specific	Liquid treatment process modules designed to separate ethylene dichloride (EDC) from an EDC/water/acid solution, containing an EDC decanter, heat exchangers and pumps, measuring not over 23 meters by 23 meters by 25 meters (described in statistical reporting number 8421.29.0065)	10/2/2019	10/1/2020	9903.88.19
8421.29.0065	Product Specific	Accumulators for heat pumps and air conditioners, valued over \$8 but not over \$12 each (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Basket, Y-type or duplex strainers, each having a threaded or flanged-style end (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Cage-type cartridges, designed to remove water directly from fuel tanks, valued not over \$2 each (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Filtering or purifying machinery valued over \$2,500,000 (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Hydraulic fluid filters, rated at less than 100 kPa, measuring no more than 10 cm in diameter and 12 cm in length, each valued not more than \$2 (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.29.0065	Product Specific	Original Language: Polymer filtration systems of a kind used to separate solid contaminants from liquid polymers, each valued over \$30,000 but not over \$40,000 (described in statistical reporting number 8421.29.0065) <i>CORRECTED (12/17/2019) and revised language: Filtration or purifying machinery for liquid chemical polymers, of steel housing, with sintered metal cylindrical filters (described in statistical reporting number 8421.29.0065)</i>	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Receiver-driers for air conditioning units used in commercial vehicles (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.29.0065	Product Specific	Stainless steel mesh filters with plastic cores, of a kind used for preventing clogs in paint sprayers, each valued not over \$1.50 (described in statistical reporting number 8421.29.0065)	9/20/2019	9/19/2020	9903.88.14
8421.39.8015	Product Specific	Air purification equipment, electrically powered, weighing less than 36 kg (described in statistical reporting number 8421.39.8015)	5/14/2019	5/13/2020	9903.88.08
8421.39.8015	Product Specific	Dust collection equipment for cement, minerals and mining industries (described in statistical reporting number 8421.39.8015)	5/14/2019	5/13/2020	9903.88.08
8421.39.8040	Product Specific	Chlorine absorption process modules designed to dissolve chlorine gas, produced through the interaction of salt water and hydrochloric acid, in a liquid, measuring not over 35 meters by 23 meters by 26 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.39.8040	Product Specific	Gas treatment process modules, each containing a methylenediphenyl diamine (MDA) vent scrubber and nitrogen gas stripping column, designed to use aniline to filter MDA from the nitrogen gas stripping column, measuring not over 26 meters by 21 meters by 17 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Gas treatment process modules, each containing a reactor vent scrubber designed to scrub evaporated phosgenation reaction liquid with chlorobenzene, measuring not over 26 meters by 22 meters by 22 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Gas treatment process modules, each containing scrubbers and decomposers designed to remove hazardous gases on the surface of packing in packed columns, measuring not over 21 meters by 17 meters by 36 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Methylene diphenyl diisocyanate (MDI) isomers separation process modules designed to purify MDI gas, measuring not over 24 meters by 21 meters by 22 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Modules, each consisting of a carbon dioxide (CO2) stripper and heat exchangers designed to remove CO2 from solutions to produce 1-Ethyl-3-(3- dimethylaminopropyl) carbodiimide (EDC), measuring not over 20 meters by 20 meters by 17 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.39.8040	Product Specific	Process modules containing activated carbon absorbers designed to absorb volatile organic compounds, measuring not over 21 meters by 20 meters by 15 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Thermal oxidizer modules (TOx) designed to destroy hazardous compounds in water vapors, gases and liquids produced during the ethylene dichloride (EDC) and methylene diphenyl isocyanate (MDI) production processes, containing a combustion chamber and scrubber for conversion of nitrogen oxide (NOX) to nitrogen (N2), measuring not over 35 meters by 20 meters by 14 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8040	Product Specific	Thermal oxidizer modules (TOx) designed to destroy hazardous compounds in water vapors, gases and liquids produced during the ethylene dichloride (EDC) and methylene diphenyl isocyanate (MDI) production processes, containing a combustion chamber and scrubber for conversion of nitrogen oxide (NOX) to nitrogen (N2), measuring not over 31 meters by 24 meters by 20 meters (described in statistical reporting number 8421.39.8040)	10/2/2019	10/1/2020	9903.88.19
8421.39.8090	Product Specific	Disposable plastic filters of a kind suitable for filtering and dehumidifying a patient's breath in a medical device such as a gas analyzer (described in statistical reporting number 8421.39.8090)	9/20/2019	9/19/2020	9903.88.14
8421.99.0040	Product Specific	Fiberglass-reinforced polyethylene pressure vessels (described in statistical reporting number 8421.99.0040)	9/20/2019	9/19/2020	9903.88.14
8421.99.0040	Product Specific	Parts of filters, each valued not over \$8 (described in statistical reporting number 8421.99.0040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8421.99.0040	Product Specific	Parts of swimming pool vacuum cleaners (described in statistical reporting number 8421.99.0040)	9/20/2019	9/19/2020	9903.88.14
8421.99.0040	Product Specific	Self-cleaning filters, of stainless steel, of a kind suitable for use in filtering municipal, agricultural or industrial water supplies, valued over \$700 but not over \$800 each (described in statistical reporting number 8421.99.0040)	9/20/2019	9/19/2020	9903.88.14
8421.99.0040	Product Specific	Swimming pool filter cartridges (described in statistical reporting number 8421.99.0040)	9/20/2019	9/19/2020	9903.88.14
8421.99.0040	Product Specific	Filter housings, covers, or couplings, the foregoing of steel and comprising parts of machinery or apparatus for filtering liquids (described in statistical reporting number 8421.99.0040)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8421.99.0080	Product Specific	Paint sprayer filters of paper, with steel mesh casings and plastic end caps, valued not over \$1 each (described in statistical reporting number 8421.99.0080)	9/20/2019	9/19/2020	9903.88.14
8421.99.0080	Product Specific	Parts of vortex gas separators (described in statistical reporting number 8421.99.0080)	9/20/2019	9/19/2020	9903.88.14
8421.99.0080	Product Specific	Cast steel and steel structural forms designed for use in filtering machines, such machines used in mining or manufacturing facilities (described in statistical reporting number 8421.99.0080)	6/4/2019	6/3/2020	9903.88.10
8421.99.0080	Product Specific	Parts of air filtering machines or apparatus, the foregoing of cast steel and steel (described in statistical reporting number 8421.99.0080)	6/4/2019	6/3/2020	9903.88.10
8422.30.9191	Product Specific	Vacuum sealing machines, each valued over \$30 but not over \$40 (described in statistical reporting number 8422.30.9191)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8422.90.0640	Product Specific	3-member slides with ball bearings, of stainless steel, for use in household dishwashers (described in statistical reporting number 8422.90.0640)	9/20/2019	9/19/2020	9903.88.14
8422.90.0640	Product Specific	Stamped outer door panels of stainless steel for household dishwashing machines (described in statistical reporting number 8422.90.0640)	9/20/2019	9/19/2020	9903.88.14
8423.20.1000	Product Specific	Electronic scales for continuous weighing of quartz, powder and resin on conveyors, capable of measuring 2 kg or more but not exceeding 100 kg of materials per minute (described in statistical reporting number 8423.20.1000)	9/20/2019	9/19/2020	9903.88.14
8425.39.0100	Product Specific	Winches, each having a steel frame with a ratchet and pawl mechanism, operated manually (described in statistical reporting number 8425.39.0100)	9/20/2019	9/19/2020	9903.88.14
8425.39.0100	Product Specific	Ratchet winches designed for use with textile fabric strapping (described in statistical reporting number 8425.39.0100)	4/18/2019	4/17/2020	9903.88.07
8425.39.0100	Product Specific	Winches, each having a winch frame with a corrosion resistant coating and stainless steel mandrel with nylon bushings, operated manually by a worm gear mechanism (described in statistical reporting number 8425.39.0100)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8427.10.4000	Entire Subheading	Trucks, Rider-type, Counterbalanced Fork-lift, Self-propelled Powered By An Electric Motor	5/14/2019	5/13/2020	9903.88.08

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8427.10.8020	Product Specific	Operator riding self-propelled aerial work platforms of a kind described in statistical note 1 to chapter 84, powered by an electric motor, with a load capacity not exceeding 1,400 kg (described in statistical reporting number 8427.10.8020) <i>CORRECTED (2/11/2020) and revised language: Operator riding self-propelled aerial work platforms of a kind described in statistical note 1 to chapter 84 effective July 1, 2019, to December 31, 2019, or in statistical note 2 to chapter 84 effective January 1, 2020, powered by an electric motor, with a load capacity not exceeding 1,400 kg (described in statistical reporting number 8427.10.8010 prior to July 1, 2019; described in statistical reporting number 8427.10.8020 effective July 1, 2019)</i>	10/2/2019	10/1/2020	9903.88.19
8427.10.8030	Product Specific	Electric operator-riding reach-type fork-lift trucks, each with a load capacity exceeding 1,300 kg but not exceeding 2,100 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in statistical reporting number 8427.10.8030, post July 1, 2019)	9/20/2019	9/19/2020	9903.88.14
8427.10.8030	Product Specific	Electric operator-riding pallet trucks, each with a load capacity not exceeding 3,700 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in 8427.10.8030, post July 1, 2019)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8427.10.8070 & 8427.10.8095	Product Specific	Self-propelled fork-lift and platform trucks, each powered by an electric motor and controlled by walking operator (described in statistical reporting number 8427.10.8070 & 8427.10.8095) <i>CORRECTED (2/11/2020) and revised language: Self-propelled fork-lift and platform trucks, each powered by an electric motor and controlled by walking operator (described in statistical reporting number 8427.10.8090 prior to July 1, 2019; described in statistical reporting number 8427.10.8070 or 8427.10.8095 effective July 1, 2019)</i>	6/4/2019	6/3/2020	9903.88.10
8427.20.4000	Product Specific	Rider-type, counterbalanced fork-lift trucks, each powered by an internal combustion engine, with pneumatic tires, having a load capacity of 900 kg or more but not exceeding 18,000 kg (described in statistical reporting number 8427.20.4000)	9/20/2019	9/19/2020	9903.88.14
8427.20.4000	Product Specific	Rider-type, counterbalanced fork-lift trucks, each powered by an internal combustion engine, with solid tires, having a load capacity of 1,300 kg or more but not exceeding 3,000 kg (described in statistical reporting number 8427.20.4000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8427.20.8090	Product Specific	Fork-lift trucks, propane gas powered, having a rated lift capacity over 9.5 metric tons but not exceeding 33 metric tons (described in statistical reporting number 8427.20.8090) <i>CORRECTED (2/11/2020) and revised language: Fork-lift trucks, propane gas powered, having a rated lift capacity over 9.5 metric tons but not exceeding 33 metric tons “(described in statistical reporting number 8427.20.8000 prior to July 1, 2019; described in statistical reporting number 8427.20.8090 effective July 1, 2019)</i>	7/9/2019	7/8/2020	9903.88.11
8428.32.0000	Product Specific	Steel L-shaped bucket elevators, each comprising steel buckets bolted to a steel chain with guide wires and drive system (described in statistical reporting number 8428.32.0000)	3/25/2019	3/24/2020	9903.88.06
8428.32.0000	Product Specific	Elevators, comprising L-shaped steel buckets bolted to a steel chain, with guide rollers and a drive system (described in statistical reporting number 8428.32.0000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8428.33.0000	Product Specific	Continuous action elevators and conveyors, designed to convey mineral materials (described in statistical reporting number 8428.33.0000)	4/18/2019	4/17/2020	9903.88.07
8428.33.0000	Product Specific	Belt conveyors, each comprising a frame with leveling feet, electric motor and food grade plastic conveyor belt (described in statistical reporting number 8428.33.0000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8428.33.0000	Product Specific	Belt conveyors, each comprising a welded frame with leveling feet and casters, electric motor and food grade plastic modular conveyor belt (described in statistical reporting number 8428.33.0000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8428.39.0000	Product Specific	Continuous action elevators and conveyors of the kind designed for use in airports for handling baggage (described in statistical reporting number 8428.39.0000)	9/20/2019	9/19/2020	9903.88.14
8428.39.0000	Product Specific	Roller conveyors with pallet rotators or pallet corner rotators (described in statistical reporting number 8428.39.0000)	9/20/2019	9/19/2020	9903.88.14
8428.39.0000	Product Specific	Apron-type chain conveyor (described in statistical reporting number 8428.39.0000)	5/14/2019	5/13/2020	9903.88.08
8428.39.0000	Product Specific	Roller conveyors (described in statistical reporting number 8428.39.0000)	5/14/2019	5/13/2020	9903.88.08
8428.39.0000	Product Specific	Vibrating conveyors (described in statistical reporting number 8428.39.0000)	5/14/2019	5/13/2020	9903.88.08
8428.90.0290	Product Specific	Rotary positioning machines for use with machine tools (described in statistical reporting number 8428.90.0290)	9/20/2019	9/19/2020	9903.88.14
8428.90.0290	Product Specific	Garage door opener/closers (described in statistical reporting number 8428.90.0290)	6/4/2019	6/3/2020	9903.88.10
8428.90.0290	Product Specific	Hinged steel transfer machinery, designed for diverting goods from and to conveyor lines (described in statistical reporting number 8428.90.0290)	6/4/2019	6/3/2020	9903.88.10
8428.90.0290	Product Specific	Rotating bench, electrically powered, designed for turning a workpiece in a production line (described in statistical reporting number 8428.90.0290)	6/4/2019	6/3/2020	9903.88.10
8428.90.0290	Product Specific	Rotating fork machines, designed for lifting and depositing coiled steel bars in a production line (described in statistical reporting number 8428.90.0290)	6/4/2019	6/3/2020	9903.88.10
8429.20.0000	Product Specific	Motor grader weighing more than 14 metric tons but not over 21 metric tons (described in statistical reporting number 8429.20.0000)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8429.40.0020	Product Specific	Vibratory, self-propelled tamping machines, each with drum roller (described in statistical reporting number 8429.40.0020)	6/4/2019	6/3/2020	9903.88.10
8429.40.0040	Product Specific	Self-propelled pneumatic compactors, each weighing over 14 metric tons but not over 28 metric tons (described in statistical reporting number 8429.40.0040)	7/9/2019	7/8/2020	9903.88.11
8429.51.1015	Product Specific	New articulated shovel loaders, wheeled, each with 4-wheel drive, rear mounted engine and a bucket capacity of under 1.5 m3, rated at not over 26 horsepower (described in statistical reporting number 8429.51.1015)	7/9/2019	7/8/2020	9903.88.11
8429.51.1035	Product Specific	Tractor shovel loaders, each with 4 wheel drive, a bucket capacity of at least 2.9 m3 but under 3.8 m3 , engine of 168 kW to 180 kW, operating weight of 19.1 t (42,000 lbs.) (described in statistical reporting number 8429.51.1035)	10/2/2019	10/1/2020	9903.88.19
8429.51.1040	Product Specific	Integrated tractor shovel loaders, each with 4 wheel drive, a bucket capacity of at least 3.8 m3 but less than 5.2 m3 and an operating weight of 17.5 metric tons or more but not over 20 metric tons (described in statistical reporting number 8429.51.1040)	7/9/2019	7/8/2020	9903.88.11
8429.51.1045	Product Specific	Shovel loaders with an operating weight of from 30 metric tons to 36 metric tons (described in statistical reporting number 8429.51.1045)	7/9/2019	7/8/2020	9903.88.11
8429.51.1050	Product Specific	Shovel loaders with an operating weight of from 30 metric tons to 36 metric tons (described in statistical reporting number 8429.51.1050)	7/9/2019	7/8/2020	9903.88.11
8429.51.1055	Product Specific	Shovel loaders, each with a bucket capacity of 11.4 m3 to 12 m3, and an operating weight of 30,000 kg or more but not exceeding 36,000 kg (described in statistical reporting number 8429.51.1055)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8429.51.5010	Product Specific	Rubber track shovel loaders having a lift capacity not over 375 kg (described in statistical reporting number 8429.51.5010)	7/9/2019	7/8/2020	9903.88.11
8429.52.1010	Product Specific	New, track-mounted hydraulic backhoes or hydraulic shovels, each with a 360-degree revolving superstructure (described in statistical reporting number 8429.52.1010)	6/4/2019	6/3/2020	9903.88.10
8430.10.0000	Product Specific	Pile drivers, diesel powered (described in statistical reporting number 8430.10.0000)	6/4/2019	6/3/2020	9903.88.10
8430.31.0040	Entire Subheading	Rock breaking machines, self-propelled	3/25/2019	3/24/2020	9903.88.06
8431.10.0010	Product Specific	Grooved wire rope drum valued over \$350 (described in statistical reporting number 8431.10.0010)	7/9/2019	7/8/2020	9903.88.11
8431.10.0090	Product Specific	Winch handles (described in statistical reporting number 8431.10.0090)	9/20/2019	9/19/2020	9903.88.14
8431.20.0000	Product Specific	Parts suitable for use solely or principally with self-propelled works trucks powered by an electric motor and fitted with lifting or handling equipment of subheading 8427.10 (described in statistical reporting number 8431.20.0000)	9/20/2019	9/19/2020	9903.88.14
8431.20.0000	Product Specific	Counterweight castings of iron or steel, designed for use on skid loaders (described in statistical reporting number 8431.20.0000)	9/20/2019	9/19/2020	9903.88.14
8431.20.0000	Product Specific	Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)	4/18/2019	4/17/2020	9903.88.07
8431.20.0000	Product Specific	Tines, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)	4/18/2019	4/17/2020	9903.88.07
8431.31.0040	Product Specific	Escalator drive assemblies consisting of a motor, planetary gear and gearbox (described in statistical reporting number 8431.31.0040)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8431.31.0040	Product Specific	Escalator steps (described in statistical reporting number 8431.31.0040)	7/9/2019	7/8/2020	9903.88.11
8431.31.0060	Product Specific	Parts of passenger or freight elevators consisting of any of the following: elevator emergency brake and speed governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies (described in statistical reporting number 8431.31.0060)	7/9/2019	7/8/2020	9903.88.11
8431.39.0010	Product Specific	Drive frames weighing over 3.6 metric tons and parts thereof (described in statistical reporting number 8431.39.0010)	9/20/2019	9/19/2020	9903.88.14
8431.39.0010	Product Specific	Baggage carriers, of polyethylene, suitable for use solely or principally with conveyers of subheading 8428.39 (described in statistical reporting number 8431.39.0010)	9/20/2019	9/19/2020	9903.88.14
8431.39.0010	Product Specific	Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Catenary idler stringers (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0010	Product Specific	Conveyor spill plates (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8431.39.0010	Product Specific	Welded frames designed to support conveyor rollers (described in statistical reporting number 8431.39.0010)	6/4/2019	6/3/2020	9903.88.10
8431.39.0070	Product Specific	Counterweights for log handling equipment (described in statistical reporting number 8431.39.0070)	7/9/2019	7/8/2020	9903.88.11
8431.41.0040	Product Specific	Grappler attachments, other than buckets, each valued over \$250 but not over \$350 (described in statistical reporting number 8431.41.0040)	9/20/2019	9/19/2020	9903.88.14
8431.41.0040	Product Specific	Grappler buckets, each valued over \$800 but not over \$900 (described in statistical reporting number 8431.41.0040)	9/20/2019	9/19/2020	9903.88.14
8431.43.8060	Product Specific	Cement retainer assemblies with diameter of 4.5 cm or more but not exceeding 51 cm and length of 30.5 cm or more but not exceeding 72 cm, composed of cylindrical cast iron components, nitrile rubber seal and brass back-up rings, suitable for use solely or principally with the machinery of subheadings 8430.41 or 8430.49 (described in statistical reporting number 8431.43.8060)	10/2/2019	10/1/2020	9903.88.19
8431.43.8060	Product Specific	Bridge plug assemblies for oil and gas boring or sinking machinery, other than for offshore oil and natural gas drilling and production platforms (described in statistical reporting number 8431.43.8060)	9/20/2019	9/19/2020	9903.88.14
8431.49.9010	Product Specific	Feed pushers, bale forks, scrapers and frames therefor (described in statistical reporting number 8431.49.9010)	6/4/2019	6/3/2020	9903.88.10
8431.49.9020	Product Specific	Metal frames or assemblies of a kind suitable for use as attachments to agricultural tractors (described in statistical reporting number 8431.49.9020)	9/20/2019	9/19/2020	9903.88.14
8431.49.9044	Product Specific	Backhoe counterweights each weighing more than 400 kg but not more than 600 kg (described in statistical reporting number 8431.49.9044)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8431.49.9044	Product Specific	Excavator crawler shoes (described in statistical reporting number 8431.49.9044)	7/9/2019	7/8/2020	9903.88.11
8431.49.9095	Product Specific	Snow plow blades and frames therefor (described in statistical reporting number 8431.49.9095)	10/2/2019	10/1/2020	9903.88.19
8431.49.9095	Product Specific	Counterweight castings of iron or steel designed for use on excavators and wheel loaders (described in statistical reporting number 8431.49.9095)	9/20/2019	9/19/2020	9903.88.14
8431.49.9095	Product Specific	Dredge cutter teeth, comprising parts suitable for use solely or principally with the machinery of heading 8429 or 8430 (described in statistical reporting number 8431.49.9095)	9/20/2019	9/19/2020	9903.88.14
8431.49.9095	Product Specific	Vulcanized rubber tracks, each incorporating cords and cleats of steel, designed for use on construction equipment (described in statistical reporting number 8431.49.9095)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8432.90.0020	Product Specific	Wheel and tire assemblies, each having a wheel of plastics no more than 20 cm in diameter and 16 cm in width and having a tire of rubber no more than 40 cm in diameter and 16 cm in width (described in statistical subheading 8432.90.0020)	10/2/2019	10/1/2020	9903.88.19
8432.90.0050	Product Specific	Parts of harrows or cultivators incorporating bearings (described in statistical reporting number 8432.90.0050)	9/20/2019	9/19/2020	9903.88.14
8432.90.0060	Product Specific	Assemblies of parts of seeders for transmitting mechanical hand motions to the gate mechanism for starting, adjusting and stopping the flow of seeds (described in statistical reporting number 8432.90.0060)	10/2/2019	10/1/2020	9903.88.19
8432.90.0060	Product Specific	Parts of fertilizer distributors (described in statistical reporting number 8432.90.0060)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8432.90.0060	Product Specific	Wheels, of plastics, each wheel being not more than 16 cm in diameter and not more than 8 cm in width (described in statistical reporting number 8432.90.0060)	10/2/2019	10/1/2020	9903.88.19
8432.90.0060	Product Specific	Ductile iron casting, weighing more than 0.75 kg but not more than 18.25 kg, with a maximum dimension exceeding 190 mm but not exceeding 695 mm (described in statistical reporting number 8432.90.0060)	9/20/2019	9/19/2020	9903.88.14
8432.90.0060	Product Specific	Seeder or spreader baffle and baffle assemblies (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8432.90.0060	Product Specific	Seeder or spreader frames (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8432.90.0060	Product Specific	Seeder or spreader handles (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8432.90.0060	Product Specific	Seeder or spreader hopper assemblies (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8432.90.0060	Product Specific	Seeder or spreader hopper grates (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8432.90.0060	Product Specific	Seeder or spreader impellers (described in statistical reporting number 8432.90.0060)	7/9/2019	7/8/2020	9903.88.11
8436.10.0000	Product Specific	Electrically powered granulator machine (described in statistical reporting number 8436.10.0000)	9/20/2019	9/19/2020	9903.88.14
8436.80.0090	Product Specific	Animal feeding machinery (described in statistical reporting number 8436.80.0090)	9/20/2019	9/19/2020	9903.88.14
8436.80.0090	Product Specific	Chipper/shredder machines, electrically powered (described in statistical reporting number 8436.80.0090)	7/9/2019	7/8/2020	9903.88.11
8436.80.0090	Product Specific	Chipper/shredder machines, gasoline powered, valued less than \$250 per unit (described in statistical reporting number 8436.80.0090)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8436.80.0090	Product Specific	Malt production equipment (described in statistical reporting number 8436.80.0090)	7/9/2019	7/8/2020	9903.88.11
8436.99.0090	Product Specific	Parts of animal feeding machinery (described in statistical reporting number 8436.99.0090)	9/20/2019	9/19/2020	9903.88.14
8438.80.0000	Product Specific	Machinery for mixing beverages in single servings for direct human consumption, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	5/14/2019	5/13/2020	9903.88.08
8438.80.0000	Product Specific	Machinery for reconstituting single serving beverages for direct human consumption from frozen pre-packaged portions, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	5/14/2019	5/13/2020	9903.88.08
8439.10.0010	Product Specific	Complete pulp making mills, including pulping machinery, screening machinery, cleaning machinery, settling tanks, pumps and filters, each mill valued in its entirety at more than \$2 million and less than \$4 million (described in statistical reporting number 8439.10.0010)	10/2/2019	10/1/2020	9903.88.19
8439.91.9000	Product Specific	Rotors designed to agitate paper and water into pulp, of stainless steel, the foregoing comprising parts of machinery for making pulp of fibrous cellulosic materials (described in statistical reporting number 8439.91.9000)	3/25/2019	3/24/2020	9903.88.06
8439.99.1000	Product Specific	Complete sections of paper or paperboard making machines, whether or not assembled, for forming (transforming a slurry into a solid sheet) paper or paperboard (described in statistical reporting number 8439.99.1000)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8439.99.1000	Product Specific	Subassemblies of the pressing and forming sections of paper or paperboard making machines, whether or not assembled, for assisting in replacement of rollers and fabric (described in statistical reporting number 8439.99.1000)	10/2/2019	10/1/2020	9903.88.19
8439.99.1000	Product Specific	Guards of stainless steel, designed to shield operators of papermaking machines from moving or rotating equipment, each with dimensions ranging from 30 cm by 30 cm by 50 cm to 50 cm by 50 cm by 4 m, weighing 30 kg or more but not over 100 kg (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Scrapers (“doctors”) of stainless steel, designed to scrape impurities from the rotating roll surface of the forming and press sections of papermaking machines, each comprising a beam with a blade of non-symmetrical cross section, long aspect ratio, and mounting journals and turning devices on either end, with dimensions ranging from 50 cm by 50 cm by 8 m to 60 cm by 6 m by 11 m, weighing 1 metric ton or more but not over 3 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Frameworks of the forming and press section of papermaking machines, of stainless steel or clad mild steel with stainless or acid proof steel, each with dimensions ranging from 1 m by 1 m by 1 m to 2.3 m by 2.3 m by 12 m, weighing 500 kg or more but not over 40 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8439.99.1000	Product Specific	Guides of stainless steel, designed for locating conveyer belts on papermaking machines, each with a moving arm with an actuator and front and back units with mounting holes for tube roll bearing houses, each with dimensions ranging from 40 cm by 50 cm by 30 cm to 1 m by 1 m by 50 cm, weighing 300 kg or more but not over 500 kg (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Rollers of steel and cast iron ("nip rollers") with bearing journals on either end, designed for use in paper manufacturing to mechanically compress paper web to remove water or impart desired mechanical properties in paper web, each with a polymer cover, the foregoing with length of 7 m or more but not over 12 m, with diameter of 1 m or more but not over 1.5 m, weighing 15 metric tons or more but not over 30 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Open containers ("savealls") of stainless steel, designed to catch water run off generated in the papermaking process, constructed of large square shaped plates and flat constructions with mounting holes on ends, each with dimensions ranging from 50 cm by 50 cm by 50 cm to 1.5 m by 1 m by 10 m, weighing 50 kg or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8439.99.1000	Product Specific	Stretchers of stainless steel, designed to move rollers of papermaking machines to adjust tension of fabric, each with a pivoting arm with an actuator, linear rail movement with an actuator and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Suction boxes of stainless steel, which remove water from paper web or papermaking fabrics during papermaking, each with dimensions ranging from 50 cm by 50 cm by 8 m to 1 m by 1 m by 10 m, weighing 1.5 metric tons or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.1000	Product Specific	Rollers of stainless steel or cast iron, designed for use in paper manufacturing to support and convey papermaking cloth (i.e. fabric) or the paper web, each weighing 7 metric tons or more but not over 20 metric tons, measuring 7 m or more but not over 12 m in length, with diameter of 40 cm or more but not over 1.5 m, presented with bearing journals on either end and a polymer cover (described in statistical reporting number 8439.99.1000)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8439.99.5000	Product Specific	Sizer nip rolls of steel and cast iron with polymer cover for finishing paper or paperboard (described in statistical reporting number 8439.99.5000)	10/2/2019	10/1/2020	9903.88.19
8441.40.0000	Product Specific	Machines, of a kind used to produce cylindrical paper drinking straws (described in statistical reporting number 8441.40.0000)	9/20/2019	9/19/2020	9903.88.14
8443.99.2010	Product Specific	Ink cartridges, each weighing more than 1 kg (described in statistical reporting number 8443.99.2010)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8443.99.2050	Product Specific	Stapler-stackers of printer units of subheading 8443.32.10, and parts thereof (described in statistical reporting number 8443.99.2050)	10/2/2019	10/1/2020	9903.88.19
8443.99.2050	Product Specific	Paper handling assemblies as described in Additional U.S. note 2(g) to chapter 84 (described in statistical reporting number 8443.99.2050)	9/20/2019	9/19/2020	9903.88.14
8443.99.2050	Product Specific	Printer maintenance kits consisting of two or more replacement parts for printer units of subheading 8443.32.10 specified in additional U.S. note 2 to chapter 84 (described in statistical reporting number 8443.99.2050)	9/20/2019	9/19/2020	9903.88.14
8454.30.0010	Product Specific	Cold-chamber die casting machines having a maximum casting volume of 52.78 m ³ , a die height of 0.4 m or more but not exceeding 1 m, and a maximum die locking force of 8,400 kN (described in statistical reporting number 8454.30.0010) <i>CORRECTED (2/11/2020) and revised: Die casting machines with casting volume not to exceed 5,278 cm³, die height of not less than 360 mm but not more than 1,000 mm, and die locking force of not less than 6,600 kN but not more than 8,400 kN (described in statistical reporting number 8454.30.0010)</i>	9/20/2019	9/19/2020	9903.88.14
8455.22.0000	Product Specific	Machines for cold forming light-gauge coiled steel (such steel 0.35 cm or more but not exceeding 0.61 cm in thickness) into corrugated or other multiribbed panels (such panels 91.4 cm in width) by progressively passing the steel through at least 15 but no more than 20 shaped rolls and cutting to length with a hydraulic shear (described in statistical reporting number 8455.22.0000)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8455.22.0000	Product Specific	Complete sheet pile rolling mills (described in statistical reporting number 8455.22.0000)	6/4/2019	6/3/2020	9903.88.10
8455.22.0000	Product Specific	Rolling mills designed to form 4 to 5 ribbed metal panels not exceeding 95 cm wide (described in statistical reporting number 8455.22.0000)	6/4/2019	6/3/2020	9903.88.10
8455.90.8000	Product Specific	Cylindrical side guides, the foregoing comprising parts of metal-rolling mills (described in statistical reporting number 8455.90.8000)	9/20/2019	9/19/2020	9903.88.14
8458.19.0020	Product Specific	Horizontal lathes for removing metal, electrically powered, not numerically controlled, each with mill head attachment mounted above the lathe headstock (described in statistical reporting number 8458.19.0020)	9/20/2019	9/19/2020	9903.88.14
8458.19.0020	Product Specific	Horizontal lathes, electrically powered not over 1.5 horsepower (described in statistical reporting number 8458.19.0020)	7/9/2019	7/8/2020	9903.88.11
8458.99.1050	Product Specific	Vertical turret lathes, each weighing more than 10,000 kg (described in statistical reporting number 8458.99.1050)	10/2/2019	10/1/2020	9903.88.19
8459.10.0000	Product Specific	Way-type unit head machine tools, each valued over \$1,800 but not over \$2,200 (described in statistical reporting number 8459.10.0000)	9/20/2019	9/19/2020	9903.88.14
8459.61.0080	Product Specific	New numerically-controlled milling machines capable of end beveling pipe of an outside diameter of 60 cm or more but not exceeding 305 cm (described in statistical reporting number 8459.61.0080)	9/20/2019	9/19/2020	9903.88.14
8459.69.0020	Product Specific	Benchtop milling machines, not numerically controlled, valued over \$400 but not over \$700 each (described in statistical reporting number 8459.69.0020)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8462.29.0030	Product Specific	Press brakes, not numerically controlled, having a drive capacity rating of 3kW (described in statistical reporting number 8462.29.0030)	9/20/2019	9/19/2020	9903.88.14
8462.31.0080	Product Specific	Machines for slitting metal, numerically controlled, new, each weighing over 2,200 kg but not over 2,300 kg (described in statistical reporting number 8462.31.0080)	10/2/2019	10/1/2020	9903.88.19
8462.39.0050	Product Specific	New hydraulic shearing machines, not numerically controlled, with a power of 7.5 kW, valued at \$3,025 or more each (described in statistical reporting number 8462.39.0050)	9/20/2019	9/19/2020	9903.88.14
8462.91.8090	Product Specific	Hydraulic presses, not numerically controlled, each valued over \$85,000 but not over \$110,000 (described in statistical reporting number 8462.91.8090)	9/20/2019	9/19/2020	9903.88.14
8462.91.8090	Product Specific	Machines for end-forming metal pipes, such pipes ranging in outside diameter from 60 cm or more but not exceeding 305 cm (described in statistical reporting number 8462.91.8090)	9/20/2019	9/19/2020	9903.88.14
8464.90.0110	Product Specific	Glass-working machines, numerically controlled, each valued over \$50,000 (described in statistical reporting number 8464.90.0110)	10/2/2019	10/1/2020	9903.88.19
8465.92.0034	Product Specific	Woodworking planers with two-knife cutter heads, other than for working in the hand, valued not over \$200 each (described in statistical reporting number 8465.92.0034)	10/2/2019	10/1/2020	9903.88.19
8465.92.0051	Product Specific	Woodworking routers, each with a 1,306 W (1-3/4 horsepower) motor and valued not over \$60 (described in statistical reporting number 8465.92.0051)	9/20/2019	9/19/2020	9903.88.14
8465.93.0030	Product Specific	Edge belt sanders, each valued under \$150, other than for working in the hand, designed for a belt width not over 16 cm (described in statistical reporting number 8465.93.0030)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8465.99.0220	Product Specific	Woodworking lathes, each with a motor of 224 watts (0.3 horsepower) or more but not exceeding 896 W (1.2 horsepower), the foregoing which operate at speeds of 600 to 3,500 rpm, valued not over \$130 each (described in statistical reporting number 8465.99.0220)	9/20/2019	9/19/2020	9903.88.14
8466.10.0175	Product Specific	Tool holders of a kind used to hold various types of metal working tools for use on milling machine spindles (described in statistical reporting number 8466.10.0175)	9/20/2019	9/19/2020	9903.88.14
8466.30.8000	Product Specific	Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)	9/20/2019	9/19/2020	9903.88.14
8466.92.5010	Product Specific	Work stands designed for use with miter saws, whether or not wheeled (described in statistical reporting number 8466.92.5010)	9/20/2019	9/19/2020	9903.88.14
8466.92.5010	Product Specific	Workstands designed to use with miter saws, each with metal tube frame, 4 metal legs and 2 metal extension arms (described in statistical reporting number 8466.92.5010)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8466.92.5010	Product Specific	Workstands designed for use with miter saws, each with wheels to make workstand mobile and with sides that fold up to extend the work area (described in statistical reporting number 8466.92.5010)	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8466.93.9885	Product Specific	Parts of drill sharpening machines (described in statistical reporting number 8466.93.9885)	4/18/2019	4/17/2020	9903.88.07
8467.11.1040	Product Specific	Rotary grinders for working in the hand, suitable for metal working, each valued under \$10 (described in statistical reporting number 8467.11.1040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8467.11.1040	Product Specific	Rotary sanders for working in the hand, suitable for metal working, each valued under \$20 (described in statistical reporting number 8467.11.1040)	9/20/2019	9/19/2020	9903.88.14
8467.11.1080	Product Specific	Pneumatic rotary cutters, suitable for metal working, each with a maximum blade diameter of 11 cm and a maximum speed of 20,000 rpm, valued under \$10 each (described in statistical reporting number 8467.11.1080)	9/20/2019	9/19/2020	9903.88.14
8471.70.6000	Product Specific	Automated data processing storage units (other than magnetic disk drive units), not assembled in cabinets for placing on a table or similar place, not presented with any other unit of a system (described in statistical reporting number 8471.70.6000)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8471.70.9000	Product Specific	External optical disk drive storage units enclosed in cases, each valued under \$60 (described in statistical reporting number 8471.70.9000)	9/20/2019	9/19/2020	9903.88.14
8473.40.1000	Entire Subheading	Printed Circuit Assemblies For Automatic Teller Machines Of Subheading 8472.90.10	5/14/2019	5/13/2020	9903.88.08
8473.40.8600	Product Specific	Parts of automatic teller machines (described in statistical reporting number 8473.40.8600)	9/20/2019	9/19/2020	9903.88.14
8474.10.0090	Product Specific	Stationary sand screening equipment having more than 90 but less than 182 metric ton per hour capacity (described in statistical reporting number 8474.10.0090)	9/20/2019	9/19/2020	9903.88.14
8474.31.0000	Product Specific	Portable concrete or mortar mixers, electrically powered, with a capacity not exceeding 0.15 m3 (described in statistical reporting number 8474.31.0000)	9/20/2019	9/19/2020	9903.88.14
8474.80.0015	Product Specific	Mineral pressing machine equipped with vibration motors (described in statistical reporting number 8474.80.0015)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8474.90.0010	Product Specific	Feeder and vibratory flow equipment and parts thereof designed for use in screening or sorting machines; housings and noise reduction enclosures; the foregoing described in statistical reporting number 8474.90.0010)	7/9/2019	7/8/2020	9903.88.11
8477.20.0005	Product Specific	Machines for extruding rubber or plastics utilizing two successive singlescrew apparatus (described in statistical reporting number 8477.20.0005)	10/2/2019	10/1/2020	9903.88.19
8477.20.0015	Product Specific	Extrusion machines for processing rubber, twin-screw type, designed to produce inner liners for tires (described in statistical reporting number 8477.20.0015)	10/2/2019	10/1/2020	9903.88.19
8477.80.0000	Product Specific	Machines for cutting plastics, electrically powered, valued not over \$300 per unit (described in statistical reporting number 8477.80.0000)	10/2/2019	10/1/2020	9903.88.19
8477.80.0000	Product Specific	Electrically powered cutting machines for working supple plastics, valued not over \$300 per unit (described in statistical reporting number 8477.80.0000)	9/20/2019	9/19/2020	9903.88.14
8477.90.8501	Product Specific	Injection mold inserts (described in statistical reporting number 8477.90.8501)	9/20/2019	9/19/2020	9903.88.14
8477.90.8501	Product Specific	Mold base parts, each with a length of more than 19 cm but not more than 91 cm, a width of more than 3 cm but not more than 61 cm and a thickness of more than 2 cm but not more than 16 cm; the foregoing preconfigured with standard mill features such as drilled holes, slots and bushings to accommodate the various pins and tube dowels necessary for the functioning of the plastic injection mold (described in statistical reporting number 8477.90.8501)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8477.90.8540	Product Specific	Sidewall plates, top bead rings, bottom bead rings and upper bag clamp rings, of steel, all the foregoing being parts of tire molds (described in statistical reporting number 8477.90.8540)	9/20/2019	9/19/2020	9903.88.14
8479.10.0060	Product Specific	Bituminous pavers, self-propelled, each with a weight exceeding 14.9 metric tons but not exceeding 18.2 metric tons, with working width of 2.4 m or more but not over 8.6 m (described in statistical reporting number 8479.10.0060)	3/25/2019	3/24/2020	9903.88.06
8479.30.0000	Product Specific	Press machines for bamboo or other materials of a woody nature (described in statistical reporting number 8479.30.0000)	7/9/2019	7/8/2020	9903.88.11
8479.81.0000	Product Specific	Electric wire coil-winder machines (described in statistical reporting number 8479.81.0000)	7/9/2019	7/8/2020	9903.88.11
8479.82.0040	Product Specific	Machines of a kind suitable for mixing granules of rock or similar hard materials with plastic resin to form a homogenous mixture (described in statistical reporting number 8479.82.0040)	9/20/2019	9/19/2020	9903.88.14
8479.82.0040	Product Specific	Modularized plants for the manufacture of lithium hydroxide by functions involving mixing, kneading or stirring (described in statistical reporting number 8479.82.0040)	9/20/2019	9/19/2020	9903.88.14
8479.82.0040	Product Specific	Insulated mixing chambers of stainless steel, each having a capacity of 5 m3 to 25 cubic meters (described in statistical reporting number 8479.82.0040)	7/9/2019	7/8/2020	9903.88.11
8479.82.0080	Product Specific	Crushing or grinding machines, not used in the manufacture of beverages or crushing of mineral substances, each valued at more than \$10,000 (described in statistical reporting number 8479.82.0080)	10/2/2019	10/1/2020	9903.88.19
8479.82.0080	Product Specific	Machines for crushing/grinding pills, each valued over \$20 but not over \$35 (described in statistical reporting number 8479.82.0080)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8479.89.9499	Product Specific	Granulating machines not specifically designated for use with specific particulate materials, each valued more than \$25,000 (described in statistical reporting number 8479.89.9499)	9/20/2019	REVOKED 10/2/2019	FR 2019-21420
8479.89.9499	Product Specific	Vertical or single shaft shredding machines of a kind suitable for use in the recycling industry, weighing over 10,000 kg but not over 15,000 kg each (described in statistical reporting number 8479.89.9499)	9/20/2019	REVOKED 10/2/2019	FR 2019-21420
8479.90.9496	Product Specific	Parts of drain and sewer cleaning machines (described in statistical reporting number 8479.90.9496)	9/20/2019	9/19/2020	9903.88.14
8479.90.9496	Product Specific	Parts of suspension arms of a kind used in dental lighting or delivery systems (described in statistical reporting number 8479.90.9496)	9/20/2019	9/19/2020	9903.88.14
8479.90.9496	Product Specific	Outer shells of hydraulic accumulators, of iron or non-alloy steel, cylindrical with hemispherical heads on each end (described in statistical reporting number 8479.90.9496)	4/18/2019	4/17/2020	9903.88.07
8479.90.9496	Product Specific	Parts of mechanical awnings and shades (described in statistical reporting number 8479.90.9496)	4/18/2019	4/17/2020	9903.88.07
8479.90.9496	Product Specific	Reject doors, pin protectors, liners, front walls, grates, hammers, rotor and end disc caps, and anvil and breaker bars, of iron or steel, the foregoing parts of metal shredders (described in statistical reporting number 8479.90.9496)	4/18/2019	4/17/2020	9903.88.07
8479.90.9496	Product Specific	Steering wheels designed for watercraft, of stainless steel, having a wheel diameter exceeding 27 cm but not exceeding 78 cm (described in statistical reporting number 8479.90.9496)	4/18/2019	4/17/2020	9903.88.07
8480.20.0000	Product Specific	Mold bases, of steel, measuring 27.9 cm by 38.1 cm by 45.7 cm, each weighing 409.1 kg (described in statistical reporting number 8480.20.0000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8480.30.0000	Product Specific	Plastic injection molding patterns each valued over \$50,000 (described in statistical reporting number 8480.30.0000)	9/20/2019	9/19/2020	9903.88.14
8480.71.8045	Entire Subheading	Injection type molds for rubber or plastics, others	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8480.71.8060	Product Specific	Compression type tire molds (described in statistical reporting number (8480.71.8060)	9/20/2019	9/19/2020	9903.88.14
8481.10.0090	Entire Subheading	Pressure-reducing Valves, Others	5/14/2019	5/13/2020	9903.88.08
8481.10.0090	Product Specific	Pressure regulators of brass or bronze, whether high or low inlet type, having a rated flow rate of 55,000 - 150,000 BTU/hr, maximum inlet pressure of 0.17 MPa to 1. 72 MPa, inlet connection with POL or thread type of fitting (described in statistical reporting number 8481.10.0090)	4/18/2019	4/17/2020	9903.88.07
8481.20.0020	Product Specific	Hydraulic solenoid timing valve each valued not over \$20 (described in statistical reporting number 8481.20.0020)	9/20/2019	9/19/2020	9903.88.14
8481.30.2090	Product Specific	Check valves of steel having an internal diameter not less than 4.8 cm or exceeding 62.5 cm (described in statistical reporting number 8481.30.2090)	7/9/2019	7/8/2020	9903.88.11
8481.30.9000	Product Specific	Check valves, of plastics or rubber (described in statistical reporting number 8481.30.9000)	9/20/2019	9/19/2020	9903.88.14
8481.30.9000	Product Specific	Check valves, of acrylonitrile butadiene styrene (ABS), each weighing 120 g or less (described in statistical reporting number 8481.30.9000)	3/25/2019	3/24/2020	9903.88.06
8481.30.9000	Product Specific	Check valves, of plastics (described in statistical reporting number 8481.30.9000)	3/25/2019	3/24/2020	9903.88.06

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8481.40.0000	Product Specific	Safety valves, of brass or bronze, containing a fusible element to automatically close the valve at a set temperature, each valued not over \$5 (described in statistical reporting number 8481.40.0000)	10/2/2019	10/1/2020	9903.88.19
8481.90.9020	Product Specific	Ball type angle cock valve bodies, of cast iron, for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)	9/20/2019	9/19/2020	9903.88.14
8481.90.9020	Product Specific	Valve bodies, of aluminum, of valves for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)	9/20/2019	9/19/2020	9903.88.14
8481.90.9040	Product Specific	Hydraulic valve parts, other than valve bodies, of valves for oleohydraulic or pneumatic transmissions, each valued not over \$5 (described in statistical reporting number 8481.90.9040)	9/20/2019	9/19/2020	9903.88.14
8481.90.9040	Product Specific	Armatures designed for use in hydraulic solenoid valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	C-poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Housings designed for hydraulic ball valves, of cast iron or steel, each measuring 5.7 cm by 3.2 cm and weighing 0.528 kg (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Metering spools, of aluminum, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Metering spools, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8481.90.9040	Product Specific	Push pins, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Retainers, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	5/14/2019	5/13/2020	9903.88.08
8481.90.9040	Product Specific	Pipe brackets of aluminum, each with 4 ports, the foregoing measuring 27.9 cm x 20.3 cm x 17.8 cm and weighing 11.34 kg, designed for installation into air brake control valves (described in statistical reporting number 8481.90.9040)	4/18/2019	4/17/2020	9903.88.07
8481.90.9040	Product Specific	Push pins and C-poles of steel, designed for use in variable force solenoid valves (described in statistical reporting number 8481.90.9040)	4/18/2019	4/17/2020	9903.88.07
8481.90.9040	Product Specific	Angle cock handle assemblies, of iron and steel, each measuring 11.43 cm by 21.59 cm by 5.08 cm and weighing 0.748 kg (described in statistical reporting number 8481.90.9040)	12/28/2018	Extended to: 12/27/20 (Original: 12/27/19) FR 2019-27611	9903.88.05
8481.90.9060	Product Specific	Foot valve housings, of a kind incorporated in paint spraying apparatus, with no external measurement greater than 5 cm (described in statistical reporting number 8481.90.9060)	10/2/2019	10/1/2020	9903.88.19
8481.90.9060	Product Specific	Bodies of pressure-reducing valves other than hand-operated or check valves and valves classified in 8481.20, such bodies of brass (described in statistical reporting number 8481.90.9060)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8481.90.9060	Product Specific	Bodies of valves other than hand-operated or check valves and valves classified in 8481.20, such bodies measuring over 18 cm but not exceeding 19 cm in length, valued over \$55 but not over \$65 per unit (described in statistical reporting number 8481.90.9060)	7/9/2019	7/8/2020	9903.88.11
8481.90.9085	Product Specific	Valve pressure relief components, including body covers, and diaphragms (described in statistical reporting number 8481.90.9085)	9/20/2019	9/19/2020	9903.88.14
8482.10.5004	Product Specific	Unground ball bearings each valued not over \$4 (described in statistical reporting number 8482.10.5004)	9/20/2019	9/19/2020	9903.88.14
8482.10.5008	Product Specific	Thrust bearings each valued not over \$2 (described in statistical reporting number 8482.10.5008)	9/20/2019	9/19/2020	9903.88.14
8482.10.5016	Product Specific	Wheel hub bearing units, of steel, of a kind used on motor vehicles, trailers and lawn equipment, each having one flange for the wheel and brake attachment and a second flange for attaching to the vehicle suspension, and having a sealed and lubricated double row of bearings (described in statistical reporting number 8482.10.5016)	9/20/2019	9/19/2020	9903.88.14
8482.10.5016	Product Specific	Flanged wheel hub bearing units with ball bearings, each having an inner diameter exceeding 2.2 cm but not exceeding 2.8 cm (described in statistical reporting number 8482.10.5016)	7/9/2019	7/8/2020	9903.88.11
8482.10.5024	Product Specific	Wheel hub angular contact bearing units, not flanged, valued over \$2 but not over \$10 per unit (described in statistical reporting number 8482.10.5024)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8482.10.5028	Product Specific	Angular contact ball bearings, not for use with wheel hub bearing units, having an inner diameter of 25 mm or greater but not exceeding 55 mm, an outer diameter of 50 mm or greater but not exceeding 95 mm, a width of 20 mm or greater but not exceeding 35 mm, with single or double row of steel balls and a cage of steel or plastics (described in statistical reporting number 8482.10.5028)	9/20/2019	9/19/2020	9903.88.14
8482.10.5028	Product Specific	Angular contact ball bearings, not over 40 mm in width, other than wheel hub bearing units (described in statistical reporting number 8482.10.5028)	9/20/2019	9/19/2020	9903.88.14
8482.10.5028	Product Specific	Single row angular contact ball bearings, other than wheel hub bearing units, valued over \$5.50 but not over \$6.25 each (described in statistical reporting number 8482.10.5028)	9/20/2019	9/19/2020	9903.88.14
8482.10.5032	Product Specific	Ball bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.10.5032)	4/18/2019	4/17/2020	9903.88.07
8482.10.5036	Product Specific	Single row radial bearings, with an outside diameter less than 9 mm, each valued not over \$1 (described in statistical reporting number 8482.10.5036)	9/20/2019	9/19/2020	9903.88.14
8482.10.5044	Entire Subheading	Radial bearings, single row, having an outside diameter of 9mm and over but not over 30mm	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8482.10.5048	Entire Subheading	Radial bearings, single row, having an outside diameter of over 30 mm but not over 52 mm	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05
8482.10.5052	Entire Subheading	Radial bearings, single row, having an outside diameter of over 52 mm but not over 100 mm	12/28/2018	12/27/2019 (exclusion expired)	9903.88.05

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8482.10.5056	Product Specific	Single row radial bearings, with an outside diameter over 100 mm, each valued not over \$9 (described in statistical reporting number 8482.10.5056)	9/20/2019	9/19/2020	9903.88.14
8482.10.5060	Product Specific	Radial double row ball bearings, having an inner diameter of 10 mm or greater but not exceeding 90 mm, an outside diameter of 30 mm or greater but not exceeding 170 mm, and a width of 14.3 mm or greater but not exceeding 68.3 mm, with a cage of steel or plastics (described in statistical reporting number 8482.10.5060)	9/20/2019	9/19/2020	9903.88.14
8482.10.5060	Product Specific	Double row ball bearings having an inner diameter exceeding 15 mm but not exceeding 32 mm, an outer diameter exceeding 38 mm but not exceeding 64 mm and a width exceeding 15 mm but not exceeding 29 mm (described in statistical reporting number 8482.10.5060)	6/4/2019	6/3/2020	9903.88.10
8482.20.0061	Product Specific	Tapered roller bearings, with cups having an outside diameter exceeding 102 mm but not exceeding 203 mm, each valued not over \$9 (described in statistical reporting number 8482.20.0061)	9/20/2019	9/19/2020	9903.88.14
8482.20.0070	Product Specific	Single row tapered roller bearing cone assemblies for cups having an outside diameter not exceeding 102 mm (described in statistical reporting number 8482.20.0070)	9/20/2019	9/19/2020	9903.88.14
8482.20.0081	Product Specific	Tapered roller bearing cone assemblies, each valued not over \$9, for cups having an outside diameter exceeding 102 mm but not exceeding 203 mm (described in statistical reporting number 8482.20.0081)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8482.20.0081	Product Specific	Steel tapered roller bearing cone assemblies, entered without cups, with an inner race that extends beyond the width of the roller cage, for cups having an outside diameter exceeding 102 mm but not exceeding 203 mm (described in statistical reporting number 8482.20.0081)	9/20/2019	9/19/2020	9903.88.14
8482.20.0090	Product Specific	Single row tapered roller bearing cone assemblies for cups having an outside diameter exceeding 203 mm (described in statistical reporting number 8482.20.0090)	9/20/2019	9/19/2020	9903.88.14
8482.30.0080	Product Specific	Spherical roller bearings, other than single row, with an inside diameter of 20 mm or greater but not exceeding 300 mm, an outside diameter of 50 or greater but not exceeding 300 mm, and a width of 15 mm or greater but not exceeding 100 mm (described in statistical reporting number 8482.30.0080)	9/20/2019	9/19/2020	9903.88.14
8482.40.0000	Product Specific	Needle roller bearings having an inside diameter of 2.54 cm, an outside diameter of 3.33 cm and a width of 3.81 cm and having cylindrical rollers of a uniform diameter not exceeding 5 mm and having a length which is at least three times the diameter (described in statistical reporting number 8482.40.0000)	10/2/2019	10/1/2020	9903.88.19
8482.40.0000	Product Specific	Needle roller bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.40.0000)	6/4/2019	6/3/2020	9903.88.10
8482.50.0000	Product Specific	Cylindrical roller thrust bearings, each having an inside diameter of 77.2 mm, an outer diameter of 95.6 mm, and a width of 3.445 mm, comprising 64 cylindrical rollers measuring 2.24 mm in diameter and 5 mm in length, a steel cage and a steel axial washer (described in statistical reporting number 8482.50.0000)	9/20/2019	9/19/2020	9903.88.14
8482.99.0500	Product Specific	Inner bearing rings (described in statistical reporting number 8482.99.0500)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8482.99.0500	Product Specific	Outer bearing rings (described in statistical reporting number 8482.99.0500)	6/4/2019	6/3/2020	9903.88.10
8482.99.6510	Product Specific	Adapter sleeve assemblies for spherical roller bearings consisting of a tapered sleeve adapter, a locknut and lock washer (described in statistical reporting number 8482.99.6510)	9/20/2019	9/19/2020	9903.88.14
8482.99.6595	Product Specific	Bearing shields (described in statistical reporting number 8482.99.6595)	6/4/2019	6/3/2020	9903.88.10
8483.40.9000	Product Specific	Non-toothed gears for office printers, each valued not over \$7 (described in statistical reporting number 8483.40.9000)	7/9/2019	7/8/2020	9903.88.11
8483.50.6000	Product Specific	Flywheels of a kind used in manual automotive transmission (described in statistical reporting number 8483.50.6000)	9/20/2019	9/19/2020	9903.88.14
8483.50.9040	Entire Subheading	Grooved Pulleys, Others	5/14/2019	5/13/2020	9903.88.08
8483.50.9080	Product Specific	Non-grooved pulleys, each incorporating a deep groove roller bearing (described in statistical reporting number 8483.50.9080)	7/9/2019	7/8/2020	9903.88.11
8483.50.9080	Product Specific	Non-grooved pulleys, zinc plated, each valued not over \$3 (described in statistical reporting number 8483.50.9080)	7/9/2019	7/8/2020	9903.88.11
8483.60.4080	Product Specific	Universal joints, each weighing not more than 5 kg (described in statistical reporting number 8483.60.4080)	9/20/2019	9/19/2020	9903.88.14
8483.90.1010	Product Specific	Chain sprockets with forged hubs, the foregoing with outer diameter of 59.4 mm or greater but not exceeding 99.4 mm and width of 22.4 mm or greater but not exceeding 114.3 mm (described in statistical reporting number 8483.90.1010)	9/20/2019	9/19/2020	9903.88.14
8483.90.1050	Product Specific	Chain sprockets, each not more than 55 mm in diameter (described in statistical reporting number 8483.90.1050)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8483.90.8010	Product Specific	Coupling covers, including center members, flanged hubs, sleeves and shoes (described in statistical reporting number 8483.90.8010)	6/4/2019	6/3/2020	9903.88.10
8483.90.8080	Product Specific	Hubs for conveyor pulleys with an outside diameter of more than 5 cm but not more than 56 cm (described in statistical reporting number 8483.90.8080)	7/9/2019	7/8/2020	9903.88.11
8484.10.0000	Product Specific	Gaskets of metal sheeting combined with other material or of two or more layers of metal, each of the foregoing valued not over \$3 (described in statistical reporting number 8484.10.0000)	9/20/2019	9/19/2020	9903.88.14
8487.90.0080	Product Specific	Machinery parts, not containing electrical connectors, insulators, coils, contacts or other electrical features, and not specified or included elsewhere in chapter 84, each valued not over \$20 (described in statistical reporting number 8487.90.0080)	9/20/2019	9/19/2020	9903.88.14
8487.90.0080	Product Specific	Handles for machinery (described in statistical reporting number 8487.90.0080)	7/9/2019	7/8/2020	9903.88.11
8501.10.4020	Product Specific	AC motors, C-frame single-phase induction-type, without external housing, of an output not exceeding 18.65 W, not synchronous, each valued not over \$20 (described in statistical reporting number 8501.10.4020)	9/20/2019	9/19/2020	9903.88.14
8501.10.4020	Product Specific	Electric motors, AC, permanent split capacitor type, not exceeding 16 W (described in statistical reporting number 8501.10.4020)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.10.4020	Product Specific	Electric motors, AC, permanent split capacitor type, with a height of 97.5 mm or more but not exceeding 127.0 mm and a length of 82.8 mm or more but not exceeding 226.0 mm, with an output of 8.9 kW or more but not exceeding 12 kW, 60 hertz (described in statistical reporting number 8501.10.4020)	9/20/2019	9/19/2020	9903.88.14
		<i>CORRECTED (2/11/2020) and revised language: Electric motors, AC, permanent split capacitor type, with a height of 97.5 mm or more but not exceeding 127.0 mm and a length of 82.8 mm or more but not exceeding 226.0 mm, with an output of 12 W or more but not exceeding 16 W, 60 hertz (described in statistical reporting number 8501.10.4020)</i>			
8501.10.4020	Product Specific	Shaded-pole AC motors, of an output not exceeding 18.65 W, each valued not over \$5 (described in statistical reporting number 8501.10.4020)	9/20/2019	9/19/2020	9903.88.14
8501.10.4020	Product Specific	Electric motors, AC, permanent split capacitor type, each in a housing with outside diameter of 84 mm or less, with output of 6 W or more but not exceeding 16 W (described in statistical reporting number 8501.10.4020)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
8501.10.4040	Product Specific	Brushless motors, of an output not exceeding 18.65 W, not synchronous, each valued not over \$0.50 (described in statistical reporting number 8501.10.4040)	9/20/2019	9/19/2020	9903.88.14
8501.10.4060	Product Specific	DC electric motors, of an output of less than 18.65 W, other than brushless, measuring less than 38 mm in diameter (described in statistical reporting number 8501.10.4060)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.10.4060	Product Specific	DC servo motors or actuators, of an output of under 18.65 W, valued over \$2 but not over \$2.50 each (described in statistical reporting number 8501.10.4060)	9/20/2019	9/19/2020	9903.88.14
8501.10.4060	Product Specific	Electric motors of a width exceeding 7.5 cm but not exceeding 7.8 cm (described in statistical reporting number 8501.10.4060)	7/9/2019	7/8/2020	9903.88.11
8501.10.4060	Product Specific	DC electric motors, of an output of less than 18.65W, valued over \$4, other than brushless(described in statistical reporting number 851.10.4060)	5/14/2019	5/13/2020	9903.88.08
8501.20.2000	Product Specific	Universal AC/DC motors, each rated at more than 37.5 W but not more than 65 W and valued at less than \$20 (described in statistical reporting number 8501.20.2000)	9/20/2019	9/19/2020	9903.88.14
8501.20.6000	Product Specific	Quarter-turn actuator motors, of an output exceeding 746 W, each valued not over \$140 (described in statistical reporting number 8501.20.6000)	9/20/2019	9/19/2020	9903.88.14
8501.31.2000	Product Specific	DC gear motor of an output exceeding 37.5 W but not exceeding 74.6 W, with a spring coupling mechanism, an output shaft and a locking connector (described in statistical reporting number 8501.31.2000)	10/2/2019	10/1/2020	9903.88.19
8501.31.2000	Product Specific	DC motor of an output exceeding 37.5 W but not exceeding 74.6 W, an actuator with an adjustable rod end with bushing, a bushing for rear mounting, a power cable and a connector (described in statistical reporting number 8501.31.2000)	10/2/2019	10/1/2020	9903.88.19
8501.31.2000	Product Specific	Wound field two-speed DC motors and permanent magnet brushed DC motors, of an output exceeding 67 W but not exceeding 69 W, valued \$8 or more but not exceeding \$17 each (described in statistical reporting number 8501.31.2000)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.31.2000	Product Specific	DC motors, brushless, of an output rated at 48 W or greater but not exceeding 60 W, each valued not over \$14 (described in statistical reporting number 8501.31.2000)	9/20/2019	9/19/2020	9903.88.14
8501.31.2000	Product Specific	DC motors, brushless, rated at 32 V, designed to operate in saltwater environment, each valued over \$35 (described in statistical reporting number 8501.31.2000)	9/20/2019	9/19/2020	9903.88.14
8501.31.2000	Product Specific	DC motors, of an output exceeding 37.5 W but not exceeding 74.6 W, each incorporating a thermal switch, the foregoing valued not over \$22 (described in statistical reporting number 8501.31.2000)	9/20/2019	9/19/2020	9903.88.14
8501.31.2000	Product Specific	DC motors, of an output exceeding 37.5 W but not exceeding 74.6 W, valued over \$2 but not over \$30 each (described in statistical reporting number 8501.31.2000)	9/20/2019	9/19/2020	9903.88.14
8501.31.2000	Product Specific	DC motors, each valued over \$125, with attached stranded copper cord (described in statistical reporting number 8501.31.2000)	7/9/2019	7/8/2020	9903.88.11
8501.31.5000	Product Specific)DC motors rated at 739.6 W, each with a housing with external diameter of 85 mm or more but not exceeding 90 mm and weight of 2575 g or less (described in statistical reporting number 8501.31.5000)	3/25/2019	3/24/2020	9903.88.06
8501.31.6000	Product Specific	DC motors, electronically commutated, three-phase, eight-pole of a kind used in HVAC systems, of an output of 750 W, valued not over \$100 each (described in statistical reporting number 8501.31.6000)	10/2/2019	10/1/2020	9903.88.19
8501.31.6000	Product Specific	Brushless, variable speed, DC motors, of an output of 750 W (described in statistical reporting number 8501.31.6000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.31.6000	Product Specific	DC motor and gear box assemblies, of an output of 746 W or more but not exceeding 750W, of a kind used to open and close a swing door, the foregoing valued not over \$300 each (described in statistical reporting number 8501.31.6000)	9/20/2019	9/19/2020	9903.88.14
8501.51.2040	Product Specific	AC motors, multi-phase, of an output exceeding 37.5 W but not exceeding 74.6 W, other than gear motors, each weighing less than 600 grams and valued less than \$15 (described in statistical reporting number 8501.51.2040)	9/20/2019	9/19/2020	9903.88.14
8501.51.4040	Product Specific	Multi-phase AC motors, of an output not exceeding 110 W, other than gear motors (described in statistical reporting number 8501.51.4040)	10/2/2019	10/1/2020	9903.88.19
8501.51.4040	Product Specific	AC motors, multi-phase, of an output exceeding 37.5 W but not exceeding 74.6 W, each fitted with a timing belt (described in statistical reporting number 8501.51.4040)	9/20/2019	9/19/2020	9903.88.14
8501.51.4040	Product Specific	AC motors, multi-phase, of rolled steel frame construction (described in statistical reporting number 8501.51.4040)	9/20/2019	9/19/2020	9903.88.14
8501.51.4040	Product Specific	AC motors, multiphase, of a kind used with paint sprayers to regulate the flow of paint, of an output exceeding 74.6 W but not exceeding 735 W, valued not over \$200 each (described in statistical reporting number 8501.51.4040)	9/20/2019	9/19/2020	9903.88.14
8501.52.8040	Product Specific	AC motors, multi-phase, of an output exceeding 14.92 kW or more but not exceeding 75 kW , not of a kind used in civil aircraft (described in statistical reporting number 8501.52.8040)	10/2/2019	10/1/2020	9903.88.19
8501.52.8040	Product Specific	AC motors, multiphase, of an output exceeding 74 kW but not exceeding 75 kW, other than for use in civil aircraft (described in statistical reporting number 8501.52.8040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.52.8040	Product Specific	AC electric motors, multi-phase, of an output exceeding 14.92 kW but not exceeding 75 kW, other than for use in civil aircraft (described in statistical reporting number 8501.52.8040)	5/14/2019	5/13/2020	9903.88.08
8501.53.4080	Product Specific	AC motors, multi-phase, of an output exceeding 93 kW but not exceeding 112 kW (described in statistical reporting number 8501.53.4080)	9/20/2019	9/19/2020	9903.88.14
8501.53.4080	Product Specific	AC motors, multi-phase, each of an output exceeding 75 kW but less than 149.2 kW (described in statistical reporting number 8501.53.4080)	7/9/2019	7/8/2020	9903.88.11
8501.53.8040	Product Specific	AC motors, multi-phase, of an output of 186.5 kW or more but not exceeding 373 kW, having a cast iron frame construction (described in statistical reporting number 8501.53.8040)	9/20/2019	9/19/2020	9903.88.14
8501.53.8040	Product Specific	AC multi-phase motors, each of an output exceeding 300 kW but not exceeding 310 kW, fitted with pulleys and brakes to raise and lower passenger elevators (described in statistical reporting number 8501.53.8040)	6/4/2019	6/3/2020	9903.88.10
8501.53.8060	Product Specific	AC multi-phase motors, each with an output exceeding 450 kW, fitted with pulleys and brakes (described in statistical reporting number 8501.53.8060)	10/2/2019	10/1/2020	9903.88.19
8501.62.0000	Product Specific	AC generators (alternators) with output exceeding 75 kVA but not exceeding 375 kVA, designed for electric generating sets of heading 8502 (described in statistical reporting number 8501.62.0000)	10/2/2019	10/1/2020	9903.88.19
8501.62.0000	Product Specific	AC generators, each weighing over 250 kg but not more than 1 metric ton and valued not over \$2,400 (described in statistical reporting number 8501.62.0000)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.63.0000	Product Specific	AC generators, each having copper windings and weighing more than 900 kg but not more than 1700 kg (described in statistical reporting number 8501.63.0000)	9/20/2019	9/19/2020	9903.88.14
8501.64.0025	Product Specific	AC generators, of an output exceeding 750 kVA but not exceeding 10,000 kVA, each having copper windings and weighing more than 1650 kg but not more than 4100 kg, other than for wind-powered generating sets classified within 8502.31.00 (described in statistical reporting number 8501.64.0025)	9/20/2019	9/19/2020	9903.88.14
8502.11.0000	Product Specific	Generator sets each weighing more than 650 kg but not over 830 kg (described in statistical reporting number 8502.11.0000)	9/20/2019	9/19/2020	9903.88.14
8503.00.6500	Product Specific	Original Language: Stators and rotors, 2 or 4 pole type, valued over \$4,700 but not over \$4,900 each (described in statistical reporting number 8503.00.6500) <i>CORRECTED (12/17/2019) and revised language: Stators and rotors for electric motors and generators (excluding generating sets), 2 or 4 pole type valued \$85 or more but not over \$1,700 (described in statistical reporting number 8503.00.6500).</i>	9/20/2019	9/19/2020	9903.88.14
8503.00.6500	Product Specific	Armatures, other than for motors of under 18.65 W, other than for generators for civil aircraft, each valued not over \$5 (described in statistical reporting number 8503.00.6500)	9/20/2019	9/19/2020	9903.88.14
8503.00.6500	Product Specific	Motor field cores, other than for motors of under 18.65 W, other than for generators for civil aircraft, of steel stamping, each valued not over \$5 (described in statistical reporting number 8503.00.6500)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8503.00.6500	Product Specific	Stators and rotors designed for use with household laundry washing machines or tabletop household appliances, each valued not over \$10 (described in statistical reporting number 8503.00.6500)	9/20/2019	9/19/2020	9903.88.14
8504.32.0000	Product Specific	Electrical transformers, each weighing not over 500 grams (described in statistical reporting number 8504.32.0000)	9/20/2019	9/19/2020	9903.88.14
8504.32.0000	Product Specific	Electrical transformers, each with a power handling capacity rating of 1.8 kVA, with external dimensions measuring approximately 13.3 cm by 12.7 cm by 11.4 cm (described in statistical reporting number 8504.32.0000)	3/25/2019	3/24/2020	9903.88.06
8504.33.0020	Product Specific	Transformers designed to control horizontal motion of electron beams in cathode-ray tubes (described in statistical reporting number 8504.33.0020)	7/9/2019	7/8/2020	9903.88.11
8504.40.4000	Product Specific	Speed drive controllers for electric motors, designed for use in vehicles using electric motors for propulsion, including but not limited to material handling equipment, golf carts, sweeper scrubbers and aerial lifts, with a value of \$50.00 or more but not exceeding \$700.00 (described in statistical reporting number 8504.40.4000)	10/2/2019	10/1/2020	9903.88.19
8504.40.4000	Product Specific	Speed drive controllers for electric motors, the foregoing operating at 250 A or more but not over 500 A (described in statistical reporting number 8504.40.0000)	6/4/2019	6/3/2020	9903.88.10
8504.40.4000	Product Specific	Regenerative speed drive controllers for controlling speed of electric motors for elevators (described in statistical reporting number 8504.40.4000)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8504.40.4000	Product Specific	Speed drive controllers for electric motors, each such controller measuring 100 mm or more but not over 130 mm in length, 40 mm or more but not over 125 mm in width and 24 mm or more but not over 85 mm in height (described in statistical reporting number 8504.40.4000)	6/4/2019	6/3/2020	9903.88.10
8504.40.4000	Product Specific	Variable frequency drive controllers for electric motors, each weighing more than 1 kg but not more than 11 kg (described in statistical reporting number 8504.40.4000)	6/4/2019	6/3/2020	9903.88.10
8504.90.6500	Product Specific	Printed circuit boards, each measuring no more than 2.3 cm by 13.1 cm, presented with two black plastic pin connectors on opposite ends and/or sides, designed for use in transformers used to provide power to telecommunications networks (described in statistical reporting number 8504.90.6500)	9/20/2019	9/19/2020	9903.88.14
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 4 cm to 6 cm in width and 10 cm to 12 cm in length, that converts 36 V DC to 90 V AC (described in statistical reporting number 8504.90.6500)	6/4/2019	6/3/2020	9903.88.10
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 7 cm to 9 cm in width and 18 cm to 20 cm in length, having 2 switches, for power protection to prevent electrical back feeding (described in statistical reporting number 8504.90.6500)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as controllers for power supplies, each measuring 5 cm to 7 cm in width and 11 cm to 14 cm in length, having 50 pin on side header (described in statistical reporting number 8504.90.6500)	6/4/2019	6/3/2020	9903.88.10
8504.90.6500	Product Specific	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as noise filters, each measuring 18 cm to 20 cm in width and 25 cm to 27 cm in length, populated with semiconductor devices and 4 heat sinks (described in statistical reporting number 8504.90.6500)	6/4/2019	6/3/2020	9903.88.10
8504.90.7500	Product Specific	Dual layer printed circuit board assemblies, each valued over \$30 but not over \$35 (described in statistical reporting number 8504.90.7500)	9/20/2019	9/19/2020	9903.88.14
8504.90.9646	Product Specific	Coils for cast epoxy resin transformers, each of the foregoing valued over \$6,500 but not over \$7,000 (described in statistical reporting number 8504.90.9646)	9/20/2019	9/19/2020	9903.88.14
8504.90.9650	Product Specific	Static converter covers, bases and housings (described in statistical reporting number 8504.90.9650)	7/9/2019	7/8/2020	9903.88.11
8504.90.9690	Product Specific	Conductors of aluminum for electric transformers, static converters and inductors (described in statistical reporting number 8504.90.9690)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8504.90.9690	Product Specific	Original Language: Heat sinks for electric transformers, static converters and aluminum inductors (described in statistical reporting number 8504.90.9690) <i>CORRECTED (12/17/2019) and revised language: Heat sinks of aluminum for inductors (described in statistical reporting number 8504.90.9690)</i>	9/20/2019	9/19/2020	9903.88.14
8504.90.9690	Product Specific	Inductor parts, of plastics (described in statistical reporting number 8504.90.9690)	9/20/2019	9/19/2020	9903.88.14
8504.90.9690	Product Specific	Toroids of silicon steel (described in statistical reporting number 8504.90.9690)	9/20/2019	9/19/2020	9903.88.14
8504.90.9690	Product Specific	Inductor baseplates of aluminum, each with a length measuring 149.20 mm or more but not over 275 mm, with a width measuring 119.40 mm or more but not over 232 mm and with a depth of 10.50 mm or more but not over 19 mm, with a weight of 0.48 kg or more but not over 3.2 kg (described in statistical reporting number 8504.90.9690)	4/18/2019	4/17/2020	9903.88.07
8505.90.7501	Product Specific	Coils, coil assemblies and other parts of electromagnets (the foregoing described in statistical reporting number 8505.90.7501)	5/14/2019	5/13/2020	9903.88.08
8506.50.0000	Product Specific	Lithium primary batteries valued over \$0.50 but not over \$0.75 each (described in statistical reporting number 8506.50.0000)	9/20/2019	9/19/2020	9903.88.14
8506.90.0000	Product Specific	Plastic cases designed to contain 9V alkaline cells, measuring 6.35 cm by 13.34 cm by 3.18 cm, with button connectors (described in statistical reporting number 8506.90.0000)	10/2/2019	10/1/2020	9903.88.19
8514.10.0000	Product Specific	Resistance-heated annealing ovens (described in statistical reporting number 8514.10.0000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8514.10.0000	Product Specific	Resistance-heated glass furnaces, each with continuous conveyance articulating roller and positive press (described in statistical reporting number 8514.10.0000)	9/20/2019	9/19/2020	9903.88.14
8514.40.0000	Product Specific	Resistance-heated strip casting furnaces (described in statistical reporting number 8514.40.0000)	9/20/2019	9/19/2020	9903.88.14
8514.90.8000	Product Specific	Furnace casings (described in statistical reporting number 8514.90.8000)	7/9/2019	7/8/2020	9903.88.11
8514.90.8000	Product Specific	Structural components for industrial furnaces (described in statistical reporting number 8514.90.8000)	7/9/2019	7/8/2020	9903.88.11
8515.11.0000	Product Specific	Manually operated soldering irons and guns, with or without their power supplies but without work stands or other accessory devices (described in statistical reporting number 8515.11.0000)	9/20/2019	9/19/2020	9903.88.14
8515.11.0000	Product Specific	Battery powered soldering irons or soldering guns, not over 18 cm in length (described in statistical reporting number 8515.11.0000)	3/25/2019	3/24/2020	9903.88.06
8515.19.0000	Product Specific	Soldering stations, consisting of a benchtop power source, a hand piece, a power cord and work stand, operating by the power source providing electric radio frequency current to heat the hand piece (described in statistical reporting number 8515.19.0000)	10/2/2019	10/1/2020	9903.88.19
8515.19.0000	Product Specific	Manually operated rework stations, including soldering/desoldering stations (described in statistical reporting number 8515.19.0000)	7/9/2019	7/8/2020	9903.88.11
8515.39.0020	Product Specific	Machines and apparatus for arc (including plasma arc) welding, each valued not over \$500 (described in statistical reporting number 8515.39.0020)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8515.90.2000	Product Specific	Tungsten electrodes for tungsten inert gas arc welding torches (described in statistical reporting number 8515.90.2000)	9/20/2019	9/19/2020	9903.88.14
8515.90.4000	Product Specific	Parts of soldering irons and soldering machines (described in statistical reporting number 8515.90.4000)	4/18/2019	4/17/2020	9903.88.07
8525.60.1010	Entire Subheading	Radio transceivers, citizens band (cb) type	12/28/2018	Extended to: 12/27/20 (Original: 12/27/19) FR 2019-27611	9903.88.05
8525.60.1030	Product Specific	Hand-held transceivers (except Citizen's Band and except low-power radiotelephonic operating on frequencies from 49.82 MHz to 49.90 MHz), valued not over \$70 each (described in statistical reporting number 8525.60.1030)	7/9/2019	7/8/2020	9903.88.11
8525.60.1050	Product Specific	Transceivers, 10-meter, not hand-held, for operation in infrequencies of 28.000 to 29.700 MHz (described in statistical reporting number 8525.60.1050)	9/20/2019	9/19/2020	9903.88.14
8525.60.1050	Product Specific	Radio transceivers operating on frequencies from 46 MHz to 468 MHz, each designed for installation in motor vehicles (described in statistical reporting number 8525.60.1050)	6/4/2019	6/3/2020	9903.88.10
8526.91.0040	Product Specific	GPS apparatus measuring not over 118 mm in height, 120 mm in width and 20 mm in thickness, presented with or without attached antenna or other accessories (described in statistical reporting number 8526.91.0040)	9/20/2019	9/19/2020	9903.88.14
8526.91.0040	Product Specific	GPS apparatus suitable for use with dog or other animal collars (described in statistical reporting number 8526.91.0040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8526.91.0040	Product Specific	Kits each consisting of GPS apparatus suitable for use with dog or animal collars, a hand-held GPS transmitter and accessories therefor (described in statistical reporting number 8526.91.0040)	9/20/2019	9/19/2020	9903.88.14
8526.92.5000	Product Specific	Radio remote control apparatus of a kind suitable for opening or closing gates (described in statistical reporting number 8526.92.5000)	10/2/2019	10/1/2020	9903.88.19
8526.92.5000	Product Specific	Radio remote control apparatus of a kind suitable for controlling gas burning fireplaces (described in statistical reporting number 8526.92.5000)	9/20/2019	9/19/2020	9903.88.14
8526.92.5000	Product Specific	Radio remote control apparatus for garage doors (described in statistical reporting number 8526.92.5000)	5/14/2019	5/13/2020	9903.88.08
8526.92.5000	Product Specific	Radio remote control apparatus for pet collars and pet food dispensers (described in statistical reporting number 8526.92.5000)	5/14/2019	5/13/2020	9903.88.08
8526.92.5000	Product Specific	Remote control devices, hand held and battery powered, designed for use with toy model vehicles and aircraft (described in statistical reporting number 8526.92.5000)	5/14/2019	5/13/2020	9903.88.08
8529.10.4040	Product Specific	27 MHz radio remote control antennas each of a kind designed to transmit a signal to a dog collar receiver (described in statistical reporting number 8529.10.4040)	9/20/2019	9/19/2020	9903.88.14
8529.10.4040	Product Specific	Antennas, of base metal and fiberglass (described in statistical reporting number 8529.10.4040)	6/4/2019	6/3/2020	9903.88.10
8529.10.9100	Product Specific	CB radio antennas (described in statistical reporting number 8529.10.9100)	9/20/2019	<u>REVOKED</u> <u>10/2/2019</u>	<u>FR 2019-</u> <u>21420</u>

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8529.90.1660	Product Specific	Printed circuit board assemblies, measuring 27.94 cm in length, 17.78 cm in width and 5.08 cm in height, of a kind used in radio remote controller apparatus for radio remote control of machinery, comprising a copper base to which are attached two capacitors, sixteen relays, sixteen varistors, two rows of terminal block connectors, two fuses in black housings with flat-head screw slots on top and an LED number display (described in statistical reporting number 8529.90.1660)	10/2/2019	10/1/2020	9903.88.19
8529.90.8100	Product Specific	Bezels, covers and housings, the foregoing designed for motor vehicle cameras (described in statistical reporting number 8529.90.8100)	5/14/2019	5/13/2020	9903.88.08
8529.90.9900	Product Specific	Aluminum feed horn assemblies measuring 8.4 cm in length and 5.1 cm in diameter, with operating frequencies of 17.8 to 20.2 GHz (receive) and 28 to 30 GHz (transmit), valued at \$2.75 or more but not exceeding \$2.85 each (described in statistical reporting number 8529.90.9900)	10/2/2019	10/1/2020	9903.88.19
8529.90.9900	Product Specific	Projector parts (described in statistical reporting number 8529.90.9900)	6/4/2019	6/3/2020	9903.88.10
8532.10.0000	Product Specific	Fixed capacitors valued not over \$4 per unit (described in statistical reporting number 8532.10.0000)	7/9/2019	7/8/2020	9903.88.11
8532.10.0000	Product Specific	Fixed oil-filled capacitors rated at 1 kV to 25 kV (described in statistical reporting number 8532.10.0000)	7/9/2019	7/8/2020	9903.88.11
8532.21.0050	Product Specific	Tantalum capacitors having a conductive polymer cathode, valued not over \$4 per unit (described in statistical reporting number 8532.21.0050)	7/9/2019	7/8/2020	9903.88.11
8532.21.0050	Product Specific	Tantalum capacitors, each measuring 7.3 mm by 4.3 mm by 1.9 mm and valued not over \$4 (described in statistical reporting number 8532.21.0050)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
		Original Language: Aluminum electrolytic capacitors each valued not over \$1.50 (described in statistical reporting number 8532.22.0055)			
8532.22.0055	Product Specific	<i>CORRECTED (12/17/2019) and revised language: Aluminum electrolytic capacitors each valued at not over \$4 (described in statistical reporting number 8532.22.0055)</i>	9/20/2019	9/19/2020	9903.88.14
8532.22.0085	Product Specific	Aluminum electrolytic fixed capacitors, exceeding 51 mm in diameter, each valued over \$6.50 but not over \$8 (described in statistical reporting number 8532.22.0085)	10/2/2019	10/1/2020	9903.88.19
		Original Language: Aluminum electrolytic capacitors, each valued not over \$2.50 (described in statistical reporting number 8532.22.0085)			
8532.22.0085	Product Specific	<i>Correct and revised language: Aluminum electrolytic capacitors, each valued not over \$3.20 (described in statistical reporting number 8532.22.0085)</i>	7/9/2019	7/8/2020	9903.88.11
8532.24.0020	Product Specific	Multi-layer ceramic, temperature-stable capacitors (temperature coefficient 5XR), with 47 microfarad capacitance, measuring 2 mm by 1.25 mm by 1.25 mm, valued at \$0.08 or more but not exceeding \$0.12 per piece (described in statistical reporting number 8532.24.0020)	10/2/2019	10/1/2020	9903.88.19
8532.24.0020	Product Specific	Fixed ceramic dielectric multilayer chip capacitors, each valued not over \$0.12 per unit (described in statistical reporting number 8532.24.0020)	9/20/2019	9/19/2020	9903.88.14
8532.25.0010	Product Specific	Dielectric capacitors of paper or plastics, for AC service, operating at less than 300 V each valued not over \$4.50 (described in statistical reporting number 8532.25.0010)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8532.25.0020	Product Specific	Dielectric capacitors of paper or plastics, for AC service, operating at 300 V or more but not exceeding 600 V, each valued not over \$3 (described in statistical reporting number 8532.25.0020)	9/20/2019	9/19/2020	9903.88.14
8532.25.0080	Product Specific	Double-sided capacitor modules, each containing capacitors operating at 165 farad, 48 V, and 53 watt-hours (described in statistical reporting number 8532.25.0080)	9/20/2019	9/19/2020	9903.88.14
8532.29.0040	Product Specific	Fixed capacitors (the foregoing other than tantalum, aluminum electrolytic, ceramic dielectric, dielectrics of paper or plastics or mica dielectric), each valued over \$200 but not over \$300 (described in statistical reporting number 8532.29.0040)	9/20/2019	9/19/2020	9903.88.14
8532.30.0090	Product Specific	Variable capacitors (other than mica, ceramic or glass dielectric), each valued over \$500 but not over \$600 (described in statistical reporting number 8532.30.0090)	9/20/2019	9/19/2020	9903.88.14
8533.10.0065	Product Specific	Fixed electrical carbon film resistors, not designed for surface mounting by contact, having two leads, with a power handling capacity not over 1 W (described in statistical reporting number 8533.10.0065)	10/2/2019	10/1/2020	9903.88.19
8533.21.0080	Product Specific	Wirewound fixed electrical resistors with a power handling capacity not over 20 W, and with a core of glass, ceramic or metal oxide file (described in statistical reporting number 8533.21.0080)	10/2/2019	10/1/2020	9903.88.19
8533.21.0090	Product Specific	Thermistors of ceramic metal oxide, each with two leads (described in statistical reporting number 8533.21.0090)	10/2/2019	10/1/2020	9903.88.19
8533.40.4000	Product Specific	Metal oxide varistors of ceramic metal oxide materials (described in statistical reporting number 8533.40.4000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8533.40.8040	Product Specific	Contact sensors, of a kind used to detect the pressing and releasing of an automotive accelerator pedal, comprising a ceramic board and a rotor housed in a molded plastics body, which together create a potentiometer (rheostat) controlling the actuation of the engine throttle, valued at \$6.70 or more but not exceeding \$7.55 per piece (described in statistical reporting number 8533.40.8040)	10/2/2019	10/1/2020	9903.88.19
8533.40.8070	Product Specific	Potentiometers (other than cermet or metal glaze), each valued not over \$70 (described in statistical reporting number 8533.40.8070)	9/20/2019	9/19/2020	9903.88.14
8533.40.8070	Product Specific	Thermistors (other than cermet or metal glaze), each valued not over \$1 (described in statistical reporting number 8533.40.8070)	9/20/2019	9/19/2020	9903.88.14
8536.30.4000	Product Specific	Motor overload protectors, in 1 pole, 2 pole or 3 pole configurations, with electric current load ratings up to 60 A, measuring 19 mm or more but not exceeding 57 mm in height, 102 mm in length, and 76 mm in width, and valued at \$6.00 or more but not exceeding \$8.40 per piece (described in statistical reporting number 8536.30.4000)	10/2/2019	10/1/2020	9903.88.19
8536.30.4000	Product Specific	Motor overload protectors for a voltage exceeding 60 V but not exceeding 1,000 V, each valued over \$5 but not over \$7 (described in statistical reporting number 8536.30.4000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.41.0045	Product Specific	Three-pole contactors, operating at 12 to 60 V, with a plastics housing enclosing three movable, silver cadmium oxide contacts (normally open only) rated at 50 A or more but not exceeding 60 A, an electromagnetic coil, a coil spring, coil terminals, polyester actuator, stationary terminals supported by a polyester component, a coil dust cover and an optional insert for an auxiliary switch, valued at \$9.00 or more but not exceeding \$10.00 per piece (described in statistical reporting number 8536.41.0045)	10/2/2019	10/1/2020	9903.88.19
8536.41.0045	Product Specific	<p>Contactors, for a voltage not exceeding 60 V and with contacts rated at or more than 10 A, each valued not over \$18 (described in statistical reporting number 8536.41.0045)</p> <p><i>CORRECTED (2/11/2020) and revised: Contactors, for a voltage not exceeding 60 V and with contacts rated at or more than 10 A, each valued not over \$39 (described in statistical reporting number 8536.41.0045)</i></p>	7/9/2019	7/8/2020	9903.88.11
8536.41.0050	Product Specific	Electromechanical relays, for a voltage not exceeding 24 V, other than automotive flashers, with contacts rated at 10 A or more, measuring not over 80 mm in any dimension (described in statistical reporting number 8536.41.0050)	6/4/2019	6/3/2020	9903.88.10
8536.49.0065	Product Specific	Contactors for a voltage not exceeding 1,000 V, each valued not over \$18 (described in statistical reporting number 8536.49.0065)	9/20/2019	9/19/2020	9903.88.14
8536.49.0075	Product Specific	Electromechanical relays, for a voltage exceeding 60 V but not over 250 V, with contacts rated at 10 A or more (described in statistical reporting number 8536.49.0075)	5/14/2019	5/13/2020	9903.88.08

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.4000	Product Specific	Motor starters for a voltage exceeding 60 V but not exceeding 1,000 V, valued over \$9 but not over \$10 each (described in statistical reporting number 8536.50.4000)	9/20/2019	9/19/2020	9903.88.14
8536.50.9020	Product Specific	Rotary switches for a voltage not exceeding 1,000 V, rated at not over 5 A, containing an aluminum shaft in a push-button actuator connected to a nylon housing containing a printed circuit board (described in statistical reporting number 8536.50.9020)	10/2/2019	10/1/2020	9903.88.19
8536.50.9020	Product Specific	Rotary switch assemblies, for a voltage not exceeding 1,000 V, rated at not over 5 A, each valued over \$2 but not over \$3 (described in statistical reporting number 8536.50.9020)	9/20/2019	9/19/2020	9903.88.14
8536.50.9025	Product Specific	Rotary switches, rated at over 5 A, measuring not more than 5.5 cm by 5.0 cm by 3.4 cm, each with 2 to 8 spade terminals and an actuator shaft with D- shaped cross section (described in statistical reporting number 8536.50.9025)	7/9/2019	7/8/2020	9903.88.11
8536.50.9025	Product Specific	Rotary switches, single pole, single throw (SPST), rated at over 5 A, each measuring not more than 14.6 cm by 8.9 cm by 14.1 cm (described in statistical reporting number 8536.50.9025)	7/9/2019	7/8/2020	9903.88.11
8536.50.9031	Product Specific	Momentary contact push-button switches rated at 9 V or more but not exceeding 16 V and not over 50mA, with no dimension exceeding 70 mm (described in statistical reporting number 8536.50.9031)	10/2/2019	10/1/2020	9903.88.19
8536.50.9031	Product Specific	Momentary contact switches rated at or under 5 A, each designed for use as a motor vehicle overdrive switch (described in statistical reporting number 8536.50.9031)	7/9/2019	7/8/2020	9903.88.11
8536.50.9031	Product Specific	Momentary contact switches rated at or under 5 A, valued not over \$4 per unit (described in statistical reporting number 8536.50.9031)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.9033	Product Specific	Push-button and proximity switches rated at not over 5 A, designed for automotive gearshift applications, with or without connectors (described in statistical reporting number 8536.50.9033)	10/2/2019	10/1/2020	9903.88.19
8536.50.9035	Product Specific	Push-button switches rated at over 5 A but not exceeding 20 A, each article having external connections permitting the switch to be wired in either normally open or normally closed configuration (described in statistical reporting number 8536.50.9035)	10/2/2019	10/1/2020	9903.88.19
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 14.4 cm by 11.6 cm by 6.4 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 14.6 cm by 8 cm by 14.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.1 cm by 8.3 cm by 14.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 11.8 cm by 8.3 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 9.8 cm by 16.5 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 21 cm by 13.3 cm by 9 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 23.5 cm by 8cm by 13.1 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 6 cm by 14.1 cm by 11 cm (described in statistical reporting number 8536.50.9035)	6/4/2019	6/3/2020	9903.88.10
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 2.9 cm by 2.9 cm by 2.9 cm, with 4 spade or brass terminals, with an actuator shaft with D-shaped cross section (described in statistical reporting number 8536.50.9035)	5/14/2019	5/13/2020	9903.88.08
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 4.8 cm by 2.8 cm by 2.8 cm, with 2 spade or brass terminals (described in statistical reporting number 8536.50.9035)	5/14/2019	5/13/2020	9903.88.08
8536.50.9035	Product Specific	Push-button switches, rated at over 5 A, measuring no more than 5 cm by 1.7 cm by 1.9 cm, with 2 spade or brass terminals, with an actuator shaft with Dshaped cross section (described in statistical reporting number 8536.50.9035)	5/14/2019	5/13/2020	9903.88.08
8536.50.9040	Product Specific	Snap-action switches, for a voltage not exceeding 250 V, rated not over 8 A (described in statistical reporting number 8536.50.9040)	9/20/2019	9/19/2020	9903.88.14
8536.50.9040	Product Specific	Snap-action switches, each designed for installation in a wall-mounted enclosure or electrical box (described in statistical reporting number 8536.50.9040)	5/14/2019	5/13/2020	9903.88.08
8536.50.9055	Product Specific	Limit switches, for a voltage not exceeding 1,000 V, each valued over \$19 but not over \$32 (described in statistical reporting number 8536.50.9055)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.9065	Product Specific	Rocker switches, for a current of 16 A or more but not exceeding 20 A (described in statistical reporting number 8536.50.9065)	10/2/2019	10/1/2020	9903.88.19
8536.50.9065	Product Specific	Switches for domestic clothes dryers, valued over 35 cents but not over 40 cents each (described in statistical reporting number 8536.50.9065)	10/2/2019	10/1/2020	9903.88.19
8536.50.9065	Product Specific	Switches incorporated into latches for domestic appliances, valued over \$ 0.90 but not over \$1.25 each (described in statistical reporting number 8536.50.9065)	10/2/2019	10/1/2020	9903.88.19
8536.50.9065	Product Specific	Broken belt switches, for a voltage not exceeding 1,000 V, designed for use in clothes dryers (described in statistical reporting number 8536.50.9065)	9/20/2019	9/19/2020	9903.88.14
8536.50.9065	Product Specific	Modular light switches, for a voltage not exceeding 1,000 V, presented in polyethylene terephthalate (PET) housings, designed for use with a backplate (described in statistical reporting number 8536.50.9065)	9/20/2019	9/19/2020	9903.88.14
8536.50.9065	Product Specific	ORIGINAL LANGUAGE: Single-pole, double-throw switches, for a voltage not exceeding 100 V, each with a movable contact arm permitting the opening and closing of contact points (described in statistical reporting number 8536.50.9065) <i>CORRECTED (12/17/2019) and revised language: Single-pole, double-throw switches, each with a movable contact arm permitting the opening and closing of contact points, of a rating not over 1,000 V (described in statistical reporting number 8536.50.9065)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.9065	Product Specific	Switches designed for use in motor vehicles, driver or passenger activated (described in statistical reporting number 8536.50.9065)	9/20/2019	9/19/2020	9903.88.14
8536.50.9065	Product Specific	Rocker switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	7/9/2019	7/8/2020	9903.88.11
8536.50.9065	Product Specific	Push-pull switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	6/4/2019	6/3/2020	9903.88.10
8536.50.9065	Product Specific	Motor vehicle gear shift switch assemblies, comprised of a plunger, connector and gear shift lever (described in statistical reporting number 8536.50.9065)	4/18/2019	4/17/2020	9903.88.07
8536.50.9065	Product Specific	Pressure switches designed for use in heat pumps and air-conditioning condensers having a rating of 1.90 megapascals or more but not over 4.55 megapascals (described in statistical reporting number 8536.50.9065)	4/18/2019	4/17/2020	9903.88.07
8536.69.4010	Product Specific	Coaxial connectors, for a voltage not exceeding 1,000 V, valued over \$0.20but not over \$0.30 each (described in statistical reporting number 8536.69.4010)	9/20/2019	9/19/2020	9903.88.14
8536.69.4020	Product Specific	Cylindrical multicontact connectors, for a voltage not exceeding 1,000 V, each valued not over \$120 (described in statistical reporting number 8536.69.4020)	9/20/2019	9/19/2020	9903.88.14
8536.69.4040	Product Specific	Printed circuit connectors each valued not over \$1 (described in statistical reporting number 8536.69.4040)	9/20/2019	9/19/2020	9903.88.14
8536.69.4040	Product Specific	Printed circuit connectors, for a voltage not exceeding 1,000 V, measuring 142 mm long, 20.53 mm high and 6.5 mm wide (described in statistical reporting number 8536.69.4040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.69.4040	Product Specific	Printed circuit connectors, for a voltage not exceeding 1,000 V, measuring 59.08 mm long, 25.91 mm high and 25.91 mm wide, each valued not over \$20 (described in statistical reporting number 8536.69.4040)	9/20/2019	9/19/2020	9903.88.14
8536.69.4040	Product Specific	Printed circuit connectors, for a voltage not exceeding 1,000 V, each valued over \$1 but not over \$5 (described in statistical reporting number 8536.69.4040)	9/20/2019	9/19/2020	9903.88.14
8536.69.4040	Product Specific	Printed circuit connectors, for a voltage not exceeding 1,000 V, stacked, each valued not over \$10 (described in statistical reporting number 8536.69.4040)	9/20/2019	9/19/2020	9903.88.14
8536.89.4010	Product Specific	BNC straight radio frequency (RF) male-pin cylindrical connector/terminator plugs, for a voltage not exceeding 1,000 V, with impedance of 51 ohms, rated up to 1 W, measuring not over 29 mm long by 15 mm in diameter (described in statistical reporting number 8536.69.4010)	10/2/2019	10/1/2020	9903.88.19
8536.90.4000	Product Specific	Electrical connectors, for a voltage not exceeding 1,000 V, of a kind used to make electrical connections in ballast lighting (described in statistical reporting number 8536.90.4000)	10/2/2019	10/1/2020	9903.88.19
8536.90.4000	Product Specific	Butt splice connectors, for a voltage not exceeding 1,000 V, each valued not over \$3 (described in statistical reporting number 8536.90.4000)	9/20/2019	9/19/2020	9903.88.14
8536.90.4000	Product Specific	Kits each containing 40 assorted terminals comprising 12 butt splices, 10 ring terminals, 8 spade terminals and 10 female disconnects, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	9/20/2019	9/19/2020	9903.88.14
8536.90.4000	Product Specific	Kits each containing 80 assorted terminals, valued not over \$2, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.90.4000	Product Specific	Ring terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	9/20/2019	9/19/2020	9903.88.14
8536.90.4000	Product Specific	Twist-on wire connectors, for a voltage not exceeding 1,000 V, each valued not over \$0.03 (described in statistical reporting number 8536.90.4000)	9/20/2019	9/19/2020	9903.88.14
8536.90.4000	Product Specific	Spring clip ("alligator clip") terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Bullet connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Butt connectors, other than closed end, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Closed-end butt connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Crimp connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Insulated tab electrical connectors and tab receptacle electrical connectors, for a voltage not exceeding 1,000 V, crimp-type, with either a tab measuring not over 6.4 mm in width or a receptacle for tabs measuring not over 6.4 mm in width (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Junction blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Lug connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Ring connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.90.4000	Product Specific	Spade connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Terminal blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.4000	Product Specific	Wire tap connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	6/4/2019	6/3/2020	9903.88.10
8536.90.8530	Product Specific	Junction boxes, each valued over \$1.40 but not over \$1.70 (described in statistical reporting number 8536.90.8530)	9/20/2019	9/19/2020	9903.88.14
8537.10.8000	Entire Subheading	Other Touch Screens W/o Disp Cap, For Inc Into App Having Disp, Wfunc By Dete Pres & loc Of Touch In Disp Area For Voltage Not Exceeding 1000v	6/4/2019	6/3/2020	9903.88.10
8538.10.0000	Product Specific	Enclosures of alloy steel, containing all the electrical components for underground mining machinery, such enclosures weighing more than 15 t (described in statistical reporting number 8538.10.0000)	10/2/2019	10/1/2020	9903.88.19
8538.90.6000	Product Specific	Polycarbonate cap-shaped covers capable of fitting over a raised control button such as that located on an electronic pet-collar apparatus, each cover 0.39 mm in diameter and 0.134 mm in height (described in statistical reporting number 8538.90.6000)	10/2/2019	10/1/2020	9903.88.19
8538.90.6000	Product Specific	Molded buttons (described in statistical reporting number 8538.90.6000)	7/9/2019	7/8/2020	9903.88.11
8538.90.6000	Product Specific	Molded housings and covers (described in statistical reporting number 8538.90.6000)	7/9/2019	7/8/2020	9903.88.11
8538.90.6000	Product Specific	Knobs of injection molded plastics (described in statistical reporting number 8538.90.6000)	3/25/2019	3/24/2020	9903.88.06

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8538.90.8120	Product Specific	Bodies of gas circuit breakers for electrical utilities, with installed interrupters, each weighing more than 800 kg (described in statistical reporting number 8538.90.8120)	10/2/2019	10/1/2020	9903.88.19
8538.90.8120	Product Specific	Tanks for dead tank circuit breakers, of aluminum (described in statistical reporting number 8538.90.8120)	7/9/2019	7/8/2020	9903.88.11
8539.90.0000	Product Specific	Molybdenum foil filament assemblies, designed for use in ultraviolet lamps (described in statistical reporting number 8539.90.0000)	3/25/2019	3/24/2020	9903.88.06
8541.21.0075	Product Specific	Transistors, with a dissipation rate of less than 1 W and an operating frequency of not less than 100 MHz, valued over \$0.04 but not over \$0.05 each (described in statistical reporting number 8541.21.0075)	9/20/2019	9/19/2020	9903.88.14
8541.21.0095	Product Specific	Original Language: Bipolar junction transistors, with a dissipation rate of less than 1 W and with an operating frequency of less than 100 MHz (described in statistical reporting number 8541.21.0095) <i>CORRECTED (12/17/10) and revised language: Bipolar junction transistors, with a dissipation rate of 1W or more (described in statistical reporting number 8541.29.0095)</i>	9/20/2019	9/19/2020	9903.88.14
8541.29.0095	Product Specific	Metal-oxide transistors on a silicon-carbide substrate, with a dissipation rate of less than 1 W and an operating frequency of less than 100 MHz (described in statistical reporting number 8541.29.0095)	9/20/2019	9/19/2020	9903.88.14
8541.60.0060	Product Specific	Mounted quartz piezoelectric crystals operating at a supply voltage of 1.5 V or greater but not exceeding 3.75 V and a frequency range not over 175 MHz (described in statistical reporting number 8541.60.0060)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8543.10.0000	Product Specific	S-band and X-band linear accelerators designed for use in radiation surgery or radiation therapy equipment (described in statistical reporting number 8543.10.0000)	9/20/2019	9/19/2020	9903.88.14
8543.30.2000	Product Specific	Copper panel or pattern electroplating machines of a kind used solely or principally for the manufacture of printed circuits (described in statistical reporting number 8543.30.2000)	9/20/2019	9/19/2020	9903.88.14
8543.30.2000	Product Specific	Electrolysis copper etchback and desmear machines of a kind used solely or principally for the manufacture of printed circuits (described in statistical reporting number 8543.30.2000)	9/20/2019	9/19/2020	9903.88.14
8543.30.9040	Product Specific	Magnesium anodes, each not exceeding 48 kg in weight (described in statistical reporting number 8543.30.9040)	6/4/2019	6/3/2020	9903.88.10
8543.30.9080	Product Specific	Aluminum anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/9/2019	7/8/2020	9903.88.11
8543.30.9080	Product Specific	Chlorine generator chambers containing titanium plates for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/9/2019	7/8/2020	9903.88.11
8543.30.9080	Product Specific	Zinc anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	7/9/2019	7/8/2020	9903.88.11
8544.30.0000	Product Specific	Wiring sets for golf carts with electric motor for propulsion (described in statistical reporting number 8544.30.0000)	10/2/2019	10/1/2020	9903.88.19
8544.30.0000	Product Specific	Coaxial antenna feeder cables designed for use in motor vehicles (described in statistical reporting number 8544.30.0000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8544.30.0000	Product Specific	Ignition coil and wiring sets designed for use with motor vehicle engines, each valued not over \$7 (described in statistical reporting number 8544.30.0000)	9/20/2019	9/19/2020	9903.88.14
8544.30.0000	Product Specific	Power supply cables designed for use in aircraft (described in statistical reporting number 8544.30.0000)	9/20/2019	9/19/2020	9903.88.14
8544.30.0000	Product Specific	Wiring sets designed for use with motor vehicle gear shifters, each valued not over \$7 (described in statistical reporting number 8544.30.0000)	9/20/2019	9/19/2020	9903.88.14
8544.49.9000	Product Specific	Insulated aluminum cables, not fitted with connectors, for a voltage exceeding 80 V but not exceeding 600 V (described in statistical reporting number 8544.49.9000)	9/20/2019	9/19/2020	9903.88.14
8544.60.4000	Product Specific	Insulated three conductor cables of copper, for a voltage exceeding 1,000 V, for subsea use, of a length exceeding 3.5 km and weighing over 90 t (described in statistical reporting number 8544.60.4000)	10/2/2019	10/1/2020	9903.88.19
8544.70.0000	Product Specific	Digital optical fiber cables, with connectors, of a length exceeding 0.5 m but not exceeding 4.0 m (described in statistical reporting number 8544.70.0000)	10/2/2019	10/1/2020	9903.88.19
8607.21.1000	Entire Subheading	Air brakes and parts thereof for railway or tramway vehicles of heading 8605 or 8606	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8703.21.0110	Product Specific	Four-wheel off-road vehicles, with only spark-ignition internal combustion reciprocating piston engines, of a cylinder capacity not exceeding 1,000 cc, with straddle seat and handlebar control, each with label indicating that vehicle is for operation only by persons at least 16 years of age, each valued not over \$5000 (described in statistical reporting number 8703.21.0110)	9/20/2019	9/19/2020	9903.88.14
8709.11.0030	Product Specific	Works trucks, electrical, operator riding, each of a curb weight exceeding 8,500 kg but not exceeding 9,500 kg (described in statistical reporting number 8709.11.0030)	9/20/2019	9/19/2020	9903.88.14
8803.30.0030	Product Specific	Gearhead assemblies and parts thereof, for use in civil aircraft other than by the Department of Defense or the United States Coast Guard, each valued not over \$90 (described in statistical reporting number 8803.30.0030)	10/2/2019	10/1/2020	9903.88.19
8803.30.0030	Product Specific	Output carriers, of passivated stainless steel, having a gear measuring 36.754 mm in length and 33.782 mm in diameter, with 17 teeth each of a maximum circular thickness of 0.8306 mm, of a kind used in a gearhead assembly for the high-lift system of aircraft, for use in civil aircraft other than by the Department of Defense or the United States Coast Guard (described in statistical reporting number 8803.30.0030)	10/2/2019	10/1/2020	9903.88.19
8803.30.0030	Product Specific	Gearhead assemblies, and parts thereof, for use in civil aircraft, each valued not over \$40 (described in statistical reporting number 8803.30.0030)	9/20/2019	9/19/2020	9903.88.14
8803.90.9060	Product Specific	Wing, tail, fuselage and other body sections, including structural components and parts of the foregoing, designed for use on drone aircraft not capable of transporting persons (described in statistical reporting number 8803.90.9060)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9002.90.9500	Product Specific	Motor vehicle lens cover assemblies (described in statistical reporting number 9002.90.9500)	9/20/2019	9/19/2020	9903.88.14
9011.10.8000	Product Specific	Stereoscopic microscopes, not provided with a means for photographing the image, valued not over \$500 per unit (described in statistical reporting number 9011.10.8000)	5/14/2019	5/13/2020	9903.88.08
9011.90.0000	Product Specific	Accessories designed for compound optical microscope stages (described in statistical reporting number 9011.90.0000)	9/20/2019	9/19/2020	9903.88.14
9011.90.0000	Product Specific	Camera adapter mounts designed for compound optical microscopes (described in statistical reporting number 9011.90.0000)	9/20/2019	9/19/2020	9903.88.14
9011.90.0000	Product Specific	Episcopic fluorescence microscopy accessories designed for compound optical microscopes (described in statistical reporting number 9011.90.0000)	9/20/2019	9/19/2020	9903.88.14
9011.90.0000	Product Specific	Adapter rings, tubes and extension sleeves, stands and arm assemblies, stages and gliding tables, eyeguards and focusing racks, all the foregoing designed for use with compound optical microscopes (described in statistical reporting number 9011.90.0000)	5/14/2019	5/13/2020	9903.88.08
9013.20.0000	Product Specific	Lasers, other than laser diodes, each valued over \$200 but not over \$300 (described in statistical reporting number 9013.20.0000)	9/20/2019	9/19/2020	9903.88.14
9013.80.7000	Product Specific	Flexible pressure sensitive LCD panel display devices used as a surface for electronic writing (described in statistical reporting number 9013.80.7000)	10/2/2019	10/1/2020	9903.88.19
9013.80.7000	Product Specific	Liquid-crystal displays, each measuring not over 85 cm in diagonal measurement (described in statistical reporting number 9013.80.7000)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9013.80.7000	Product Specific	Thin-film-transistor, light-emitting diode (LED) backlit flat panel liquid crystal display modules, each with an aluminum bezel and a video display diagonal measuring 113 mm or more but not over 339 mm (described in statistical reporting number 9013.80.7000)	3/25/2019	3/24/2020	9903.88.06
9014.80.2000	Product Specific	Depth-sounding apparatus, each valued not over \$50 (described in statistical reporting number 9014.80.2000)	9/20/2019	9/19/2020	9903.88.14
9014.80.2000	Product Specific	Depth-sounding apparatus with digital display, each designed for installation in a 63.5 mm hole in dashboard, designed for recreational boating use (described in statistical reporting number 9014.80.2000)	3/25/2019	3/24/2020	9903.88.06
9014.90.6000	Product Specific	Parts, of plastics, of fish finders of subheading 9014.80.20 (described in statistical reporting number 9014.90.6000)	9/20/2019	9/19/2020	9903.88.14
9015.80.8080	Product Specific	Weather station sets, each consisting of a monitoring display and outdoor weather sensors, having a transmission range of not over 140 m and valued not over \$50 per set (described in statistical reporting number 9015.80.8080)	7/9/2019	7/8/2020	9903.88.11
9018.11.9000	Product Specific	Disposable electrocardiograph (ECG) electrodes (described in statistical reporting number 9018.11.9000)	9/20/2019	9/19/2020	9903.88.14
9018.12.0000	Product Specific	Portable ultrasonic scanner consoles, each weighing less than 4 kg, presented with or without transducer (described in statistical reporting number 9018.12.0000)	9/20/2019	9/19/2020	9903.88.14
9018.12.0000	Product Specific	Veterinary ultrasound device with black-and-white image quality used as a medical diagnostic tool (described in statistical reporting number 9018.12.0000)	7/9/2019	7/8/2020	9903.88.11
9018.19.9550	Product Specific	Digital peak flow meters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9018.19.9550	Product Specific	Fingertip pulse oximeters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)	9/20/2019	9/19/2020	9903.88.14
9018.19.9560	Product Specific	Bismuth germanate crystals with set dimensional and surface finish requirements and used as a detection element in Positron Emission Tomography (PET) detectors (described in statistical reporting number 9018.19.9560)	9/20/2019	9/19/2020	9903.88.14
9018.19.9560	Product Specific	Magnetic resonance imaging ("MRI") patient enclosure devices, each incorporating radio frequency and gradient coils (described in statistical reporting number 9018.19.9560)	9/20/2019	9/19/2020	9903.88.14
9018.19.9560	Product Specific	Parts and accessories of capnography monitors (described in statistical reporting number 9018.19.9560)	9/20/2019	9/19/2020	9903.88.14
9018.19.9560	Product Specific	Disposable self-adhesive brain monitoring sensor patches for use with an oximeter, each incorporating a circuit board, light-emitting diode (LED), photo diodes and memory device and a connector (described in statistical reporting number 9018.19.9560)	6/4/2019	6/3/2020	9903.88.10
9018.19.9560	Product Specific	Disposable stainless steel subdermal needle electrodes with accompanying harness for use with electromyography (EMG) equipment (described in statistical reporting number 9018.19.9560)	6/4/2019	6/3/2020	9903.88.10
9018.19.9560	Product Specific	Disposable surface electrodes for intra-operative neuromonitoring ("IONM") systems, each composed of a surface electrode pad, an insulated wire, and a standard DIN 42802 connector (described in statistical reporting number 9018.19.9560)	6/4/2019	6/3/2020	9903.88.10

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9018.20.0040	Product Specific	Therapeutic mouthpieces, of silicone and polycarbonate plastics, having embedded infrared (880 nm) and red (660 nm) LED lights, of a kind used for radiating the upper and lower gum lines within the mouth, valued at \$45 or more but not over \$50 each (described in statistical reporting number 9018.20.0040)	10/2/2019	10/1/2020	9903.88.19
9018.20.0040	Product Specific	Ultraviolet or infrared LED light therapy devices for the professional treatment of pain or of ailments of the skin (described in statistical reporting number 9018.20.0040)	5/14/2019	5/13/2020	9903.88.08
9018.90.2000	Product Specific	Otosopes (described in statistical reporting number 9018.90.2000)	9/20/2019	9/19/2020	9903.88.14
9018.90.3000	Product Specific	Anesthesia masks (described in statistical reporting number 9018.90.3000)	9/20/2019	9/19/2020	9903.88.14
9018.90.6000	Product Specific	Electrosurgical cautery pencils with electrical connectors (described in statistical reporting number 9018.90.6000)	9/20/2019	9/19/2020	9903.88.14
9018.90.6000	Product Specific	Microwave ablation antennas, whether or not with attached controls, as parts of ablation systems used to ablate live tumors (described in statistical reporting number 9018.90.6000)	7/9/2019	7/8/2020	9903.88.11
9018.90.6000	Product Specific	Parts and accessories of electro-surgical instruments and appliances, other than extracorporeal shock wave lithotripters (described in statistical reporting number 9018.90.6000)	7/9/2019	7/8/2020	9903.88.11
9018.90.6000	Product Specific	Smoke evacuation pencils with accompanying tubing and hoses designed to integrate smoke evacuation into electrosurgery by combining both features into a single handpiece, which is designed to apply mono-polar electrosurgical energy to target tissue in a surgical setting while simultaneously evacuating smoke from the surgical site (described in statistical reporting number 9018.90.6000)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9018.90.6000	Product Specific	Suction coagulators, consisting of a hand-piece with mechanical and/or electrical controls and a disposable shaft, used for the coagulation of tissue and aspiration of fluids during surgical procedures (described in statistical reporting number 9018.90.6000)	7/9/2019	7/8/2020	9903.88.11
9018.90.6000	Product Specific	Vessel sealing and dividing devices that use electrical energy to separate and seal tissue during open or laparoscopic surgical procedures, consisting of a handpiece with mechanical and/or electrical controls, and a bipolar electrode intended to deliver electrosurgical current from a system generator directly to tissues for cutting/coagulation/ablation (described in statistical reporting number 9018.90.6000)	7/9/2019	7/8/2020	9903.88.11
9018.90.7560	Product Specific	Negative pressure wound therapy systems (described in statistical reporting number 9018.90.7560)	10/2/2019	10/1/2020	9903.88.19
9018.90.7580	Product Specific	Printed circuit board assemblies designed for use in displaying operational performance of medical infusion equipment (described in statistical reporting number 9018.90.7580)	9/20/2019	9/19/2020	9903.88.14
9018.90.7580	Product Specific	Restraint packs designed for use with chest compressors, each containing one torso restraint, consisting of a cotton strap which fastens with hook and loop fasteners to the compressor, and one cover for a head stabilizer (described in statistical reporting number 9018.90.7580)	3/25/2019	3/24/2020	9903.88.06
9022.12.0000	Product Specific	Combined positron emission tomography/computed tomography (PET/CT) scanners which utilize multiple PET gantries (frames) on a common base (described in statistical reporting number 9022.12.0000)	10/2/2019	10/1/2020	9903.88.19

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9022.14.0000	Product Specific	Radiation therapy systems, each encased by steel-based structural shell with gantry cover comprising three pairs of plastics-based panels (described in statistical reporting number 9022.14.0000)	12/28/2018	<u>Extended to:</u> <u>12/27/20</u> <u>(Original:</u> <u>12/27/19) FR</u> <u>2019-27611</u>	9903.88.05
9022.90.2500	Product Specific	X-ray tables (described in statistical reporting number 9022.90.2500)	9/20/2019	9/19/2020	9903.88.14
9022.90.4000	Product Specific	X-ray tube housings and parts thereof (described in statistical reporting number 9022.90.4000)	9/20/2019	9/19/2020	9903.88.14
9022.90.6000	Product Specific	Parts and accessories, of metal, for mobile X-ray apparatus (described in statistical reporting number 9022.90.6000)	9/20/2019	9/19/2020	9903.88.14
9022.90.6000	Product Specific	Printed circuit board assemblies, of a kind designed for use in X-ray apparatus (described in statistical reporting number 9022.90.6000)	9/20/2019	9/19/2020	9903.88.14
9022.90.6000	Product Specific	Tungsten shielding, containing 90% or more of tungsten, of a kind designed to be attached to the walls of the multileaf collimator of the specific radiotherapy apparatus based on the use of X-rays (described in statistical reporting number 9022.90.6000)	9/20/2019	9/19/2020	9903.88.14
9022.90.6000	Product Specific	Vertical stands specially designed to support, contain or adjust the movement of X-ray digital detectors, or the X-ray tube and collimator in complete X-ray diagnostic systems (described in statistical reporting number 9022.90.6000)	9/20/2019	9/19/2020	9903.88.14
9022.90.6000	Product Specific	Dental X-ray alignment and positioning apparatus, each valued not over \$5 (described in statistical reporting number 9022.90.6000)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9022.90.6000	Product Specific	Multi-leaf collimators of radiotherapy systems based on the use of X-ray (described in statistical reporting number 9022.90.6000)	7/9/2019	7/8/2020	9903.88.11
9022.90.6000	Product Specific	Overhead tube suspension used to hold and position X-ray generating equipment (described in statistical reporting number 9022.90.6000)	7/9/2019	7/8/2020	9903.88.11
9022.90.9500	Product Specific	Original Language: Thermoplastic masks for radiation therapy, affixed to the treatment table when used, each valued over \$18 but not over \$23 (described in statistical reporting number 9022.90.9500) <i>CORRECTED (12/17/2019) and revised language: Thermoplastic masks of polycaprolactone for the use of immobilizing patients [Compiler's note: may be "for use in immobilizing"], during the use of alpha, beta or gamma radiations, for radiography or radiotherapy (described in statistical reporting number 9022.90.9500)</i>	9/20/2019	9/19/2020	9903.88.14
9024.10.0000	Product Specific	Machines for testing the hardness of metals (described in statistical reporting number 9024.10.0000)	6/4/2019	6/3/2020	9903.88.10
9026.10.2040	Product Specific	Electromagnetic flow meter systems for pipes with outside diameters larger than 183 cm (described in statistical reporting number 9026.10.2040)	9/20/2019	9/19/2020	9903.88.14
9026.20.4000	Product Specific	Original Language: Digital tire pressure gauges, each valued not over \$2 (described in statistical reporting number 9026.20.4000) <i>CORRECTED (12/17/2019) and revised language: Digital tire pressure gauges, each valued not over \$8.50 (described in statistical reporting number 9026.20.4000)</i>	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9027.80.4530	Product Specific	Instruments and apparatus that chemically analyze food to detect the presence of gluten or peanuts, valued at less than \$55 per unit (described in statistical reporting number 9027.80.4530)	7/9/2019	7/8/2020	9903.88.11
9027.90.5650	Product Specific	Inoculator sets of plastics, each consisting of a plate with multiple wells, a display tray, and a lid; when assembled, the set measuring 105 mm or more but not exceeding 108 mm in width, 138 mm or more but not exceeding 140 mm in depth, and 6.5 mm or less in thickness (described in statistical reporting number 9027.90.5650)	3/25/2019	Extended to: 3/24/21 (Original: 3/24/20) 85 FR 15015	9903.88.06
9027.90.5910	Product Specific	Carbon monoxide sensors, each having a value exceeding \$14 but not exceeding \$19 (described in statistical reporting number 9027.90.5910)	9/20/2019	9/19/2020	9903.88.14
9027.90.5910	Product Specific	Hydrogen sulfide sensors, each having a value exceeding \$9 but not exceeding \$13 (described in statistical reporting number 9027.90.5910)	9/20/2019	9/19/2020	9903.88.14
9027.90.5910	Product Specific	Nitrogen dioxide sensors, each having a value exceeding \$12 but not exceeding \$17 (described in statistical reporting number 9027.90.5910)	9/20/2019	9/19/2020	9903.88.14
9027.90.5910	Product Specific	Sulfur dioxide sensors, each having a value exceeding \$24 but not exceeding \$29 (described in statistical reporting number 9027.90.5910)	9/20/2019	9/19/2020	9903.88.14
9027.90.5995	Product Specific	Microtome universal cassette clamps (described in statistical reporting number 9027.90.5995)	9/20/2019	9/19/2020	9903.88.14
9028.90.0040	Product Specific	Utility meter bases, of plastics, each 17 cm or greater but not exceeding 18 in diameter, incorporating a latching relay, the foregoing valued over \$8 but not over \$10 (described in statistical reporting number 9028.90.0040)	9/20/2019	9/19/2020	9903.88.14

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.33.3800	Product Specific	Programmable DC electronic load instruments capable of presenting a constant load to a device, such as constant resistance, constant voltage, constant current, or constant power, weighing more than 4 kg but less than 8 kg (described in statistical reporting number 9030.33.3800)	10/2/2019	10/1/2020	9903.88.19
9030.33.3800	Product Specific	Instruments for measuring or checking voltage or electrical connections; electrical circuit tracers (described in statistical reporting number 9030.33.3800)	4/18/2019	4/17/2020	9903.88.07
9030.39.0100	Product Specific	Picoammeters with recording devices (described in statistical reporting number 9030.39.0100)	7/9/2019	7/8/2020	9903.88.11
9030.40.0000	Product Specific	Waveform monitors, each valued over \$4,000 but not over \$5,000 (described in statistical reporting number 9030.40.0000)	9/20/2019	9/19/2020	9903.88.14
9030.90.2500	Product Specific	Printed circuit board assemblies designed for use with X-ray detectors (described in statistical reporting number 9030.90.2500)	9/20/2019	9/19/2020	9903.88.14
9030.90.4600	Entire Subheading	Parts and Accessories for articles of subheading 9030.10, others	12/17/2019	10/2/2020	9903.88.01
9030.90.8911	Product Specific	Current probes for oscilloscopes (described in statistical reporting number 9030.90.8911)	10/2/2019	10/1/2020	9903.88.19
9030.90.8911	Product Specific	Oscilloscope probes (described in statistical reporting number 9030.90.8911)	9/20/2019	9/19/2020	9903.88.14
9031.49.9000	Product Specific	Booths, measuring 61 cm in width, 70 cm in length and 94.5 cm in height, with integrated cooling fans and an LCD display with touch-pad controller, of a kind used to demonstrate and assess the effects of alternative lighting conditions on surface colors (described in statistical reporting number 9031.49.9000)	10/2/2019	10/1/2020	9903.88.19
9031.80.8085	Product Specific	Tuners designed to clip onto musical instruments and indicate whether the instrument is in tune (described in statistical reporting number 9031.80.8085)	3/25/2019	3/24/2020	9903.88.06

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9032.10.0030	Product Specific	Automatic thermostats for heating, ventilation and air conditioning systems, containing temperature and humidity sensors, designed for wall mounting (described in statistical reporting number 9032.10.0030)	9/20/2019	9/19/2020	9903.88.14
9032.10.0030	Product Specific	Thermostats designed for air conditioning or heating systems, not designed to connect to the internet, the foregoing designed for wall mounting (described in statistical reporting number 9032.10.0030)	12/28/2018	Extended to: 12/27/20 (Original: 12/27/19) FR 2019-27611	9903.88.05
9032.10.0060	Product Specific	Thermostats for air conditioning, refrigeration or heating systems, designed for use in motor vehicles (described in statistical reporting number 9032.10.0060)	9/20/2019	9/19/2020	9903.88.14
9032.10.0060	Product Specific	Thermostats for air conditioning, refrigeration or heating systems, other than for wall mounting, each measuring not more than 15 cm in length, 11 cm in width, and 3 cm in height (described in statistical reporting number 9032.10.0060)	9/20/2019	9/19/2020	9903.88.14
9032.89.4000	Product Specific	Battery balancers designed for regulating voltage across batteries, other than for 6, 12 or 24 volt systems (described in statistical reporting number 9032.89.4000)	9/20/2019	9/19/2020	9903.88.14
9032.89.6040	Product Specific	Water level and temperature control devices of a kind used in household appliances (described in statistical reporting number 9032.89.6040)	9/20/2019	9/19/2020	9903.88.14
9032.89.6060	Product Specific	Flow and liquid level control instruments, each valued not over \$10 (described in statistical reporting number 9032.89.6060)	9/20/2019	9/19/2020	9903.88.14
9032.89.6070	Product Specific	Humidistats, each with outdoor sensor, such humidistats valued not over \$40 each (described in statistical reporting number 9032.89.6070)	7/9/2019	7/8/2020	9903.88.11

Product Specific Exclusions Granted | U.S. 301 List 1 (\$34 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9032.89.6085	Product Specific	Printed circuit board assemblies designed to control the flow of paint in paint sprayers (described in statistical reporting number 9032.89.6085)	9/20/2019	9/19/2020	9903.88.14
9032.90.6120	Product Specific	Thermostat covers (described in statistical reporting number 9032.90.6120)	9/20/2019	9/19/2020	9903.88.14