

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3901.90.1000	Product Specific	Chlorinated polyethylene elastomer, in white or pale yellow powder form, containing 28 to 44 percent by weight of chlorine	7/31/2019	7/30/2020	9903.88.12
3904.61.0090	Product Specific	Polytetrafluoroethylene ((C2F4)n), having a particle size of 5 to 500 microns and a melting point of 315 to 329 degrees Celsius	7/31/2019	7/30/2020	9903.88.12
3906.90.2000	Product Specific	Expandable plastics beads, 0.30 to 0.50 mm in diameter, consisting of copolymers of methylmethacrylate (62 to 64 percent by weight) and styrene 7 (26 to 28 percent by weight)	7/31/2019	7/30/2020	9903.88.12
3906.90.5000	Product Specific	Pet urine collection and disposal kits, put up in retail packaging, each comprising seven disposable trays of plastics measuring 8.3 cm in depth, 27.9 cm in length, and 16.5 cm in width, one scoop of plastics and one bottle containing 42 g of absorbent sodium acrylate powder (described in statistical reporting number 3906.90.5000)	10/2/2019	10/1/2020	9903.88.20
3906.90.5000	Product Specific	Acrylic acid-2-acrylamido-2-methylpropanesulfonic acid-acrylic ester (AA/AMPS/HPA) terpolymers, presented in dry form (described in statistical reporting number 3906.90.5000)	9/20/2019	9/19/2020	9903.88.17
3906.90.5000	Product Specific	Copolymers of acrylic acid and 2-acrylamide-2-methylpropanesulfonic acid, valued at \$5.40 to \$5.60 per kg (described in statistical reporting number 3906.90.5000)	9/20/2019	9/19/2020	9903.88.17
3907.20.0000	Product Specific	Polyol blends containing 92 percent or more by weight of polyether polyol (CAS number 9049-71-2) and 2.5% or more by weight of N,Ndimethylcyclohexamine	7/31/2019	7/30/2020	9903.88.12
3910.00.0000	Product Specific/ <i>Entire Subheading</i>	Silicone presented in 210 liter (55 gallon) drums or 1,040 liter (275 gallon) intermediate bulk containers (IBCs) (described in statistical reporting number 3910.00.0000)	10/2/2019	10/1/2020	9903.88.20
<i>CORRECTED (02/24/2020) and revised language: 3910.00.0000</i>					

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3911.10.0000	Product Specific	Elastomeric petroleum resins (CAS No. 64742-16-1) (described in statistical reporting number 3911.10.0000)	10/2/2019	10/1/2020	9903.88.20
3911.10.0000	Product Specific	Granular hydrocarbon resins, each pellet not larger than 1 cm in any dimension and having a melting point greater than 95 degrees C but not greater than 105 degrees C, presented in immediate packings of paper, paperboard or kraft paper weighing with their contents greater than 23 kg but not greater than 27 kg (described in statistical reporting number 3911.10.0000)	9/20/2019	9/19/2020	9903.88.17
3916.20.0020	Product Specific	Profile shapes, of a kind used in producing door jambs, composed of a composite of polyvinyl chloride, calcium carbonate and sawdust (described in statistical reporting number 3916.20.0020)	9/20/2019	9/19/2020	9903.88.17
3917.23.0000	Product Specific	Hose of braided polyvinyl chloride, having crimped fittings, designed to carry water, valued not over \$2.00 per kg (described in statistical reporting number 3917.23.0000)	9/20/2019	9/19/2020	9903.88.17
3917.29.0090	Product Specific	Molded acrylonitrile-butadiene-styrene (ABS) tubes, of a kind used to effect the sterile transfer of fluid from a bag or vial to another container, each tube measuring 7.5 cm or more but not exceeding 23 cm in length, with an inner diameter of less than 0.65 cm and an outer diameter of less than 9 cm, one end having been angle-cut to form a spike, and having an integrated flange, less than 3 cm in diameter (splash guard) near the spike end and removable polyethylene caps on each end, put up in sterile packing (described in statistical reporting number 3917.29.0090)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3917.29.0090	Product Specific	Polymer strips curled in helical fashion to form a flexible tube having a constant circular cross-section with a diameter not exceeding 2 cm (described in statistical reporting number 3917.29.0090)	9/20/2019	9/19/2020	9903.88.17
3917.32.0020	Product Specific	Flexible tubes, pipes and hoses, of cross-linked polyethylene (PEX), each measuring 6.1 m in length and having an outside diameter of 9.5 mm or more but not exceeding 28.6 mm (described in statistical reporting number 3917.32.0020)	10/2/2019	10/1/2020	9903.88.20
3917.32.0050	Product Specific	Drinking straws, of plastics, each straw 8 mm or more in outside diameter and 20 cm or more in length (described in statistical reporting number 3917.32.0050)	9/20/2019	9/19/2020	9903.88.17
3917.40.0090	Product Specific	Bulkhead fittings, each comprising a hollow, threaded cylindrical body with a hexagonal or octagonal head on one end, of a length 9.53 cm or more but not exceeding 23.5 cm and having an inside diameter of 1.27 or more but not exceeding 15.24 cm, a polymer gasket and a hexagonal or octagonal tightening nut (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17
3917.40.0090	Product Specific	Polyacetal brackets for connectors, of a length measuring 3.84 cm or more but not exceeding 4.57 cm, a width of 0.838 cm and a height of 2.15 cm (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17
3917.40.0090	Product Specific	Polyacetal filters measuring 3.76 cm x 3.76 cm x 0.31 cm (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17
3917.40.0090	Product Specific	Polyacetal hose barb fittings, with a length of 2.27 cm, width of 0.99 cm and height of 2.29 cm (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3917.40.0090	Product Specific	Tube, pipe and hose couplings and connectors of plastics, with maximum outside dimensions of 6.5 cm by 6.35 cm by 6.35 cm (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17
3917.40.0090	Product Specific	Y-shaped fittings of plastics, each measuring 6.99 cm in length and 3.18 cm or more but not exceeding 3.81 cm in width and height, incorporating a valve stem of plastics and brass in its center (described in statistical reporting number 3917.40.0090)	9/20/2019	9/19/2020	9903.88.17
3919.10.2020	Product Specific	Electrical tape of polyvinyl chloride, in rolls, measuring not more than 2 cm in width, not more than 20.2 m in length, and not more than 0.18 mm in thickness (described in statistical reporting number 3919.10.2020)	9/20/2019	9/19/2020	9903.88.17
3919.10.2030	Product Specific	Transparent tape of plastics with an acrylic emulsion adhesive, in rolls measuring not over 4.8 cm in width, valued not over \$.25 per square meter (described in statistical reporting number 3919.10.2030)	9/20/2019	9/19/2020	9903.88.17
3919.10.2055	Product Specific	Self-adhesive tape, of plastics, in rolls measuring 5.08 cm in width, 30.5 m in length and 0.254 mm in thickness, of a kind used for wrapping and sealing connections between metal pipes and fittings (described in statistical reporting number 3919.10.2055)	10/2/2019	10/1/2020	9903.88.20
3919.10.2055	Product Specific	Self-adhesive tape, of polyvinyl chloride, in rolls measuring 1.905 cm in width, 6.706 m in length and 0.18 mm in thickness (described in statistical reporting number 3919.10.2055)	10/2/2019	10/1/2020	9903.88.20
3919.10.2055	Product Specific	Rolls of polyethylene film coated with a solvent acrylic adhesive (described in statistical reporting number 3919.10.2055)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3919.90.5040	Product Specific	Self-adhesive film, of clear vinyl, exceeding 20 cm in width, designed for use as shelf liner (described in statistical reporting number 3919.90.5040)	10/2/2019	10/1/2020	9903.88.20
3919.90.5060	Product Specific	Polyethylene film, 20.32 to 198.12 cm in width, and 30.5 to 2000.5 m in length, coated on one side with solvent acrylic adhesive, clear or in transparent colors, whether or not printed, in rolls	7/31/2019	7/30/2020	9903.88.12
3919.90.5060	Product Specific	Printed rectangular polyethylene sheets depicting images on one side, with self-adhesive edges protected with peel-off liners on the other side, measuring 30.5 cm by 45.7 cm or 30.5 cm by 25.4 cm	7/31/2019	7/30/2020	9903.88.12
3919.90.5060	Product Specific	Self-adhesive colored or printed polyvinyl chloride film with a peelable liner, in rolls, measuring 30.5 cm or 50.8 cm in width and 3.05 m to 6.10 m in length, of a kind used for lining shelves or drawers	7/31/2019	7/30/2020	9903.88.12
3919.90.5060	Product Specific	Hot melt flat shapes of biaxiallyoriented polypropylene (BOPP) film with an acrylic emulsion	7/31/2019	7/30/2020	9903.88.12
3919.90.5060	Product Specific	Polyvinyl chloride film, coated on one side with pressure sensitive solventacrylic adhesive that allows for easy removal from a flat glass or flat, rigid, clear plastics surface, 106.7 cm, 137.2 cm or 152.4 cm in width, and 30.38 m or 49.99 m in length, with regular perforations measuring 1.5 to 1.6 mm in diameter, where the perforations cover 30, 40 or 50 percent of the surface area	7/31/2019	7/30/2020	9903.88.12
3920.10.0000	Product Specific	Printed, nonpermeable plastic film of ethylene designed for use in packaging personal care products such as baby wipes, adult wipes and similar wet stack products	7/31/2019	7/30/2020	9903.88.12

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3920.10.0000	Product Specific	Polyethylene film of a kind used for wrapping perishable foods, in rolls measuring 30.5 cm in width and up to 76.2 m in length, with a starter edge tab, put up in retail packages incorporating a built-in slide cutter and grip strip for holding the film in place until subsequent use	7/31/2019	7/30/2020	9903.88.12
3920.10.0000	Product Specific	Rectangular sheets of high-density or low-density polyethylene, 111.75 cm to 215.9 cm in width, and 152.4 cm to 304.8 cm in length, with a sticker attached to mark the center of each sheet, of a kind used in hospital or surgery center operating rooms	7/31/2019	7/30/2020	9903.88.12
3920.20.2055	Product Specific	Heat-sealable printed films, of plastics, having a thickness of more than 20 microns but not more than 30 microns, in rolls wider than 15 cm but not more than 20 cm (described in statistical reporting number 3920.20.0055)	9/20/2019	9/19/2020	9903.88.17
3920.43.5000	Product Specific	Rolls of polyvinyl chloride, measuring 2.5 cm or more but not exceeding 5.1 cm in width and 182.9 m in length (described in statistical reporting number 3920.43.5000)	9/20/2019	9/19/2020	9903.88.17
<b>3920.43.5000</b>	Product Specific	Original Language: Sheets of polyvinyl chloride, in rolls measuring 1.5 m or more in width, printed in various colors, valued at \$1.60 to \$1.90 per kg (described in statistical reporting number 3920.43.5000)  <i><b>CORRECTED (12/17/2019) and revised language : Sheets of polyvinyl chloride, in rolls measuring 0.6 m or more in width, whether or not printed in various colors, valued at \$0.88 or more but not over \$2.42 per kg (described in statistical reporting number 3920.43.5000)</b></i>	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3920.43.5000	Product Specific	Original Language: Sheets of polyvinyl chloride, measuring 2.44 mm or more but not exceeding 3.66 m in width, 3.05 or more but not exceeding 5.18 m in length and 0.5 cm in thickness (described in statistical reporting number 3920.43.5000)  <i>CORRECTED (12/17/2019) and revised language: Sheets of polyvinyl chloride, measuring 2.44 m or more but not exceeding 3.66 m in width, 3.05 or more but not exceeding 5.18 m in length and 0.5 cm in thickness (described in statistical reporting number 3920.43.5000)</i>	9/20/2019	9/19/2020	9903.88.17
3920.43.5000	Product Specific	Original Language: Sheets of polyvinyl chloride, measuring 47.5 cm in width, 61.0 cm in length and 24 mm in thickness, coated on both sides with a printable primer (described in statistical reporting number 3920.43.5000)  <i>CORRECTED (12/17/2019) and revised language: Sheets of polyvinyl chloride, measuring 45.72 cm in width, 60.96 cm in length and 0.6096 mm in thickness, coated on both sides with a printable primer (described in statistical reporting number 3920.43.5000)</i>	9/20/2019	9/19/2020	9903.88.17
3920.43.5000	Product Specific	Sheets of transparent (double polished or super double polished) polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m or more but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm or more but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3920.43.5000)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3920.49.0000	Product Specific	Uncoated polyvinyl chloride (PVC) film, containing by weight less than 6% of plasticizers, less than 0.07 mm in thickness, in rolls weighing 1 t or more (described in statistical reporting number 3920.49.0000)	9/20/2019	9/19/2020	9903.88.17
3920.62.0090	Product Specific	Thermoformable polyethylene terephthalate (PET) sheets, with a thickness of 0.35 mm or more but not exceeding 1.7 mm, to which PET glitter flakes are permanently fastened, in rolls not less than 250 mm in width and not more than 1,092 mm in length (described in statistical reporting number 3920.62.0090)	10/2/2019	10/1/2020	9903.88.20
3920.62.0090	Product Specific	Films coated on one or both sides with polyvinylidene chloride (PVdC) or polyvinyl alcohol (PVOH), whether or not having a primer layer between the base and coating; any of the foregoing having a total thickness greater than 0.01 mm but not greater than 0.03 mm (described in statistical reporting number 3920.62.0090)	9/20/2019	9/19/2020	9903.88.17
3920.99.2000	Product Specific	Sheets of transparent polyurethane, measuring 112 cm in width and 112 cm or more but not exceeding 168 cm in length, whether or not put up in sterile packaging (described in statistical reporting number 3920.99.2000)	9/20/2019	9/19/2020	9903.88.17
3921.12.1100	Product Specific	Printed film of polyvinyl chloride, laminated with foamed-polyvinyl chloride-coated polyester scrim, in rolls, of a kind used for lining shelves or drawers (described in statistical reporting number 3921.12.1100)	9/20/2019	9/19/2020	9903.88.17



Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3921.12.1100	Product Specific	Three-ply polyvinyl chloride film laminated with nonwoven polyester scrim, in rolls, measuring not more than 5 m in width and not more than 91.5 m in length, valued at \$2.10 or more but not exceeding \$2.40 per square meter (described in statistical reporting number 3921.12.1100)	9/20/2019	9/19/2020	9903.88.17
3921.12.5000	Product Specific	Sheets of foamed polyvinyl chloride combined with a non-textile moisture barrier, in rolls, measuring 45.7 cm in width and 1.83 m in length, each roll weighing not more than 0.39 kg (described in statistical reporting number 3921.12.5000)	9/20/2019	9/19/2020	9903.88.17
3921.13.1500	Product Specific	Synthetic leather sheeting, comprising three layers of polycarbonate-type polyurethane, the outer layer surface treated, the middle layer of foamed polyurethane, and the bottom adhesive layer combined with a support layer of polyester knit fabric, weighing 441 g or more but not exceeding 539 g per square meter, in rolls, measuring 1.4 m or more but not exceeding 1.5 m in width and 20 m or more in length (described in statistical reporting number 3921.13.1500)	9/20/2019	9/19/2020	9903.88.17
3921.14.0000	Product Specific	Cellular regenerated cellulose plates (blocks), measuring 99.1 cm by 99.1 cm by 35.6 cm (described in statistical reporting number 3921.14.0000)	9/20/2019	9/19/2020	9903.88.17
3921.19.0000	Product Specific	Colored or printed sheets of cellular ethylene vinyl acetate plastics, in rectangles measuring 15 cm or more but not exceeding 31 cm in width, 22 cm or more but not exceeding 46 cm in length and 2 mm or more but not exceeding 6 mm in thickness, or in rolls measuring 91.44 cm in width, 152.4 cm in length, and 2 mm or more but not exceeding 6 mm in thickness (described in statistical reporting number 3921.19.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3921.19.0000	Product Specific	Non-adhesive translucent ethylene-vinyl acetate, in sheets or rolls, of a kind used for shelf liners (described in statistical reporting number 3921.19.0000)	9/20/2019	9/19/2020	9903.88.17
3921.19.0000	Product Specific	Plates composed of layers of closed-cell ethylene-vinyl acetate and polyethylene foam, in rectangular shapes, each having a surface area of 2 m <sup>2</sup> or more but not greater than 2.25 m <sup>2</sup> (described in statistical reporting number 3921.19.0000)	9/20/2019	9/19/2020	9903.88.17
3921.19.0000	Product Specific	Sheets and strips consisting of both cross-linked polyethylene and ethylene vinyl acetate, of a width greater than 1 m but not greater than 1.5 m, and a length greater than 1.75 m but not greater than 2.6 m (described in statistical reporting number 3921.19.0000)	9/20/2019	9/19/2020	9903.88.17
3921.90.1100	Product Specific	Sheets of noncellular polyvinyl chloride combined with man-made textile fabric, valued at \$6.15 or more but not exceeding \$6.30 per square meter (described in statistical reporting number 3921.90.1100)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3921.90.1500	Product Specific	<p>Original Language: Polyethylene sheet and film laminated with spunbond-spunbond-spunbond nonwoven polypropylene fabric, measuring 1.12 cm or more but not exceeding 1.52 cm in width and 1.93 cm or more but not exceeding 2.29 cm in length, and weighing 55 g/m2 or more but not exceeding 88 g/m2 (described in statistical reporting number 3921.90.1500)</p> <p><i>CORRECTED (12/17/2019) and revised language: Polyethylene sheet and film laminated with spunbond-spunbond-spunbond nonwoven polypropylene fabric, measuring 1.12 m or more but not exceeding 1.52 m in width and 1.93 m or more but not exceeding 2.29 m in length, and weighing 55 g/m2 or more but not exceeding 88 g/m2 (described in statistical reporting number 3921.90.1500)</i></p>	9/20/2019	9/19/2020	9903.88.17
3921.90.1950	Product Specific	<p>Original Language: Plastic sheeting made up of plain-woven, high-density polyethylene fabric coated on both sides with low-density polyethylene, in rolls measuring 5 m in width (described in statistical reporting number 3921.90.1950)</p> <p><i>CORRECTED (12/17/2019) and revised language: Plastic sheeting, core/scrim woven layer of high-density polyethylene (HDPE) textile strip, coated on both sides with low density polyethylene (LDPE), with a layer of visible black file of linear LDPE, polyvinyl chloride free, weighing not over 1.492 kg/m2, in rolls each not over 5 m in width (described in statistical reporting number 3921.90.1950)</i></p>	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
3921.90.4090	Product Specific	Sheets of transparent (double polished or super double polished) laminated polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m or more but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm or more but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3921.90.4090)	9/20/2019	9/19/2020	9903.88.17
3921.90.4090	Product Specific	Sheets of transparent (double polished or super double polished) polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3921.90.4090)	9/20/2019	9/19/2020	9903.88.17
7002.20.1000	Product Specific	Unclad glass core rods of high purity silica with a core region infused with germanium dioxide, in which the ratio of the outer diameter of the rod to the diameter of the core region is less than 5:1, such outer diameter not exceeding 65 mm, and in lengths of less than 3 m (described in statistical reporting number 7002.20.1000)	10/2/2019	10/1/2020	9903.88.20
7308.90.3000	Product Specific	Girders of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17
7308.90.3000	Product Specific	Pipes of iron or steel, with connectors, meeting ASTM standard A572, Grade 50 (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17
7308.90.3000	Product Specific	Posts of steel pipe and tube, with ball knobs attached (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
7308.90.3000	Product Specific	Posts of steel pipe and tube, with sill plates and ball studs attached (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17
7308.90.3000	Product Specific	Rib nodes of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17
7308.90.3000	Product Specific	Steel upstand support members (described in statistical reporting number 7308.90.3000)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Driveway gates and pedestrian gates of galvanized steel (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Fence panels of galvanized steel (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Gate posts of iron or steel (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Gates or pens, of iron or steel (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Gestation stalls, farrowing crates and rails therefor, gates and structural support posts, the foregoing of steel, of a kind used in swine penning systems (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Steel chain-link fence panels, each panel wider than 3.5 m but not wider than 4 m and higher than 1.5 m but not higher than 2 m (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Steel wall assemblies (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20
7308.90.9590	Product Specific	Structural articles of stainless steel (described in statistical reporting number 7308.90.9590)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
7308.90.9590	Product Specific	Angle feed racks of galvanized steel, designed for use in the feeding of livestock (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Animal kennels of iron or steel (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Balusters or spindles, of iron or steel, designed for use in handrails (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Chain link fence panels, and fence panel stands and bases, of iron or steel (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Elongated half loops of galvanized steel (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Gazebos, pergolas and trellises of iron or steel (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Lockup frames of galvanized steel, of a length exceeding 3.0 m, designed for use in controlling the movement of livestock (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Steel plate assemblies conforming to ASTM A709 Grade 50 (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17
7308.90.9590	Product Specific	Tubes of galvanized steel, coped (notched) on one end, of a length not exceeding 1.0 m (described in statistical reporting number 7308.90.9590)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
<b>7610.90.0080</b>	Product Specific	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical reporting number 7610.90.0080)	9/20/2019	<a href="#">REVOKED 10/2/2019</a>	<a href="#">FR 2019- 21419</a>
8407.90.1010	Product Specific	Spark-ignition reciprocating or rotary internal combustion piston engines, to be installed in agricultural or horticultural machinery or equipment, each rated at less than 4,200 W (described in statistical reporting number 8407.90.1010)	9/20/2019	9/19/2020	9903.88.17
8407.90.1020	Product Specific	Spark-ignition rotary or reciprocating internal combustion piston engines to be installed in agricultural or horticultural machinery or equipment, 4,476 W or more but not more than 37.6 kW, each valued not over \$180	7/31/2019	7/30/2020	9903.88.12
8407.90.9010	Product Specific	Gasoline or liquid propane (LP) engines each having a displacement of more than 2 liters but not more than 2.5 liters	7/31/2019	7/30/2020	9903.88.12
8407.90.9040	Product Specific	Spark ignition internal combustion engines (other than aircraft engines, other than marine propulsion engines, other than reciprocating piston engines of a kind used for the propulsion of vehicles of chapter 87, other than to be installed in agricultural or horticultural machinery or equipment and other than natural gas or LP engines), rated 746 W or greater but not exceeding 4,476 W, of a cylinder capacity not exceeding 220 cc (described in statistical reporting number 8407.90.9040)	10/2/2019	10/1/2020	9903.88.20
8407.90.9040	Product Specific	Spark-ignition internal combustion piston engines, not elsewhere specified or included, 746 W or greater but not exceeding 4,476 W, with an engine displacement of not more than 430 cc	7/31/2019	7/30/2020	9903.88.12

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8407.90.9060	Product Specific	Spark ignition internal combustion engines (other than aircraft engines, other than marine propulsion engines, other than reciprocating piston engines of a kind used for the propulsion of vehicles of chapter 87, other than to be installed in agricultural or horticultural machinery or equipment and other than natural gas or LP engines), rated 4,476 W or greater but not exceeding 16.50 kW, of a cylinder capacity not exceeding 710 cc (described in statistical reporting number 8407.90.9060)	10/2/2019	10/1/2020	9903.88.20
8407.90.9060	Product Specific	Spark-ignition reciprocating or rotary internal combustion piston engines, not elsewhere specified or included, each rated at 4,476 W or more but not exceeding 18.65 kW, with an engine displacement of not more than 690 cc (described in statistical reporting number 8407.90.9060)	9/20/2019	9/19/2020	9903.88.17
8419.89.9540	Product Specific	Cold plates for preparing tissue samples (described in statistical reporting number 8419.89.9540)	9/20/2019	9/19/2020	9903.88.17
8419.89.9540	Product Specific	Quenching devices designed to lower the temperature of steel plate using water, each consisting of top cooling headers, bottom cooling headers, a side sweep header, a common control manifold that feeds all the headers, a main supporting frame to support all bottom headers and bottom rolls, a top header supporting sub-frame to support the top headers and top rolls, five top and five bottom rolls, neck bearings, drives and on board piping (described in statistical reporting number 8419.89.9540)	9/20/2019	9/19/2020	9903.88.17
8419.89.9585	Product Specific	Machinery incorporating heat exchangers, valves, pumps, pipes, wiring and instrumentation, designed to change the temperature of gas (described in statistical reporting number 8419.89.9585)	10/2/2019	10/1/2020	9903.88.20



Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8419.89.9585	Product Specific	Cold plate machines, each incorporating a flat heat-absorbing metal plate capable of lowering the temperature of paraffin from a liquid to a solid phase, designed for use with microtomes (described in statistical reporting number 8419.89.9585)	9/20/2019	9/19/2020	9903.88.17
8419.89.9585	Product Specific	Heat guns	7/31/2019	7/30/2020	9903.88.12
8419.89.9585	Product Specific	Tissue sample paraffin floatation baths	7/31/2019	7/30/2020	9903.88.12
8419.89.9585	Product Specific	Heated tissue preparation microscope slide flattening tables	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Air amplifiers powered solely by an external source of compressed air, which is routed through the apparatus in such a manner as to draw in ambient air, increase its speed and direct the air through an output port, each such apparatus not exceeding 1 kg in weight	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Apparatus capable of generating and projecting liquid particles of a size that simulates haze, fog or snow (depending on the composition of the liquid or powdered source), whether or not incorporating laser or other lighting apparatus	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Apparatus capable of mechanically generating and projecting bubbles from a liquid source, each apparatus weighing more than 2.5 kg but not more than 6.5 kg	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Collars of a size suitable for dogs or cats, fitted with a means to provide a stimulus to the animal, by means of a sprayer, whether or not combined with a static electric discharge device or sound emitter; and such collars capable of being controlled by an external transmission device, whether or not the controller is presented with the collar as a set	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Oral irrigators (dental water-jet machines)	7/31/2019	7/30/2020	9903.88.12

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8424.89.9000	Product Specific	Parts washers, each consisting of a steel basin having a capacity no greater than 100 liters, steel drain plug, support legs and a shelf, a recirculating centrifugal pump assembly, a power cord incorporating an electrical fusible 9 link, a gooseneck spigot assembly, with a steel lid held by a “piano-type” hinge and by a lid support bracket incorporating a mechanical fusible link	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Wet- and dry-diffusion apparatus fitted for incorporation into scent-releasing machines	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Aroma-spraying sets, each of which includes a battery-powered aerosol apparatus and a glass bottle containing not more than 25 ml of essential oil solution, each set weighing not more than 300 g	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Dispensers of hand-cleaning or hand-sanitizing solutions, whether employing a manual pump or a proximity-detecting battery-operated pump, each article weighing not more than 3 kg	7/31/2019	7/30/2020	9903.88.12
8424.89.9000	Product Specific	Rotary surface washers, consisting of a tube, at one end of which is a fitting suitable for connection to an external power washer and a handle for controlling the position of the apparatus, and at the other end of which is an assembly of one or more rotating brushes that receive the output of the external power washer	7/31/2019	7/30/2020	9903.88.12
8432.29.0060	Product Specific	Walk behind rotary tillers, electrically powered, each weighing less than 16 kg (described in statistical reporting number 8432.29.0060)	9/20/2019	9/19/2020	9903.88.17
8432.29.0060	Product Specific	Walk behind rotary tillers, electric powered, individually weighing less than 14 kg	7/31/2019	7/30/2020	9903.88.12

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8432.29.0090	Product Specific	Scarifiers (described in statistical reporting number 8432.29.0090)	9/20/2019	9/19/2020	9903.88.17
8432.42.0000	Product Specific	Fertilizer distributors with a capacity not exceeding 40 kg	7/31/2019	7/30/2020	9903.88.12
8464.10.0100	Product Specific	Tile saws (described in statistical reporting number 8464.10.0100)	9/20/2019	9/19/2020	9903.88.17
8465.95.0055	Product Specific	Benchtop drill presses, each with a power rating of less than 750 watts and valued under \$1,000 each	7/31/2019	7/30/2020	9903.88.12
8465.95.0065	Product Specific	Mortising machines, each incorporating a work holder that moves on x-y axes, with a power rating not over 375 W (1/2 horsepower) (described in statistical reporting number 8465.95.0065)	10/2/2019	10/1/2020	9903.88.20
8466.30.8000	Product Specific	Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)	10/2/2019	10/1/2020	9903.88.20
8466.30.8000	Product Specific	Band saw guards (described in statistical reporting number 8466.30.8000)	9/20/2019	9/19/2020	9903.88.17
8466.30.8000	Product Specific	Grinder stands, pedestal rollers and other tool and workpiece stands, supports and platforms (described in statistical reporting number 8466.30.8000)	9/20/2019	9/19/2020	9903.88.17
<b>8466.30.8000</b>	Product Specific	Power tool mounts (described in statistical reporting number 8466.30.8000)	9/20/2019	<a href="#">REVOKED 10/2/2019</a>	<a href="#">FR 2019-21420</a>
8475.29.0000	Product Specific	Machines for manufacturing laminated or insulated glass, each machine valued over \$100,000 (described in statistical reporting number 8475.29.0000)	9/20/2019	9/19/2020	9903.88.17
8483.30.8020	Product Specific	Bearing housings each valued over \$2000	7/31/2019	7/30/2020	9903.88.12
8483.30.8070	Product Specific	Radial spherical plain shaft bearings, without housings, of steel (described in statistical reporting number 8483.30.8070)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8483.30.8090	Product Specific	Plain shaft bearings and bushings, without housings, each valued not over \$3 (described in statistical reporting number 8483.30.8090)	9/20/2019	9/19/2020	9903.88.17
8486.90.0000	Product Specific	Parts and accessories, not elsewhere specified or included, each valued not over \$2800 (described in statistical reporting number 8486.90.0000)	9/20/2019	9/19/2020	9903.88.17
8501.10.2000	Product Specific	Stepper motors, with an output of under 18.65 W, valued not over \$1.20 ea. (described in statistical reporting number 8501.10.2000)	10/2/2019	10/1/2020	9903.88.20
8501.10.6020	Product Specific	AC electric motors, of an output of 18.65 W or more but not exceeding 37.5 W, each with attached actuators (described in statistical reporting number 8501.10.6020)	10/2/2019	10/1/2020	9903.88.20
8501.10.6020	Product Specific	AC motors, of 18.65W or more but not exceeding 37.5 W, each with attached actuators, crankshafts or gears	7/31/2019	7/30/2020	9903.88.12
8501.10.6020	Product Specific	C-frame 2-pole AC electric motors, of 18.65W or more but not exceeding 37.5 W, each valued not over \$4	7/31/2019	7/30/2020	9903.88.12
8501.10.6040	Product Specific	Brushless DC motors, rated at 24V, designed for use in saltwater aquariums (described in statistical reporting number 8501.10.6040)	9/20/2019	9/19/2020	9903.88.17
8501.10.6060	Product Specific	Cylindrical DC electric motors, of an output of 18.65 W or more but not exceeding 37.5 W (described in statistical reporting number 8501.10.6060)	10/2/2019	10/1/2020	9903.88.20
8501.10.6060	Product Specific	Swing-gate openers comprising a DC motor with an output of 18.65 W or more but less than 35 W, each including an AC power transformer, a wireless remote-control, an electric linear actuator and an emergency key for disconnecting the actuator (described in statistical reporting number 8501.10.6060)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.10.6080	Product Specific	Electric motors, with an output of 18.65 W or more but not exceeding 37.5 W, with attached cables, designed for use in adjusting motor vehicle seats (described in statistical reporting number 8501.10.6080)	10/2/2019	10/1/2020	9903.88.20
8501.10.6080	Product Specific	Electric motors, of 18.65W or more but not exceeding 37.5 W, each valued over \$28 but not over \$35	7/31/2019	7/30/2020	9903.88.12
8501.20.4000	Product Specific	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W each with base metal arms, designed for use in extending or retracting awnings or gates (described in statistical reporting number 8501.20.4000)	10/2/2019	10/1/2020	9903.88.20
8501.20.4000	Product Specific	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, each with attached gear and gear rack track (described in statistical reporting number 8501.20.4000)	10/2/2019	10/1/2020	9903.88.20
8501.20.4000	Product Specific	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, each with gear attached and chain drive (described in statistical reporting number 8501.20.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 12 V, with an output exceeding 74.6 W but not exceeding 735 W, with lead wires and electrical connector, measuring not over 75 mm outside diameter, with a housing not over 100 mm in length and a shaft not over 60 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 12 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.31.4000	Product Specific	DC electric motors, 120 V, with an output not exceeding 140 W, measuring not over 45 mm in diameter and not over 100 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 120 V, with an output not exceeding 90 W, measuring not over 90 mm long by 35 mm wide by 35 mm high (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 13.5 V, with an output not exceeding 110 W, measuring not over 75 mm outside diameter, housing not over 120 mm long, a shaft not over 55 mm long and with a mounting flange not over 150 mm (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 230 V, with an output not exceeding 140 W, measuring not more than 45 mm in diameter and not over 100 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 230 V, with output not exceeding 85 W, measuring not more than 90 mm in length by 35 mm in width by 35 mm in height (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 24 V, with an output exceeding 74.6 W but not exceeding 735 W, with mounting plate, lead wires and electrical connector, measuring not over 80 mm outside diameter, housing not over 150 mm in length and shaft not over 95 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.31.4000	Product Specific	DC electric motors, 24 V, with an output not exceeding 105 W, measuring not over 260 mm in length by 205 mm in width by 825 mm in height (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, 24 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, containing lead wires and an electrical connector (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC electric motors, with an output exceeding 74.6 W but not exceeding 80 W, each with a pinion gear, valued not over \$5 (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC motors with a power output exceeding 74.6 W but not exceeding 230 W, measuring less than 105 mm in diameter and 50 mm or more but not over 100 mm in length (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	DC motors, of an output exceeding 74.6 W but not exceeding 735 W, each valued not over \$18 (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.4000	Product Specific	Direct Current (DC) permanent magnet motors rated at 90 W or more but not over 110 W and 24 V with torque of 65 Newton meters (Nm) and 2,035 Nm, incorporating a wheel that can manually actuate a valve (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.31.4000	Product Specific	Resin-encapsulated DC permanent magnet brushless motors, with an output of 150 W or more but not exceeding 250 W, designed for use in air conditioning and heat pump systems, measuring 112 mm in diameter and 110 mm or more but not exceeding 122 mm in length (excluding shafts) (described in statistical reporting number 8501.31.4000)	10/2/2019	10/1/2020	9903.88.20
8501.31.8010	Product Specific	Amorphous silicon solar panel kits, each with an output of 100 W or less (described in statistical reporting number 8501.31.8010)	10/2/2019	10/1/2020	9903.88.20
8501.31.8010	Product Specific	Photovoltaic generators of a kind described in statistical note 9 to chapter 85, of an output not exceeding 150 W (described in statistical reporting number 8501.31.8010)	10/2/2019	10/1/2020	9903.88.20
8501.31.8010	Product Specific	Amorphous silicon solar chargers with a power output of 100 W or less	7/31/2019	7/30/2020	9903.88.12
<b>8501.32.2000</b>	Product Specific	Original Language: DC motors, each of an output exceeding 25 W but not exceeding 2.0 kW (described in statistical reporting number 8501.32.2000) <i>CORRECTED (12/17/2019) and revised language: DC motors, each of an output exceeding 750 W but not exceeding 1.8 kW (described in statistical reporting number 8501.32.2000)</i>	9/20/2019	9/19/2020	9903.88.17
<b>8501.32.2000</b>	Product Specific	Original Language: DC motors, each of an output not exceeding 25 W (described in statistical reporting number 8501.32.2000) <i>CORRECTED (12/17/2019) and revised: This provision has been deleted</i>	9/20/2019	<u><a href="#">EVOKED 12/17/1</a></u>	9903.88.17



Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8501.32.2000	Product Specific	DC motors, of an output exceeding 750 W but not exceeding 14.92 kW, each with attached actuators, crankshafts or gears (described in statistical reporting number 8501.32.2000)	9/20/2019	9/19/2020	9903.88.17
8501.52.4000	Product Specific	Electric motors, each with an output rating not exceeding 800 W	7/31/2019	7/30/2020	9903.88.12
8503.00.9520	Product Specific	Armature shafts for electric motors of heading 8501	7/31/2019	7/30/2020	9903.88.12
8503.00.9520	Product Specific	Windshield wiper motor covers and shafts	7/31/2019	7/30/2020	9903.88.12
8503.00.9550	Product Specific	End brackets suitable for use solely or principally with generators of heading 8501 (other than generators of statistical reporting number 8501.64.0021) (described in statistical reporting number 8503.00.9550)	10/2/2019	10/1/2020	9903.88.20
8503.00.9550	Product Specific	Parts of generators (other than parts of general use as defined in note 2 to section XV), each valued not over \$10 (described in statistical reporting number 8503.00.9550)	9/20/2019	9/19/2020	9903.88.17
8529.10.9100	Product Specific	CB radio antennas (described in statistical reporting number 8529.10.9100)	10/2/2019	10/1/2020	9903.88.20
8536.30.8000	Product Specific	Ground Fault Circuit Interrupters (GFCIs), Appliance Leakage Current Interrupters (ALCIs), Leakage Current Detection Interrupters (LCDIs), and Arc Fault Circuit Interrupters (AFCIs) (described in statistical reporting number 8536.30.8000)	10/2/2019	10/1/2020	9903.88.20
8536.30.8000	Product Specific	Surge protectors of a kind designed to protect a buried-wire pet containment system and its control apparatus, having an energy absorption rating at 120 V of less than 500 joules and 15 A (described in statistical reporting number 8536.30.8000)	10/2/2019	10/1/2020	9903.88.20
8536.30.8000	Product Specific	Leakage current detection and interruption (LCDI) cords	7/31/2019	7/30/2020	9903.88.12
8536.50.7000	Product Specific	Electronic AC passive infrared (PIR) motion sensing switches (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8536.50.7000	Product Specific	Fixed set-point pressure switches (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20
8536.50.7000	Product Specific	Humidity triggered switches (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20
8536.50.7000	Product Specific	Occupancy and vacancy sensor switches (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20
8536.50.7000	Product Specific	Retro-reflective infrared beam switches consisting of an infrared LED emitter and detector in a single housing and a reflective disk for mounting at a distance; such emitter-detector units operating at no more than 40 V AC/DC and containing a relay or other switching component to open or close a separate (secondary) circuit (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20
8536.50.7000	Product Specific	Wall-mountable dimmer switches (described in statistical reporting number 8536.50.7000)	10/2/2019	10/1/2020	9903.88.20
8536.50.7000	Product Specific	Electronic AC lighting control switches, for dimming and turning lights on and off, packaged for retail sale (described in statistical reporting number 8536.50.7000)	9/20/2019	9/19/2020	9903.88.17
8537.10.3000	Product Specific	Control boards for stoves, ranges and ovens of heading 8516	7/31/2019	7/30/2020	9903.88.12
8541.10.0050	Product Specific	Zener diodes, each valued not over \$0.25	7/31/2019	7/30/2020	9903.88.12
8541.10.0080	Product Specific	Surface-mount glass passivated rectifier diodes, having a rectified output current over 0.5 A but not exceeding 1.25 A (described in statistical reporting number 8541.10.0080)	10/2/2019	10/1/2020	9903.88.20
8541.10.0080	Product Specific	Surface-mount glass passivated rectifiers with a rectified output current not exceeding 1.25 A (described in statistical reporting number 8541.10.0080)	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8541.10.0080	Product Specific	Surface-mount transient voltage suppressors having a peak pulse power capacity not exceeding 5 A (described in statistical reporting number 8541.10.0080)	9/20/2019	9/19/2020	9903.88.17
8541.10.0080	Product Specific	Zener diodes having an admissible zener current of not more than 0.15 A at 25 degrees C (described in statistical reporting number 8541.10.0080)	9/20/2019	9/19/2020	9903.88.17
8541.40.6015	Product Specific	Crystalline silicon photovoltaic cells of a kind described in statistical note 11 to chapter 85, made up into panels with a surface area not exceeding 3,061 cm <sup>2</sup> (described in statistical reporting number 8541.40.6015)	9/20/2019	9/19/2020	9903.88.17
8541.40.6015, 8541.40.6035	Product Specific	Solar panels, each of a surface area not exceeding 3,100 cm <sup>2</sup> (described in statistical reporting number 8541.40.6015 and 8541.40.6035)	9/20/2019	9/19/2020	9903.88.17
8542.31.0001	Product Specific	Application specific integrated circuits (ASICs), not containing memories, designed for use in engine control units (ECUs) to interface with linear exhaust gas oxygen sensors (UEGOs) (described in statistical reporting number 8542.31.0001)	10/2/2019	10/1/2020	9903.88.20
8543.70.4500	Product Specific	Wheel speed sensors for anti-lock motor vehicle braking systems, each valued not over \$12	7/31/2019	7/30/2020	9903.88.12
8543.70.4500	Product Specific	Position or speed sensors for motor vehicle transmission systems, each valued not over \$12	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrical control devices which modulate electrical signals, not containing two or more apparatus of 8535 or 8536, each valued over \$60 but not over \$70 (described in statistical reporting number 8543.70.9960)	10/2/2019	10/1/2020	9903.88.20
8543.70.9960	Product Specific	Antenna amplifiers, each valued not over \$15	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Antenna noise suppressors, each valued not over \$5	7/31/2019	7/30/2020	9903.88.12

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8543.70.9960	Product Specific	Devices incorporating sensors and monitors for identifying encoded television and radio signal information of survey participants	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrically powered cat noise control devices	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrically powered dog training, controlling, repelling or locating apparatus whether or not put up in kits, including dog collars fitted with GPS or other transmitting or receiving devices and electrical barrier transmitter devices	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrically powered insect control apparatus	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrically powered static-emitting plastic strips designed for use in training or controlling pets	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	LED lamps for flash curing nail polish	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Liquid leak detectors	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Apparatus using passive infrared detection sensors designed for turning lights on and off	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Audio controllers, each valued not over \$100	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Audio mixers, each valued not over \$75	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Electrically powered combs of a kind used on pets	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Multiple device remote controls, other than radio remote control, each valued not over \$2	7/31/2019	7/30/2020	9903.88.12
8543.70.9960	Product Specific	Robots, programmable, measuring not more than 40 cm high by 22 cm wide by 27 cm deep, incorporating an LCD display, camera and microphone but without "hands"	7/31/2019	7/30/2020	9903.88.12
8544.49.2000	Product Specific	Conductors, for a voltage not exceeding 1,000 V, with 4 unfitted wire connectors and 4 waterproof gel wire splice capsules (described in statistical reporting number 8544.49.2000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8544.49.2000	Product Specific	Copper wire, twenty (20) gauge, insulated with polyvinylchloride (PVC), not fitted with connectors, for a voltage not exceeding 80 V, not designed for use in telecommunications (described in statistical reporting number 8544.49.2000)	10/2/2019	10/1/2020	9903.88.20
8544.49.2000	Product Specific	Sets comprising conductors and markers for electrically powered dog training, controlling, repelling or locating apparatus (described in statistical reporting number 8544.49.2000)	10/2/2019	10/1/2020	9903.88.20
8544.49.2000	Product Specific	16-gauge 2-conductor wire, not fitted with connectors, for a voltage not exceeding 80 V (described in statistical reporting number 8544.49.2000)	9/20/2019	9/19/2020	9903.88.17
8544.49.2000	Product Specific	Electric conductors, not fitted with connectors, for a voltage not exceeding 80 V, each overmolded with polypropylene (described in statistical reporting number 8544.49.2000)	9/20/2019	9/19/2020	9903.88.17
8544.60.6000	Product Specific	Monopolar conductors for a voltage exceeding 1,000 V, other than of copper and not fitted with connectors (described in statistical reporting number 8544.60.6000)	9/20/2019	9/19/2020	9903.88.17
8607.19.3010	Product Specific	Truck bolsters for railway cars, each weighing more than 650 kg (described in statistical reporting number 8607.19.3010)	9/20/2019	9/19/2020	9903.88.17
8607.19.3020	Product Specific	Truck side frames for railway cars, each weighing more than 400 kg (described in statistical reporting number 8607.19.3020)	9/20/2019	9/19/2020	9903.88.17
8607.30.1000	Product Specific	Bottom shelf coupler assemblies designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Buffering/cushioning front retainer plates, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8607.30.1000	Product Specific	Buffering/cushioning intermediate aligning and overtravel protection members, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Buffering/cushioning rear aligning and overtravel protection members designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Buffering/cushioning rear structural units, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Buffering/cushioning retention and alignment shafts, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Buffering/cushioning retention caps, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Draft pack rear aligning and overtravel protection members, designed for use with hybrid railcar cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Follower block plates, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Front draft lugs, designed to stop the movement of buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8607.30.1000	Product Specific	Rear draft lugs, designed to stop the movement of buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Type F knuckles, designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	10/2/2019	10/1/2020	9903.88.20
8607.30.1000	Product Specific	Couplers, knuckles and yokes and parts thereof for vehicles of heading 8605 or 8606	7/31/2019	7/30/2020	9903.88.12
8711.10.0000	Product Specific	Motorcycles (including mopeds), with reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cc, valued not over \$500 each	7/31/2019	7/30/2020	9903.88.12
<b>8711.60.0050</b>	Product Specific	Original Language: Skateboards with electric power for propulsion, of a power not exceeding 250 W (described in statistical reporting number 8711.60.0050)  <b><i>CORRECTED (12/17/2019) and revised language: Skateboards with electric power for propulsion, of a power of 1.0 kW or more but not over 2.1 kW (described in statistical reporting number 8711.60.0090, effective July 1, 2019; described in statistical reporting number 8711.60.0000, prior to July 1, 2019)</i></b>	9/20/2019	9/19/2020	9903.88.17

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
<b>8711.60.0050, 8711.60.0090 (8711.60.0000 prior to July 1, 2019)</b>	Product Specific	Original Language: Motorcycles with electric power for propulsion, each of a power not exceeding 1,000 W (described in statistical reporting numbers 8711.60.0050 or 8711.60.0090)  <i><b>CORRECTED (12/17/2019) and revised language: Motorcycles with electric power for propulsion, each of a power not exceeding 1,000 W (described in statistical reporting numbers 8711.60.0050 or 8711.60.0090, effective July 1, 2019; described in statistical reporting number 8711.60.0000, effective prior to July 1,2019</b></i>	9/20/2019	9/19/2020	9903.88.17
<b>8713.90.0030</b>	Product Specific	Three-wheeled carriages for disabled persons, with electric power for propulsion, each carriage having a second passenger seat capable of being stowed and a foot-operated brake (described in statistical reporting number 8713.90.0030)	9/20/2019	<a href="#"><u>REVOKED 10/2/2019</u></a>	<a href="#"><u>FR 2019- 21419</u></a>
9001.20.0000	Product Specific	Polarizing film, of triacetate, with a pressure sensitive adhesive backing	7/31/2019	7/30/2020	9903.88.12
9025.19.8040	Product Specific	Digital clinical thermometers, valued not over \$11 each (described in statistical reporting number 9025.19.8040)	10/2/2019	10/1/2020	9903.88.20
9025.19.8040	Product Specific	Digital clinical thermometers, valued not over \$11 each	7/31/2019	7/30/2020	9903.88.12
9025.19.8080	Product Specific	Galileo thermometers (described in statistical reporting number 9025.19.8080)	10/2/2019	10/1/2020	9903.88.20
9025.19.8080	Product Specific	Handheld electronic thermometers, with a metal thermo-couple probe measuring 10 cm in length (described in statistical reporting number 9025.19.8080)	10/2/2019	10/1/2020	9903.88.20
9025.19.8080	Product Specific	Thermometers, not combined with other instruments, other than liquid-filled for direct reading, other than pyrometers, other than clinical thermometers (described in statistical reporting number 9025.19.8080)	10/2/2019	10/1/2020	9903.88.20



Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9025.19.8080	Product Specific	Thermometers comprising cable assemblies with sensors, suitable for use in swimming pools, not combined with other instruments, valued not over \$10 each (described in statistical reporting number 9025.19.8080)	9/20/2019	9/19/2020	9903.88.17
9025.19.8080	Product Specific	Cooking thermometers, including candy and deep-fry thermometers	7/31/2019	7/30/2020	9903.88.12
9025.19.8080	Product Specific	Infrared thermometers	7/31/2019	7/30/2020	9903.88.12
9025.80.1000	Product Specific	Battery-powered electronic temperature monitors with LCD displays, capable of storing downloadable readings as low as -80 degrees Celsius or as high as 70 degrees Celsius, of a kind used in cold-temperature transport or storage of perishable goods (described in statistical reporting number 9025.80.1000)	10/2/2019	10/1/2020	9903.88.20
9025.80.1000	Product Specific	Combined thermometer and hygrometer devices	7/31/2019	7/30/2020	9903.88.12
9027.10.2000	Product Specific	Portable, wireless enabled, electrical gas monitors (described in statistical reporting number 9027.10.2000)	10/2/2019	10/1/2020	9903.88.20
9028.10.0000	Product Specific	Pulse output gas meters of a kind that can be read remotely (described in statistical reporting number 9028.10.0000)	7/31/2019	7/30/2020	9903.88.12
9028.20.0000	Product Specific	Pulse output water meters, of cast stainless steel (described in statistical reporting number 9028.20.0000)	7/31/2019	7/30/2020	9903.88.12
9029.20.4080	Product Specific	Fingertip pulse oximeters	7/31/2019	7/30/2020	9903.88.12
9030.31.0000	Product Specific	Multimeters, without a recording device, clamp-style, with 10-function LCD digital display for measuring AC/DC voltage and current, resistance and continuity with an autorange of 400 amps, measuring not over 33 cm (13 inches) high by 51 cm (20 inches) wide by 36 cm (14 inches) deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.31.0000	Product Specific	Multimeters, without a recording device, capable of measuring more than one property (such as voltage, amperage, continuity, ground fault) of an electric current in a circuit, self-powered or powered by the circuit it is measuring, each valued not over \$16 (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, clamp-style, 6-function, autoranging 600 ampere AC only, measuring not over 33 cm (13 inches) high by 15.5 cm (6 inches) wide by 18 cm (7 inches) deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, clamp-style, root mean square (RMS) type, for measuring AD/DC voltage, AC/DC current, resistance, capacitance and frequency, with 600 V to 1,000 V safety rating (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, clamp-style, true root mean square (RMS) type, with 6-function LCD digital display, measuring not over 41 cm high by 33 cm wide by 28 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, clamp-style, with 4-function 8-range manual-ranging analog display, for measuring AC/DC voltage, AC current and resistance, measuring not over 30.5 cm (12 inches) high by 13 cm (5 inches) wide by 20.3 cm (8 inches) deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, for measuring AC/DC voltage, AC/DC current, resistance, capacitance and frequency, with 250 to 1,000 AC/DC volt safety rating, designed for examining electrical motors in household appliances and automobiles (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, true root mean square (RMS) type, with 10-function 10-range LCD digital display, for measuring AC/DC voltage, current, resistance, diode, continuity and battery, measuring not over 31 cm high by 21 cm (20.3 cm wide by 12 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 13-range analog display, measuring not over 28 cm high by 13 cm wide by 20.3 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 3-function 11-range LCD digital display, manual-ranging, for measuring AC/DC voltage and resistance, measuring not over 23 cm high by 13 cm wide by 26 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 4-function 14-manual-range LCD digital display, for measuring AC/DC voltage, resistance and battery, measuring not over 15.5 cm high by 28 cm wide by 28 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 4-function 14-range manual-ranging LCD digital display, for measuring AC/DC voltage, resistance and battery, measuring not over 28 cm high by 15.5 cm wide by 26 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 4-function 17-range autoranging LCD digital display, for measuring AC/DC voltage, resistance, continuity and diode, measuring not over 20.3 cm high by 8 cm wide by 13 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 5-function 18-range LCD digital display, with 10 megohm input impedance, for measuring AC/DC voltage, DC current, resistance and diode, measuring not over 13 cm high by 23 cm wide by 23 cm deep (described in statistical subheading 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 5-function analog display, measuring not over 18 cm high by 13 cm wide by 20.3 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 5-function, 12-range analog display, measuring not over 13 cm high by 20.3 cm wide by 18 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 6-function 14-range manual-range analog display, for measuring AC/DC voltage, DC current, resistance, decibels and battery, measuring not over 18 cm high by 13 cm wide by 23 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 7-function 19-range analog display, for measuring AC/DC voltage, DC current, resistance, continuity, decibel and battery, measuring not over 23 cm high by 64 cm wide by 26 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 7-function 19-range LCD digital display, for measuring AC/DC voltage, resistance, continuity, diode, battery and temperature, measuring not over 26 cm high by 26 cm wide by 15.5 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 7-function 19-range LCD digital display, measuring not over 33 cm high by 13 cm wide by 13 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 7-function 7-range autoranging LCD digital display, for measuring AC/DC voltage, resistance, diode, continuity, temperature and battery, measuring not over 28 cm high by 16 cm wide by 26 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 8-function 28-manual-range LCD digital display, for measuring AC/DC voltage, current, resistance, continuity, diode and battery, measuring not over 28 cm high by 21 cm wide by 21 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with 9-function 10-aurorange LCD digital display, for measuring AC/DC voltage, current, resistance, diode and continuity, measuring not over 28 cm high by 21 cm wide by 21 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, hand-held, with autoranging LCD digital display, for measuring AC/DC voltage up to 600 volts, current up to 10 amperes, continuity and resistance, measuring not over 28 cm high by 23 cm wide by 18 cm deep (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without a recording device, root mean square (RMS) clampstyle, for measuring AC/DC voltage, AC/DC current, resistance, capacitance and frequency, with 600 V safety rating, designed principally for examining electrical motors in household appliances and automobiles (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.31.0000	Product Specific	Multimeters, without recording device, to measure voltage, current, resistance or power (described in statistical reporting number 9030.31.0000)	10/2/2019	10/1/2020	9903.88.20
9030.84.0000	Product Specific	GPS wireless diagnostic tools, each with a recording device, operating at 150 MHz (described in statistical reporting number 9030.84.0000)	10/2/2019	10/1/2020	9903.88.20

Product Specific Exclusions Granted | U.S. 301 List 2 (\$16 Billion)

Note some exclusions have been revoked, modified or have expired (**HTS in red**)

HTS	Type	Product	Date Granted	Expiration Date	Chp 99 HTS Code
8711.60.0050	Product Specific	Skateboards with electric power for propulsion, of a power not exceeding 250 W (described in statistical reporting number 8711.60.0050).	2/24/2020	8/1/2020	9903.88.20