OMB Control Number: 0694-0139 Expiration Date: 9/12/2018 Request for Exclusion from Remedies: Section 232 National Security Investigation of Aluminum Imports Exclusion Request Requirements: Only individuals or organizations operating in the United States that use aluminum products (e.g. slab, billets, ingots, extrusions, rod and bar, sheet and plate, foil, pipe and tube, castings and forgings, etc.) in business activities (e.g., construction, manufacturing, supplying aluminum product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of aluminum product they require using a 10-digit HTSUS code, including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the aluminum product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted. A separate Exclusion Request must be submitted on each distinct type and dimension of aluminum product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions. Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Identifiable Information. Organizations should upload their completed Exclusion Request pertaining to an aluminum product to www.regulations.gov under Docket Number BIS-2018-0002. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related directly to completing this form, contact BIS via email (Aluminum232@bis.doc.gov) or telephone (202-482-4757). 10-Digit Harmonized Tariff Schedule Code of the United States (HTSUS) 1.a Identify the class of Aluminum product for which the Exclusion is sought: for the single aluminum product covered by this request: (See https://www.usitc.gov/publications/docs/tata/hts/bychapter/0900c72 0.pdf) Importer of Record for Organization Requesting an Exclusion **Requesting Organization Information** Full Organization Legal Name Full Organization Legal Name Street Address Street Address City City State State Zip Code Zip Code **Headquarters Country** Headquarters Country Point of Contact - Representative Name Point of Contact Name Phone Number Phone Number 1.b E-mail Address E-mail Address Web Site Address Web Site Address **Parent Company of Requesting Organization** Requester's Authorized Representative/Agent (If applicable) Full Organization Legal Name Requester Point of Contact Name Street Address Point-of-Contact Organization City Country Location State/Province Phone Number Zip Code/Postal Code E-mail Address **Headquarters Country** Web Site Address Web Site Address Other Information Does the parent organization hold ownership in (partially or completely), or is it Identify the country where the If "Yes" - Identify otherwise engaged as an: Aluminum Manufacturer; Aluminum Distributor; Aluminum the organization organization is headquartered 1.c Exporter or, Aluminum Importer? If "Yes" identify the activity. Comments: Identify the primary type of aluminum activity of the Exclusion Total Requested Annual Exclusion Quantity in Kilograms (1 metric ton = Requester: 1,000 kilograms) Comments:

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Aluminum Imports - Continued															
2.a	Average annual co	onsumption for ye	ears 2015-2017 of t	the aluminum pro	duct that is subject	of this Exclusion I	Request - Kilogram	S								
	Explain why your organization requires an Exclusion using 1) the drop-down box and 2) by providing written comments in the space provided below.															
2.b	Comments:															
2.c	Identify the perce	ntage of total alu	minum product co	vered under this I	Exclusion Request r	ot available from	aluminum manufa	cturers in the Uni	ted States:							
2.d	Estimate the number of days required to take delivery of the aluminum product covered by this Exclusion Request, from the time the purchase order is issued by your organization:															
2.e	Estimate the number of days required to manufacture the aluminum product covered by this Exclusion Request, from the time a binding purchase order is executed:															
2.f.	Estimate the number of days required to ship the aluminum product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:															
2.g	2.g Estimate the number of distinct shipments from the foreign port(s) of departure that will be needed for transporting to the United States the aluminum product subject to this Exclusion Request: Identify the U.S. Destination Port(s) of Entry through which the aluminum product subject to this Exclusion Request would be transported:															
2.h	Identify the U.S. D			which the aluminu rt 2	ım product subject Poi		Request would be		Po	rt 5	Po	rt 6	Ро	r t 7		
2.11	10	(1		11.2	101		10		10	11.5	10					
	Is the organizatio	n making this Excl	usion Request doir	ng so on behalf of	a non-U.S. aluminu	m producer that (does not manufact	cure aluminum pro	oducts in the Unite	ed States?						
2.i	i If "Yes" identify the non-U.S. aluminum producer							Identify the coun	try where the orga	nization is headqu	uartered	rtered				
	Comments:															
							xclusion Request F		on							
		•	•	•	f the product in the ows:	e space provided b	pelow. * See explai	nation below.								
	The product for which an Exclusion is being requested is defined as follows:															
2.j																
	* With regard to the product for which an Exclusion is requested, such a description must be limited to a single product. The description must be limited solely to physical properties (e.g., chemical requirements, mechanical requirements, dimensions, etc.) and exact descriptive terms/phrases covering the product subject to the Exclusion Request (e.g., "hot-rolled," "seamless pipe," "suitable for use in boilers," "longitudinally submerged arc welded," etc.).															
	All such physical properties must be defined based on actual, rather than nominal, measurements; references to specific dimensions (e.g., "cross-sectional diameter of 5.50 mm") or measurements (e.g., "yield strength of 300 MPa," "carbon content															
	0.08%," etc.) will be interpreted as meaning the exact dimension or measurement. Ranges (e.g., "cross-sectional diameter falling within the range 5.35 mm and 5.65 mm," "yield strength greater than or equal to 300 MPa," "carbon content less than or															
	equal to 0.15%, by weight," etc.) are allowed. Where a range is needed, it should be identified based on the end points of the range (as in the examples above), rather than through references to absolute or percentage tolerances.															
	Comments:															
							Organization	Designation		Organization	Designation		Organization	Designation		
		_			product type that	1			3	-	-	5		-		
2.k	is the subject of this Exclusion Request, and provide the reference designation(s) for the identified standards organization(s),					2			4			6				
	(e.g., ASTM A108-13):				Other (specify)			Other (specify)			Other (specify)					
	General Aluminum Product Description															
	Identify the classi	fication and prope	erties of the alumir	num product cove	red under this Excl	usion Request. Ot	ther classification	or properties may	be described in th	e Comment box b	elow. (Select all th	nat apply)				
	Slab	Blooms	Billets	Ingots	Fittings	Flat	Long	Beams	Semi@Finished	Pipe	Tube	Stainless	Hot Rolled	Cold Rolled		
2.1																
	Annealed	Plated	Electro-Plated	Galvanized	Electro-Galvanized	Zinc Plated	Aluminum	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use		
							Plated							Comment Box)		
	Comment															
	Comment:															

							Continued	on Next Page							
			Request fo	r Exclusion f	rom Remed	es: Section 2		Security Inve	estigation of	Aluminum	mnorts - Cov	ntinued			
	CL. I. I.	al according						- security mive		- Alammann I		Terrio Cu			
3.a	State the chemical composition of the specific aluminum product for which your organization seeks an Exclusion.														
			1				Chemical C	Composition							
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Nickel	
	Minimum %														
	Maximum %												Other List	[Other - List	
J.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tin	Titanium	Tungsten	Vanadium	Zinc	[Other - List Below]	Below]	
	Minimum %														
	Maximum %														
	Comments:														
	Provide informati	ion on the single a	aluminum product	that is the subject	of this Exclusion F	lequest: 1) dimens	ional information	for the single alum	inum product and	l a single size - not	a range of produc	rts and or sizes			
	Provide information on the single aluminum product that is the subject of this Exclusion Request: 1) dimensional information for the single aluminum product and a single size - not a range of products and or sizes (e.g., 19 mm dia. rebar - not 19, 22, 25, and 29 mm.) A separate Exclusion Request must be submitted for each aluminum product by physical dimension; 2) performance data for tensile strength, yield strength, hardness, impact, shear and test														
	temperature.											Toug	hness		
			Aluminum Pro	duct Specification	s (Millimeters)				Strength			(If App			
										Hardness				Othor	
		Thickness	Inside Diameter	Outside Diameter	Longth	Width	Height	Tensile	Yield	(specify method below - Brinnell,	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in	
3.b		THICKHESS	iliside Diameter	Outside Diameter	Length	wiatii		Strength Mega Pascal (MPa)	Strength Mega Pascal (MPa)	Rockwell, Vickers, etc.)		1 6361118	1 6361119	comment box)	
											Temperature (°C)				
	Minimum										Joules				
	Maximum										% Shear				
	Comments:														
	Provide the follow	wing information o	on the single alumi	num product that	is the subject of t	nis Exclusion Requ	est: 1) performand	ce data for ductility	and surface finish	n; and 2) metal coa	iting process, mat	erial type, weight,	and thickness.		
		Global	Ductility	Local D				Surface Finish			Coating Type and Composition				
			·	(If App	icable)				(If Applicable)			(If Applicable)			
					Bendability						Coating Product	Composition (e.g.,	Weight		
		Elongation %	Reduction	Hole Expansion %	(Bend Radius/Sheet				Profilometer	Coating Method	Name and	Zn, Al, Si, Mg, other intentionally	[Grams per Sq.	Coating Thickness	
			-in-Area %		Thickness [millimeter]				- [SAE J911]		Abbreviation	added elements or alloys)	IVIATALI	[micrometers]	
3.c					[mmmeter]							unoysy			
	Minimum														
	Maximum														
	Select any additional processing methods used:										Other (specify)				
								<u> </u>							
	Comments:														
	Comments.														

					Continued on N	ext Page						
		Request for Exclusion f	rom Remedies	: Section 232	2 National S	Security Inv	estigation of Aluminum	Imports - Coi	ntinued			
	List the Commerc	cial Name(s) of the single aluminum product that is the	subject of this Exclus	ion Request.								
Λa												
т.а												
	Comments:											
		inum Association code for the aluminum product that his Exclusion Request:		State below: 1) the application for the aluminum product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar aluminum products manufactured in the United States, if available, are not suitable.								
4.b	1	·										
4.c	If the Exclusion is	he Exclusion is needed to support U.S. national security requirements (critical infrastructure or national defense systems), provide a detailed description of the specific uses of this single aluminum product:										
	1	dentify the source countries for the single aluminum product for which the Exclusion is requested, the annual quantity to be supplied in kilograms, and the name of the current manufacturer(s) of the aluminum product. If this aluminum product is not										
		ained directly from the manufacturer, identify the current supplier(s) and the country of the supplier(s). The Exclusion Request, if granted, will pertain solely to the identified supplier(s) listed in this form and the country of origin. TE: Aluminum products encompassing more than one 10-digit HTSUS code must submit a separate Exclusion Request for each pertinent code.										
	NOTE. Aluminum		code must submit a						Current Supplier (if not obtained directly from manufacturer)			
4.d		Country of Origin Coun		Export	Exclusion	Quantity	Current Manufact	urer		nanufacturer)		
	1											
	3											
	4											
	5											
	Product Availability Information											
4.e	Does the requeste	the requester possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described aluminum product in the United States?										
	Comment:											
	Does the request	he requester possess knowledge of any parties that <u>currently</u> manufacture the described aluminum product a country exempted from this tariff? If yes, identify the country or countries below.										
4.f	Comment:											
	Is the requester a	l aware of any manufacturers <u>capable of producing</u> a sub	stitute for the alumi	num product in the	e United States?	If "Yes" provide s	supporting information (name and	address) in the spa	ce below?			
4.g	Comment:											
		l requester attempted to <u>qualify any aluminum manufa</u>					at is the subject of this Exclusion F	equest in the past t	wo years? If "Yes" provide			
	supporting inform	nation in the space below. Supporting documents mus	t be submitted as a c	onsolidated PDF fi	ile and may not	exceed 25 pages.						
4.h	2					6						
4.11	3					7						
	4	8										

Comment:		
	Continued on Next Page	

		Request fo	r Exclusion from Remedies: Section	n 232 National So	ecurity Inve	estigation of	f Aluminum I	mports - Con	ntinued			
5.a	addresses and vo		ne described aluminum product that is the subject ninum manufacturing organizations in the space be		st, or a substitute	e, from a U.S. ma	nufacturer in the p	ast two years? If "	Yes" identify the manufacturers,			
	Comment:											
5.b			have current contracts, with aluminum producers to of contact at the U.S. manufacturing organizations		United States th	e aluminum prod	luct identified in th	e Exclusion Reque	st? If "Yes" identify the U.S.			
5.c	standards/proced	Requester <u>determined that there is</u> ures employed to make that determ	no U.S. manufacturer that produces a near-equiva ination.	lent aluminum product t	that would meet	qualification req	uirements? If "Yes	" identify in the sp	pace below the testing			
	Comment:											
5.d	In the last two yearspace below.	n the last two years, has the requester purchased a substitute aluminum product manufactured in the United States in place of the aluminum product described in the Exclusion Request? If "Yes" provide supporting information in the space below.										
	Comment:											
5.e	system and proces	Provide a detailed explanation as to how U.S. Customs and Border Protection (CBP) will be able to reasonably distinguish the aluminum product subject to the Exclusion Request at time of entry, without adding undue burden to their current entry system and procedures.										
disc			must be fully completed and submitted to www.re hat some information should be treated otherwise			_						
	mission of Support missions may not ex		porting attachments should be submitted to www.	regulations.gov as PDF (documents and r	must be posted to	o www.regulations	gov under Docket	Number BIS-2018-0006. Total sup	porting		
Oth	er Comments:											
I ha	ve additional inforn	nation to provide that is proprietary	or otherwise business confidential that is relevant	and necessary to this su	ubmission:							
	Instruction: T	his Exclusion Request must	be signed by an organization official sp			ne document a	as being accura	ate and comple	ete.			
	_		rein supplied in response to this questionnaire if the United States Government as to any m		ct to the best of			nal offense to w	illfully make a false statement	or		
	Company Name:											
	Name of Authorizi	ng Official:		Tir	tle of Authorizin	g Official						
	Phone Number:		Email of Authorizing Offical:									
If the Point of Contact is different from the Authorizing Official provide point-of-contact information below.												
Point-of-Contact Name: Title												
	E-Mail Address:			P	Phone Number							
				Paperwork Reduction	n Act Notice							
con	plete and review th	ne collection of information. Send o	burden for this collection of information is estimate omments regarding this burden estimate or any ot DC 20230 attn: 0694-0139. Commerce may not commerce may	ther aspects of this colle	ection of informa	tion, to 1401 Cor	stitution Avenue, I	NW, HCHB 1093, O	office of Technology Evaluation, Bur			

Page 7 of 7