MC	3 Control Number: 0694-0139								Expiration Date: 9	/12/201		
	Re	equest for Exclusion	from Remedies:	Section 232	<b>National Sec</b>	curity Investigation of Ste	el Imports					
	Exclusion Request Requirements: Only individuals or organizations operating in the United States that use steel products (e.g., flat, long, semi-finished, pipe and tube, and stainless) in business activities (e.g., construction, manufacturing, supplying stee product to users) in the United States may submit an Exclusion Request. For an Exclusion Request to be considered, the Exclusion Requester must provide factual information on 1) the single type of steel product it requires using a 10-digit HTSUS code including its specific dimension; 2) the quantity of product required (stated in kilograms) under a one-year exclusion; 3) a full description of the properties of the steel product it seeks to import, including chemical composition, dimensions, strength, toughness, ductility, magnetic permeability, surface finish, coatings, and other relevant data. Exclusion Requests must be submitted using this Excel-based document. Paper submissions will not be accepted.  A separate Exclusion Request must be submitted on each distinct type and dimension of steel product to be imported. All applicable question blocks in the form must be completed for the Exclusion Request to be accepted. Exclusion Requests will be denied if the applicant: 1) does not sufficiently address the specified reporting requirements; 2) cites the improper HTSUS code, or 3) provides incorrect product descriptions.  Organizations electing to attach supporting documents must provide these documents in PDF format and it must not exceed 25 pages. All information submitted in the Exclusion Request is subject to public disclosure. Do not provide sensitive Personally Identifiable Information.  Organizations should upload their completed Exclusion Request pertaining to a steel product to www.regulations.gov under Docket Number BIS-2018-0006. An Exclusion Request may be submitted at any time. Processing of an Exclusion Request will take approximately 90 business days. Notification of granted Exclusions will be posted on www.regulations.gov. For questions related											
1.a	Identify the class of steel product for which the Exclus	ion is sought:				10-Digit Harmonized Tariff Schedule for the single steel product covered (See https://www.usitc.gov/publications/docs/ta	by this request:					
	R	equesting Organization Inform	nation		Importer of Record for Org				ganization Requesting an Exclusion			
	Full Organization Legal Name			Full Organization Legal Name								
	Street Address					Street Address						
	City					City						
	State					State						
	Zip Code			Zip Code								
	Headquarters Country			Headquarters Country								
	Point of Contact Name					Point of Contact - Representative N						
	Phone Number					Phone Number						
1.b	E-mail Address					E-mail Address						
	Web Site Address				Web Site Address							
	Pare	nt Company of Requesting Or	ganization			Requester's	Authorized Repres	sentative/Agent (If	f applicable)			
	Full Organization Legal Name					Requester Point of Contact Name						
	Street Address					Point-of-Contact Organization						
	City					Country Location						
	State/Province					Phone Number						
	Zip Code/Postal Code					E-mail Address						
	Headquarters Country					Web Site Address						
	Web Site Address			Other Information								
1.c	Does the parent organization hold ownership in (particular otherwise engaged as a: Steel Manufacturer; Steel Dis Importer? If "Yes" identify the activity.		el		If "Yes" - Identify the organization	l	Identify the count organization is hea	•				
	Comments:											
1.d	Identify the primary type of steel activity of the Exclus	ion Requester:			Total Requested A 1,000 kilograms)	Annual Exclusion Quantity in Kilograr	ns (1 metric ton =					
	Comments:											
				Continued o	on Next Page							

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued													
2.a	Average annual co	onsumption for ye	ears 2015-2017 of t	the steel product t	hat is subject of th	nis Exclusion Requ	est - Kilograms							
		ain why your organization requires an Exclusion using 1) the drop-down box to the right and 2) by providing written comments in the space provided below.												
2.b	Comments:													
2.c	2.c Identify the percentage of total steel product covered under this Exclusion Request not available from steel manufacturers in the United States:													
2.d	2.d Estimate the number of days required to take delivery of the steel product covered by this Exclusion Request, from the time the purchase order is issued by your organization:													
2.e	2.e Estimate the number of days required to manufacture the steel product covered by this Exclusion Request, from the time a binding purchase order is executed:													
2.f.	2.f. Estimate the number of days required to ship the steel product covered under this Exclusion Request, from the foreign port of departure to the Exclusion Requester's loading dock:													
2.g	Estimate the num	ber of distinct shi	pments from the f	oreign port(s) of d	eparture that will	be needed for tra	nsporting to the U	nited States the s	teel product subjec	ct to this Exclusion	Request:			
2 1-			of Entry through		-				Day		D.		D-	7
2.h	Poi	τ1	Po	rt 2	PO	rt 3	POI	rt 4	Poi	π 5	Po	rt 6	Ρ0	rt 7
	Is the organization	n making this Excl	usion Request doir	ng so on behalf of	a non-U.S. steel pr	roducer that does	not manufacture s	teel products in t	he United States?					
2.i	If "Yes" identify t	he non-U.S. steel	producer						Identify the count	try where the orga	nization is headqu	uartered		
	Comments:													
						E	xclusion Request F	Product Informati	on					
		gle Exclusion Request, provide a full, complete description of the product in the space provided below. * See explanation below.  t for which an Exclusion is being requested is defined as follows:												
	The production of	Willer all Exclusion is sellig requested is defined as follows.												
2.j														
	_	to the product for which an Exclusion is requested, such a description must be limited to a single product. The description must be limited solely to physical properties (e.g., chemical requirements, mechanical requirements, dimensions, ct descriptive terms/phrases covering the product subject to the Exclusion Request (e.g., "hot-rolled," "seamless pipe," "suitable for use in boilers," "longitudinally submerged arc welded," etc.).												
		ysical properties must be defined based on actual, rather than nominal, measurements; references to specific dimensions (e.g., "cross-sectional diameter of 5.50 mm") or measurements (e.g., "yield strength of 300 MPa," "carbon content c.) will be interpreted as meaning the exact dimension or measurement. Ranges (e.g., "cross-sectional diameter falling within the range 5.35 mm and 5.65 mm," "yield strength greater than or equal to 300 MPa," "carbon content less than or												
		by weight," etc.) are allowed. Where a range is needed, it should be identified based on the end points of the range (as in the examples above), rather than through references to absolute or percentage tolerances.												
	Comments:													
	Identify the stand	ards organizations	s that have set spe	ecifications for the	product type that		Organization	Designation		Organization	Designation		Organization	Designation
2.k	is the subject of the	nis Exclusion Requ	iest, and provide tl			1			3			5		
	(e.g., ASTM A108-	tandards organization(s), A108-13):							4			6		
						Other (specify)			Other (specify)			Other (specify)		
							General Steel Pro	oduct Description						
	Identify the classi	fication and prope	erties of the steel p	oroduct covered u	nder this Exclusion	Request. Other o	lassification or pro	perties may be d	escribed in the Cor	nment box below.	(Select all that ap	oply)		
	Slab	Blooms	Billets	Ingots	Flat	Long	Beams	Semi -Finished	Pipe	Tube	Stainless	Wire	Hot Rolled	Cold Rolled
2.1														
	Annealed	Plated	Electro- <b>P</b> lated	Galvanized	Electro-	Zinc Plated	Aluminum Plated	Lead Plated	Tin Plated	Painted	Varnished	Plasticized	Pickled	Other (Use Comment Box)
					Galvanized		rialeu							Comment Box)
	Comment:		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>				<u> </u>			<u> </u>
	comment.													

			Request	t for Exclusio	n from Reme	edies: Sectio	n 232 Natio	nal Security I	nvestigation	of Steel Imp	oorts - Contir	nued			
	dentify the chemical composition of the specific steel product for which your organization seeks an Exclusion. Numbers may appear rounded, but full values will be stored.														
							Chemical C	Composition							
	Chemical	Aluminum	Antimony	Bismuth	Boron	Carbon	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Molybdenum	Nickel	
	Minimum %														
2	Maximum %													<b>12.1</b>	
3.a		Niobium	Nitrogen	Phosphorous	Selenium	Silicon	Sulfur	Tellurium	Titanium	Tungsten	Vanadium	Zirconium	[Other - List Below]	[Other - List Below]	
	Minimum %														
	Maximum %														
	Comments:														
		_		product that is the											
	(e.g., 19 mm dia. r	ebar - not 19, 22,	25, and 29 mm.) A	A separate Exclusio	n Request must be	e submitted for ea	ch steel product l	by physical dimensi	on; 2) performand	e data for tensile	strength, yield stro	ength, hardness, in	npact, shear and t	est temperature.	
			Steel Produ	ct Specifications (N	Millimeters)				Strength				Toughness (If Applicable)		
3.b		Thickness	Inside Diameter	Outside Diameter	Length	Width	Height	Tensile Strength Mega Pascal (MPa)	Yield Strength Mega Pascal (MPa)	Hardness (specify method below - Brinnell, Rockwell, Vickers, etc.)	Test Type	Drop-Weight Tear Testing	Impact (Charpy) Testing	Other (specify type in comment box)	
											Temperature (°C)				
	Minimum										Joules				
	Maximum										% Shear				
	Comments:														
	Provide the follow	ring information c	on the single steel	product that is the	subject of this Exc	clusion Request: 1	) performance dat	ta for ductility, mag	netic permeability	,, surface finish; a	nd 2) metal coatin	g process, materia	l type, weight, and	d thickness.	
		Global Ductility  Local Ductility  Magnetic Permeabil										g Type and Comp	osition		
				(If Appl	icable)		(If Applicable)		(If Applicable)			(If Applicable)			
3.c		Elongation %	Reduction -in-Area %	Hole Expansion %	Bendability (Bend Radius/Sheet Thickness [millimeter]	Magnetic Permeability [Epstein Test]	Magnetic Permeability [Greer Lab Method]	Stacked Wide Sheet [ASTM A804/ A804M-04 (2015)]	Profilometer - [SAE J911]	Coating Method	Name and  Abbreviation	Composition (e.g., Zn, Al, Si, Mg, other intentionally added elements or alloys)	Weight [Grams per Sq. Meter]	Coating Thickness [micrometers]	
	Minimum														
	Maximum														
	Select any add	itional processing r	methods used:					Other (specify)							
								1							
	Comments:														
							Continued on I	Next Page							
							Continued on								

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued												
	List the Commerc	mercial Name(s) of the single steel product that is the subject of this Exclusion Request.											
4.a													
	Comments:												
	State the 1) applie	te the 1) application for the steel product (e.g., automotive, appliances, industrial products, structural, etc.) that is the subject of this Exclusion Request, and 2) why similar steel products manufactured in the United States, if available, are not											
	suitable.	ation for the steel product (e.g., automotive, appliant	es, maustriai products, structurai, e	etc.) that is the subject of this exclusi	on Request, and 2) why similar steel	products manura	ctured in the Officed States, if availab	ne, are not					
	If the Exclusion is	needed to support U.S. national security requirement	s (critical infrastructure or national o	defense systems), provide a detailed	description of the specific uses of th	is single steel pro	duct in the space below:						
4.c													
	directly from the	dentify the source countries for the single steel product for which the Exclusion is requested, the annual quantity to be supplied in kilograms, and the name of the current manufacturer(s) of the steel product. If this steel product is not obtained lirectly from the manufacturer, identify the current supplier(s) and the country of the supplier(s). The Exclusion Request, if granted, will pertain solely to the identified supplier(s) listed in this form and the country of origin.  NOTE: Steel products encompassing more than one 10-digit HTSUS code must submit a separate Exclusion Request for each pertinent code.											
		Country of Origin	Country of Export	Exclusion Quantity	Current Manufactur	er	Current Supplier (if not obtained directly from m	aanufacturer)					
4.d	1						(ii not obtained directly from ii	ianuracturer j					
	2												
	3												
	4												
	5												
	Product Availability Information												
4.e	Does the Request	Requester possess knowledge of any domestic U.S. parties that <u>currently</u> manufacture the described steel product in the United States?											
	Comment:												
	Does the Request	ester possess knowledge of any parties that <u>currently</u> manufacture the described steel product in a country exempted from this tariff? If yes, identify the country or countries below.											
4.f	Comment:												
	Is the Requester a	er aware of any manufacturers <u>capable of producing</u> a substitute for the steel product in the United States? If "Yes" provide supporting information (name and address) in the space below?											
4.g	Comment:												
		Requester attempted to <u>qualify any steel manufactur</u> space below. Supporting documents must be submi			ct of this Exclusion Request in the pa	est two years? If "	Yes" provide supporting						
	1			5									
4.h	2			6									
	3			7									
	4			8									
	Comment:												

Continued on Next Page

	Request for Exclusion from Remedies: Section 232 National Security Investigation of Steel Imports - Continued											
5.a		Requester <u>attempted to purchase t</u> ur points of contact at the U.S. stee			clusion Request, or	r a substitute, fro	m a U.S. manufa	cturer in the past to	wo years? If "Yes" i	dentify the manufacturers,		
J.a	Comment:											
5.b		Requester had supply contracts, or dresses, and your points of contact				the United States	the steel produc	ct identified in the E	Exclusion Request?	If "Yes" identify the U.S. steel		
5.5												
5.c	standards/proced	las the Exclusion Requester determined that there is no U.S. manufacturer that produces a near-equivalent steel product that would meet qualification requirements? If "Yes" identify in the space below the testing tandards/procedures employed to make that determination (e.g., magnetic core loss, etc).										
3.0	Comment:											
5 d	In the last two year below.	rs, has the Requester purchased a <u>s</u>	substitute steel produc	t manufactured in the United Sta	ates in place of the	steel product de	scribed in the Ex	clusion Request? If	"Yes" provide supp	porting information in the space		
J.u	Comment:											
5.e	Provide a detailed and procedures.	explanation as to how U.S. Custom	s and Border Protection	on (CBP) will be able to reasonabl	ly distinguish the st	teel product subje	ect to the Exclusi	ion Request at time	of entry, without	adding undue burden to their currer	nt entry system	
disc										All information submitted will be su d requested solely by the U.S. Depar		
	mission of Support missions may not ex		porting attachments s	hould be submitted to www.regu	ulations.gov as PDF	documents and	must be posted	to www.regulations	s.gov under Docket	: Number BIS-2018-0006. Total supp	oorting	
Oth	er Comments:											
I ha	ve additional inforn	nation to provide that is proprietary	or otherwise business	s confidential that is relevant and	d necessary to this	submission:						
	Instruction: T	his Exclusion Request must	be signed by an o	organization official specif	fically authorize	ed to certify th	ne document	as being accur	ate and comple	ete.		
	The undersigned	certifies that the information he	rein supplied in respo	onse to this questionnaire is co	CERTIFIC		f his/her knowle	edge It is a crimi	nal offense to w	illfully make a false statement	or	
		to any department or agency o	• • • • • • • • • • • • • • • • • • • •	•	•							
	Company Name:											
	Name of Authorizi	ng Official:			1	Title of Authorizin	g Official:					
	Phone Number:		Ema	ail of Authorizing Official:								
	If the Point of Con	tact is different from the Authorizir	ng Official provide poin	t-of-contact information below.								
	Point-of-Contact N	lame:				Title						
	E-mail Address:					Phone Number						
				Pa	aperwork Reduction	on Act Notice						
com	plete and review th		comments regarding th	is burden estimate or any other	aspects of this coll	ection of informa	tion, to 1401 Co	nstitution Avenue,	NW, HCHB 1093, C	data sources, gather and maintain of the definition of the definit		

Page 7 of 7